

**SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION**

1. LICENSEE/LOCATION INSPECTED:  Scott Memorial Hospital 1451 North Gardner Street Scottsburg, IN 47170		2. NRC/REGIONAL OFFICE <b>U.S. Nuclear Regulatory Commission Region III 2443 Warrenville Road, Suite 210 Lisle, Illinois 60532-4351</b>	
REPORT                      2006-001			
3. DOCKET NUMBER(S) 030-33192	4. LICENSEE NUMBER(S) 13-26500-01	5. DATE(S) OF INSPECTION April 19, 2006	

**LICENSEE:**  
 The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

1. Based on the inspection findings, no violations were identified.

2. Previous violation(s) closed.

3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, NUREG-1600, to exercise discretion, were satisfied.

\_\_\_\_\_ Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):

4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

(Violations and Corrective Actions)

NMED No. 900350

**Licensee's Statement of Corrective Actions for item 4, above.**

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Deborah A. Piskura		04/19 /2006

*Docket File Information*  
**SAFETY INSPECTION REPORT  
AND COMPLIANCE INSPECTION**



1. LICENSEE <b>Scott Memorial Hospital</b> REPORT NUMBER(S) <b>2006-001</b>		2. NRC/REGIONAL OFFICE <b>Region III</b> <b>2443 Warrenville Road, Suite 210</b> <b>Lisle, IL 60532</b>	
3. DOCKET NUMBER(S) <b>030-33192</b>	4. LICENSE NUMBER(S) <b>13-26500-01</b>	5. DATE(S) OF INSPECTION <b>April 19, 2006</b>	
6. INSPECTION PROCEDURES USED <b>87130 and 87131</b>		7. INSPECTION FOCUS AREAS <b>03.01, 03.02, 03.03, 03.04, 03.05, 03.06, 03.07, and 03.08</b>	

**SUPPLEMENTAL INSPECTION INFORMATION**

1. PROGRAM CODE(S) <b>02120</b>	2. PRIORITY <b>G 3</b>	3. LICENSEE CONTACT <b>Neera Ummat, M.D., RSO</b>	4. TELEPHONE NUMBER <b>812.752.8506</b>
------------------------------------	---------------------------	--	--

Main Office Inspection      Next Inspection Date: April 2009

Field \_\_\_\_\_

Temporary Job Site \_\_\_\_\_

**PROGRAM SCOPE**

This licensee was a small hospital (100 beds capacity) and authorized to use licensed material permitted by Sections 35.100, 35.200, and iodine-131 limited to diagnostic procedures requiring a written directive (these procedures have not been performed since the previous inspection). The nuclear medicine department was staffed with one full-time technologist and one half time technologists who performed approximately 100 diagnostic nuclear medicine procedures per month. The licensee received unit doses from a licensed radiopharmacy. The majority of the studies were bone, cardiac, and gall bladder imaging. The licensee retained the services of a consulting physicist to review its radiation safety program every calendar quarter.

This inspection consisted of interviews with licensee personnel, a review of select records, tour of the nuclear medicine department, and independent measurements. The inspector observed the licensee personnel prepare, assay and administer a unit dosage for a bone imaging procedure. The inspector also observed licensee personnel demonstrate dose calibrator QA tests, and radiation surveys.