

Status of Risk Informed and Performance-Based Regulation for Nuclear Power Plants

May 3, 2006

Jim Lyons, Nuclear Reactor Regulation Farouk Eltawila, Nuclear Regulatory Research

Acronym Slide

- ANS–American Nuclear Society
- ASME–American Society of Mechanical Engineers
- ASP–Accident Sequence Precursor
- EPRI–Electric Power Research Institute
- LERF Large Early Release Frequency
- MSPI-Mitigating Systems Performance Index
- NFPA-National Fire Protection Association
- PRA-Probabilistic Risk Assessment
- RG-Regulatory Guide
- ROP-Reactor Oversight Program

Agenda

- Commission Direction on Risk-Informed and Performance-Based Regulations
- NRC Progress
 - Rulemaking
 - Licensing Actions
 - Pilot Programs
 - Reactor Oversight Process
 - -Technical Basis Support

Commission Direction

- PRA Policy Statement (60 FR 42622, August 1995)
- SRM for Risk-Informing Regulation (SECY 98-300)
- Reactor Oversight Process (SECY-99-007)
- SRM on Phased Approach to PRA Quality (SECY 04-118)

- Option 1 complete current rulemaking (Completed)
 - -50.59 Changes, tests, and experiments
 - –50.72 Immediate notification requirements
 - -50.73 Licensee event reports
 - -50.55a Codes and standards
 - -50.67 Accident source term

- Option 2 develop risk-informed definitions for "safety-related" and "important to safety" (Completed)
 - -50.65 Maintenance rule scope
 - -50.69 Special treatment requirements
 - Regulatory Guide (RG) 1.201 –
 Categorization for Special Treatment

- Option 3 risk-informing remaining sections of Part 50 (Completed)
 - -50.44 Combustible gas control
 - -50.48(c) National Fire Protection
 Association Standard NFPA 805

- Option 3 (On going)
 - -50.46a Emergency core cooling
 - -50.61 Fracture toughness
 - Advanced Notice of Proposed
 Rulemaking for risk-informed and
 performance-based revision to Part 50

Licensing Actions

- Risk-informed licensing actions using (RG 1.174)
- Risk-informed technical specification initiatives (e.g., flexible completion times)
 - -Supporting guidance complete on half
 - Level of licensee implementation varies with the initiative
 - Guidance almost complete on remaining initiatives

Pilot Programs

- Completed: Five RG 1.200 PRA Quality Pilots
- Other Planned Pilot Projects:
 - Categorizing Structures, Systems, and Components for Special Treatment (RG 1.201)
 - Risk-Informed and Performance-Based Fire Protection (RG 1.205)

Reactor Oversight Process (ROP)

- ROP includes:
 - -Risk-Informed Baseline Inspections
 - Significance Determination Process
 - Performance Indicators
- Recent Enhancement
 - Mitigating Systems Performance Index (MSPI)

Technical Basis Support PRA Quality

- PRA standards, with staff participation, being developed by ASME and ANS
- Guidance on related technical issues being developed by staff and industry
- Working with ANS to resolve issues with External Events and Low Power Shutdown standards to meet the December 2008 date

Technical Basis Support PRA Quality

- RG 1.200 on PRA quality issued for trial use (Feb 2004)
- Included staff position/endorsement of ASME Level 1/LERF PRA standard
- Five pilots performed using ASME standard and RG
- RG 1.200 being revised based on pilots and revised ASME standard

Technical Basis Support Fire PRA

- Collaborative efforts with RES and EPRI
- Fire PRA methodology (Sept 2005)
- Fire models for use in PRA
 - Draft Verification and Validation (Jan 2006)
 - Plan to issue final report in 2007

Technical Basis Support SPAR Models

- Internal event models exist for all plants
- Models being developed for external events (e.g., fire, seismic), low power and shutdown, & LERF
 - -8 models available for trial use
- Models support:
 - Significance Determination Process
 - Accident Sequence Precursor Process
 - -Review of NFPA-805 activities

Technical Basis Support PRA Training

- NRC PRA training courses for both management and staff
- Interoffice working group established to review PRA courses
- ASME with NRC, EPRI, NEI, and BWR and PWR Owner's group developing training on the PRA standards

NRC Progress

- Risk-informed initiatives have enhanced every aspect of reactor regulations
- Steady progress is being made in implementing Commission PRA policy and directions