

May 30, 2006

Mr. F. G. Burford
Acting Director
Nuclear Safety and Licensing
Entergy Operations, Inc.
1340 Echelon Parkway
Jackson, MS 39213-8298

SUBJECT: ARKANSAS NUCLEAR ONE, UNITS 1 AND 2; JAMES A. FITZPATRICK NUCLEAR POWER PLANT; GRAND GULF NUCLEAR STATION, UNIT 1; INDIAN POINT NUCLEAR GENERATING, UNITS 1, 2 AND 3; PILGRIM NUCLEAR POWER STATION; RIVER BEND STATION; VERMONT YANKEE NUCLEAR POWER; AND WATERFORD STEAM ELECTRIC STATION, UNIT 3 - APPLICATION FOR USE OF DELTA PROTECTION MURUROA V4F1 R SUPPLIED AIR SUITS (TAC NOS. MD1746, MD1747, MD1748, MD1749, MD1750, MD1751, MD1752, MD1753, MD1754, MD1755 AND MD1756)

Dear Mr. Burford:

By letter dated May 16, 2006, Entergy Operations, Inc. and Entergy Nuclear Operating Inc., requested Nuclear Regulatory Commission (NRC) approval to use Mururoa "fully enclosed suit" model V4F1 R manufactured by Delta Protection, France, and to use an Assigned Protection Factor of 5000 when using the suits at Arkansas Nuclear One, Units 1 and 2; James A. Fitzpatrick Nuclear Power Plant; Grand Gulf Nuclear Station, Unit 1; Indian Point Nuclear Generating, Units 1, 2 and 3; Pilgrim Nuclear Power Station; River Bend Station, Unit 1; Vermont Yankee Nuclear Station; and Waterford Steam Electric Station, Unit 3.

You requested NRC review of this change by August 1, 2006. However, due to other emergent tasks and priorities, the NRC staff has estimated that the completion date for the review of this application is September 15, 2006.

Please contact me at 301-415-3308, if you have any questions.

Sincerely,

/RA/

Bhalchandra Vaidya, Project Manager
Plant Licensing Branch IV
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-313, 50-368, 50-333, 50-416, 50-003, 50-247, 50-286, 50-293, 50-458,
50-271, and 50-382

cc: See next page

Mr. F. G. Burford
Acting Director
Nuclear Safety and Licensing
Entergy Operations, Inc.
1340 Echelon Parkway
Jackson, MS 39213-8298

May 30, 2006

SUBJECT: ARKANSAS NUCLEAR ONE, UNITS 1 AND 2; JAMES A. FITZPATRICK NUCLEAR POWER PLANT; GRAND GULF NUCLEAR STATION, UNIT 1; INDIAN POINT NUCLEAR GENERATING, UNITS 1, 2 AND 3; PILGRIM NUCLEAR POWER STATION; RIVER BEND STATION; VERMONT YANKEE NUCLEAR POWER; AND WATERFORD STEAM ELECTRIC STATION, UNIT 3 - APPLICATION FOR USE OF DELTA PROTECTION MURUROA V4F1 R SUPPLIED AIR SUITS (TAC NOS. MD1746, MD1747, MD1748, MD1749, MD1750, MD1751, MD1752, MD1753, MD1754, MD1755 AND MD1756)

Dear Mr. Burford:

By letter dated May 16, 2006, Entergy Operations, Inc. and Entergy Nuclear Operating Inc., requested Nuclear Regulatory Commission (NRC) approval to use Mururoa "fully enclosed suit" model V4F1 R manufactured by Delta Protection, France, and to use an Assigned Protection Factor of 5000 when using the suits at Arkansas Nuclear One, Units 1 and 2; James A. Fitzpatrick Nuclear Power Plant; Grand Gulf Nuclear Station, Unit 1; Indian Point Nuclear Generating, Units 1, 2 and 3; Pilgrim Nuclear Power Station; River Bend Station, Unit 1; Vermont Yankee Nuclear Station; and Waterford Steam Electric Station, Unit 3.

You requested NRC review of this change by August 1, 2006. However, due to other emergent tasks and priorities, the NRC staff has estimated that the completion date for the review of this application is September 15, 2006.

Please contact me at 301-415-3308, if you have any questions.

Sincerely,

/RA/

Bhalchandra Vaidya, Project Manager
Plant Licensing Branch IV
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-313, 50-368, 50-333, 50-416, 50-003, 50-247, 50-286, 50-293, 50-458, 50-271, and 50-382

cc: See next page

DISTRIBUTION:

PUBLIC	RidsNrrDorLpla (RLauffer)	RidsNrrPMJBoska
LPLIV r/f	RidsNrrLADJohnson	RidsNrrPMJShea
LPLI-1 r/f	RidsNrrLASLittle	RidsRgn1MailCenter (BMcDermott/CAAnderson)
RidsOgcRp	RidsNrrPMBVaidya	RidsRgn4MailCenter (DGraves/KKennedy/TPruett)
RidsAcrcAcnwMailCenter	RidsNrrPMDHolland	RidsNrrDorIDpr (BKS1)
RidsNrrDorLplg (DTerao)	RidsNrrPMMFields	BSosa (RI)
RidsNrrDprPgcb (CJackson)	RidsnrrPMMWebb	TBloomer (RIV)

ACCESSION NO: **ML061440173**

NRR-106

OFFICE	NRR/LPL4/PM	NRR/LPL4/LA	NRR/LPL4/BC
NAME	BVaidya;mxr4	DJohnson	DTerao
DATE	5/30/06	5/30/06	5/30/06

OFFICIAL RECORD COPY

FitzPatrick Nuclear Power Plant
Indian Point Nuclear Generating
Pilgrim Nuclear Power Station
Vermont Yankee Nuclear Power Station

cc:

Mr. Gary J. Taylor
Chief Executive Officer
Entergy Operations, Inc.
1340 Echelon Parkway
Jackson, MS 39213

Mr. John T. Herron
Sr. VP and Chief Operating Officer
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. Peter T. Dietrich
Site Vice President
Entergy Nuclear Operations, Inc.
James A. FitzPatrick Nuclear Power Plant
P.O. Box 110
Lycoming, NY 13093

Mr. Kevin J. Mulligan
General Manager, Plant Operations
Entergy Nuclear Operations, Inc.
James A. FitzPatrick Nuclear Power Plant
P.O. Box 110
Lycoming, NY 13093

Mr. Oscar Limpias
Vice President Engineering
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. Christopher Schwarz
Vice President, Operations Support
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. John F. McCann
Director, Licensing
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Resident Inspector's Office
James A. FitzPatrick Nuclear Power Plant
U. S. Nuclear Regulatory Commission
P.O. Box 136
Lycoming, NY 13093

Ms. Charlene D. Faison
Manager, Licensing
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. Michael J. Colomb
Director of Oversight
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. David Wallace
Director, Nuclear Safety Assurance
Entergy Nuclear Operations, Inc.
James A. FitzPatrick Nuclear Power Plant
P.O. Box 110
Lycoming, NY 13093

Mr. James Costedio
Manager, Regulatory Compliance
Entergy Nuclear Operations, Inc.
James A. FitzPatrick Nuclear Power Plant
P.O. Box 110
Lycoming, NY 13093

Assistant General Counsel
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

May 2006

FitzPatrick Nuclear Power Plant
Indian Point Nuclear Generating
Pilgrim Nuclear Power Station
Vermont Yankee Nuclear Power Station

-2-

cc:

Mr. Charles Donaldson, Esquire
Assistant Attorney General
New York Department of Law
120 Broadway
New York, NY 10271

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Oswego County Administrator
Mr. Steven Lyman
46 East Bridge Street
Oswego, NY 13126

Mr. Peter R. Smith, President
New York State Energy, Research,
and Development Authority
17 Columbia Circle
Albany, NY 12203-6399

Mr. Paul Eddy
New York State Dept. of Public Service
3 Empire State Plaza
Albany, NY 12223-1350

Supervisor
Town of Scriba
Route 8, Box 382
Oswego, NY 13126

Mr. James H. Sniezek
BWR SRC Consultant
5486 Nithsdale Drive
Salisbury, MD 21801-2490

Mr. Michael D. Lyster
BWR SRC Consultant
5931 Barclay Lane
Naples, FL 34110-7306

Mr. Garrett D. Edwards
814 Waverly Road
Kennett Square, PA 19348

Mr. Michael Kansler
President
Entergy Nuclear Operations, Inc.
440 Hamilton Avenue
White Plains, NY 10601

Mr. David R. Lewis
Pillsbury, Winthrop, Shaw, Pittman, LLP
2300 N Street, N.W.
Washington, DC 20037-1128

Mr. David O'Brien, Commissioner
Vermont Department of Public Service
112 State Street
Montpelier, VT 05620-2601

Mr. James Volz, Chairman
Public Service Board
State of Vermont
112 State Street
Montpelier, VT 05620-2701

Chairman, Board of Selectmen
Town of Vernon
P.O. Box 116
Vernon, VT 05354-0116

Operating Experience Coordinator
Vermont Yankee Nuclear Power Station
320 Governor Hunt Road
Vernon, VT 05354

G. Dana Bisbee, Esq.
Deputy Attorney General
33 Capitol Street
Concord, NH 03301-6937

May 2006

FitzPatrick Nuclear Power Plant
Indian Point Nuclear Generating
Pilgrim Nuclear Power Station
Vermont Yankee Nuclear Power Station

-3-

cc:

Chief, Safety Unit
Office of the Attorney General
One Ashburton Place, 19th Floor
Boston, MA 02108

Ms. Carla A. White, RRPT, CHP
Radiological Health
Vermont Department of Health
P.O. Box 70, Drawer #43
108 Cherry Street
Burlington, VT 05402-0070

Mr. James M. DeVincentis
Manager, Licensing
Vermont Yankee Nuclear Power Station
P.O. Box 0500
185 Old Ferry Road
Brattleboro, VT 05302-0500

Resident Inspector
Vermont Yankee Nuclear Power Station
U. S. Nuclear Regulatory Commission
P.O. Box 176
Vernon, VT 05354

Director, Massachusetts Emergency
Management Agency
ATTN: James Muckerheide
400 Worcester Rd.
Framingham, MA 01702-5399

Jonathan M. Block, Esq.
Main Street
P.O. Box 566
Putney, VT 05346-0566

Mr. Theodore Sullivan
Site Vice President
Entergy Nuclear Operations, Inc.
Vermont Yankee Nuclear Power Station
P.O. Box 0500
185 Old Ferry Road
Brattleboro, VT 05302-0500

Ms. Stacey M. Lousteau
Treasury Department
Entergy Services, Inc.
639 Loyola Avenue
New Orleans, LA 70113

Mr. Norman L. Rademacher
Director, NSA
Vermont Yankee Nuclear Power Station
P.O. Box 0500
185 Old Ferry Road
Brattleboro, VT 05302-0500

Mr. Raymond Shadis
New England Coalition
Post Office Box 98
Edgecomb, ME 04556

Mr. James P. Matteau
Executive Director
Windham Regional Commission
139 Main Street, Suite 505
Brattleboro, VT 05301

Mr. William K. Sherman
Vermont Department of Public Service
112 State Street
Drawer 20
Montpelier, VT 05620-2601

May 2006

FitzPatrick Nuclear Power Plant
Indian Point Nuclear Generating
Pilgrim Nuclear Power Station
Vermont Yankee Nuclear Power Station

-4-

cc:

Senior Resident Inspector
U. S. Nuclear Regulatory Commission
Pilgrim Nuclear Power Station
Post Office Box 867
Plymouth, MA 02360

Chairman, Board of Selectmen
11 Lincoln Street
Plymouth, MA 02360

Chairman
Nuclear Matters Committee
Town Hall
11 Lincoln Street
Plymouth, MA 02360

Chairman, Duxbury Board of Selectmen
Town Hall
878 Tremont Street
Duxbury, MA 02332

Office of the Commissioner
Massachusetts Department of
Environmental Protection
One Winter Street
Boston, MA 02108

Office of the Attorney General
One Ashburton Place
20th Floor
Boston, MA 02108

Director, Radiation Control Program
Commonwealth of Massachusetts
Executive Offices of Health and
Human Services
174 Portland Street
Boston, MA 02114

Secretary of Public Safety
Executive Office of Public Safety
One Ashburton Place
Boston, MA 02108

Mr. William D. Meinert
Nuclear Engineer
Massachusetts Municipal Wholesale
Electric Company
P.O. Box 426
Ludlow, MA 01056-0426

Mr. Kevin H. Bronson
General Manager, Plant Operations
Entergy Nuclear Operations, Inc.
Pilgrim Nuclear Power Station
600 Rocky Hill Road
Plymouth, MA 02360-5508

Mr. Michael A. Balduzzi
Site Vice President
Entergy Nuclear Operations, Inc.
Pilgrim Nuclear Power Station
600 Rocky Hill Road
Plymouth, MA 02360-5508

Mr. Stephen J. Bethay
Director, Nuclear Safety Assurance
Entergy Nuclear Operations, Inc.
Pilgrim Nuclear Power Station
600 Rocky Hill Road
Plymouth, MA 02360-5508

Mr. Bryan S. Ford
Manager, Licensing
Entergy Nuclear Operations, Inc.
Pilgrim Nuclear Power Station
600 Rocky Hill Road
Plymouth, MA 02360-5508

May 2006

FitzPatrick Nuclear Power Plant
Indian Point Nuclear Generating
Pilgrim Nuclear Power Station
Vermont Yankee Nuclear Power Station

-5-

cc:

Mr. Fred R. Dacimo
Site Vice President
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
450 Broadway, GSB
P.O. Box 249
Buchanan, NY 10511-0249

Mr. Paul Rubin
General Manager, Plant Operations
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
450 Broadway
P.O. Box 249
Buchanan, NY 10511-0249

Mr. James Comiotes
Director, Nuclear Safety Assurance
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
450 Broadway, GSB
P.O. Box 249
Buchanan, NY 10511-0249

Mr. Patric Conroy
Manager, Licensing
Entergy Nuclear Operations, Inc.
Indian Point Energy Center
450 Broadway, GSB
P. O. Box 249
Buchanan, NY 10511-0249

Mr. Peter R. Smith, President
New York State Energy, Research, and
Development Authority
17 Columbia Circle
Albany, NY 12203-6399

Senior Resident Inspector's Office
Indian Point 2
U. S. Nuclear Regulatory Commission
P.O. Box 59
Buchanan, NY 10511

Senior Resident Inspector's Office
Indian Point 3
U. S. Nuclear Regulatory Commission
P.O. Box 59
Buchanan, NY 10511

Mayor, Village of Buchanan
236 Tate Avenue
Buchanan, NY 10511

Mr. Raymond L. Albanese
Four County Coordinator
200 Bradhurst Avenue
Unit 4 Westchester County
Hawthorne, NY 10532

Mr. William DiProfio
PWR SRC Consultant
139 Depot Road
East Kingston, NH 03827

Mr. Garry Randolph
PWR SRC Consultant
1750 Ben Franklin Drive, 7E
Sarasota, FL 34236

Mr. William T. Russell
PWR SRC Consultant
400 Plantation Lane
Stevensville, MD 21666-3232

Mr. Jim Riccio
Greenpeace
702 H Street, NW
Suite 300
Washington, DC 20001

May 2006

FitzPatrick Nuclear Power Plant
Indian Point Nuclear Generating
Pilgrim Nuclear Power Station
Vermont Yankee Nuclear Power Station

-6-

cc:

Mr. Phillip Musegaas
Riverkeeper, Inc.
828 South Broadway
Tarrytown, NY 10591

Mr. Mark Jacobs
IPSEC
46 Highland Drive
Garrison, NY 10524

May 2006

Arkansas Nuclear One, Units 1 and 2
Grand Gulf Nuclear Station
River Bend Station
Waterford Steam Electric Station, Unit 3

cc:

Senior Vice President
& Chief Operating Officer
Entergy Operations, Inc.
P. O. Box 31995
Jackson, MS 39286-1995

Director, Division of Radiation
Control and Emergency Management
Arkansas Department of Health
4815 West Markham Street, Slot 30
Little Rock, AR 72205-3867

Winston & Strawn
1700 K Street, N.W.
Washington, DC 20006-3817

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P. O. Box 310
London, AR 72847

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

County Judge of Pope County
Pope County Courthouse
Russellville, AR 72801

Vice President, Operations Support
Entergy Operations, Inc.
P. O. Box 31995
Jackson, MS 39286-1995

Wise, Carter, Child & Caraway
P. O. Box 651
Jackson, MS 39205

Mr. Jeffrey S. Forbes
Vice President Operations
Arkansas Nuclear One
Entergy Operations, Inc.
1448 S. R. 333
Russellville, AR 72801

Chief
Energy and Transportation Branch
Environmental Compliance and
Enforcement Division
Mississippi Department of Environmental
Quality
P. O. Box 10385
Jackson, MS 39289-0385

President
Claiborne County
Board of Supervisors
P. O. Box 339
Port Gibson, MS 39150

Senior Resident Inspector
U. S. Nuclear Regulatory Commission
P. O. Box 399
Port Gibson, MS 39150

General Manager, GGNS
Entergy Operations, Inc.
P. O. Box 756
Port Gibson, MS 39150

State Health Officer
State Board of Health
P. O. Box 1700
Jackson, MS 39205

Attorney General
Department of Justice
P. O. Box 94005
Baton Rouge, LA 70804-9005

Arkansas Nuclear One, Units 1 and 2
Grand Gulf Nuclear Station
River Bend Station
Waterford Steam Electric Station, Unit 3

-2-

cc:

Office of the Governor
State of Mississippi
Jackson, MS 39201

Senior Resident Inspector
P. O. Box 1050
St. Francisville, LA 70775

Attorney General
Asst. Attorney General
State of Mississippi
P. O. Box 22947
Jackson, MS 39225

President of West Feliciana
Police Jury
P. O. Box 1921
St. Francisville, LA 70775

Director
Nuclear Safety Assurance
Entergy Operations, Inc.
P.O. Box 756
Port Gibson, MS 39150

Ms. H. Anne Plettinger
3456 Villa Rose Drive
Baton Rouge, LA 70806

Director
Nuclear Safety and Licensing
1340 Echelon Parkway
Jackson, MS 39213-8298

General Manager - Plant Operations
Entergy Operations, Inc.
River Bend Station
5485 US Highway 61N
St. Francisville, LA 70775

Richard Penrod, Senior Environmental
Scientist
State Liaison Officer
Office of Environmental Services
Northwestern State University
Russell Hall, Room 201
Natchitoches, LA 71497

Director - Nuclear Safety
Entergy Operations, Inc.
River Bend Station
5458 US Highway 61N
St. Francisville, LA 70775

Mr. George A. Williams
Site Vice President
Grand Gulf Nuclear Station
Entergy Operations, Inc.
P. O. Box 756
Port Gibson, MS 39150

Attorney General
State of Louisiana
P. O. Box 94095
Baton Rouge, LA 70804-9095

Manager - Licensing
Entergy Operations, Inc.
River Bend Station
5458 US Highway 61N
St. Francisville, LA 70775

Mr. Brian Almon
Public Utility Commission
William B. Travis Building
P. O. Box 13326
1701 North Congress Avenue
Austin, TX 78701-3326

Arkansas Nuclear One, Units 1 and 2
Grand Gulf Nuclear Station
River Bend Station
Waterford Steam Electric Station, Unit 3

-3-

cc:

Mr. Paul D. Hinnenkamp
Vice President - Operations
Entergy Operations, Inc.
River Bend Station
5485 US Highway 61N
St. Francisville, LA 70775

Mr. Joseph E. Venable
Vice President Operations
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751

Director
Nuclear Safety Assurance
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751

General Manager Plant Operations
Waterford 3 SES
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751

Licensing Manager
Entergy Operations, Inc.
17265 River Road
Killona, LA 70066-0751

Resident Inspector/Waterford NPS
P. O. Box 822
Killona, LA 70066-0751

Parish President Council
St. Charles Parish
P. O. Box 302
Hahnville, LA 70057

Chairman
Louisiana Public Service Commission
P. O. Box 91154
Baton Rouge, LA 70825-1697