

Refer
OEDO

From: Anne Boland ¹²³
To: Cynthia Pederson; Geoffrey Grant; James Caldwell
Date: 12/12/05 11:40AM
Subject: Fwd: Briefing with Senator Obama's Staff

4 of
copy




Anne T. Boland, Deputy Director
Division of Reactor Safety
NRC Region III
630-829-9701

CC: Wayne Slawinski

Information in this record was deleted
in accordance with the Freedom of Information
Act, exemptions outside scope
FOIA- 2006-130

F-2

From: Peter Habighorst *EDU*
To: Anne Boland; Richard Skokowski
Date: 12/12/05 11:21AM
Subject: Briefing with Senator Obama's Staff




out of scope.

CC: Thomas Combs

Congressional Staff Briefing on December 12, 2005

Status Update on Braidwood Tritium Contamination and identification within offsite residential wells.

The staff from Region III (DRS, DRP, PAO , SLO), OCA , OEDO offices briefed Todd Adisen (Senator Obama's office).




out
of
self

- NRC discussed our quick poll of the four regions and NRC headquarters for historical knowledge of abnormal tritium release into the public domain via a groundwater



However, in August, 2004, DRESDEN did have tritium above background in a local residential well (900 - 950 pci/L). Hydrological analysis thus far do not indicate that the source was from the facility. Investigations continue, however, this residential well is part of the radiological environmental monitoring program that does get sampled periodically. One recent example at a decommissioned research test reactor (Plum Brook) indicated tritium levels from the site into a local stream.

out of scope



Out of scope