PARCE CONSIDER EXPRESE   October 31, 2007     NNCE FORM 250   MALE CENSE EXPRESE     October 31, 2007   XSINM03440     Page 1 of 3   SINM03440	C EXPORT LICENSE			
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon				
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon	(6-94)		nno locinde no.	
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon		October 31. 2007		
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon	THIS LICENSE I		XSNM03440	
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon			Page 1 of 3	
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon	united States of America			
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon		Nuclear Regulatory Commission		
Recognization Act of 1174 and the regulations of the Nucleic Regulatory   The Second Secon				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	Reorganization Act of	of 1974 and the regulations of the Nuclear Regulatory	the licensee authorizing the export of the materials and/or production or	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////		LICENSEE	ULTIMATE CONSIGNEE IN FOREIGN COUNTRY	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////			The Japan Atomic Power Company	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	AKEVA NP, INC. * 2101 Horn Rapids Road		•	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	Richland, WA 99354			
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////			• •	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////			Japan	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	Attn: Dan Noss		(Reload fuel for Tsuruga Unit 2 )	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////			OTHER PARTIES TO EXPORT NONE	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	Intermediate C	Consignees listed on Page 2	NONE	
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////		ion)		
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	· · · ·			
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   OUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTEMATE DESTINATION Japan   QUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   Nilograms Conditions 6 and 8 on page three of this license apply to this export.   IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				
APPLICANT'S REF. NO. DLN:06:013 COUNTRY OF ULTIMATE DESTINATION Japan   QUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////				
QUANTITY DESCRIPTION OF MATERIALS OR FACILITIES   315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	APPLICANTS REF. NO. DLN:06:013		COUNTRY OF ULTIMATE DESTINATION: Japan kilograms uranium, enriched to 4.15 w/o maximum, JO2) powder. this license apply to this export.	
315.0 Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum, as uranium dioxide (UO2) powder.   ////////////////////////////////////	QUANTITY DESCRIPTION OF MATERIALS OR FACILITIES			
Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and 8 on page three of this license apply to this export.   Image: Conditions 6 and the energy act of 1954, as amended, and to all of the other provisions of the Nuclear Regulatory Commission.   Image: Condition 6 the nuclear Regulator	315.0 Kilograms	Uranium-235 Contained in 7,759.0 kilograms uranium, enriched to 4.15 w/o maximum,		
Neither this license or any right under this license shall be assigned or otherwise transferred in violation of the provisions of the Atomic Energy Act of 1954, as amended, and the Energy Reorganization Act of 1974. This license is subject to the right of recapture or control by Section 108 of the Atomic Energy Act of 1954, as amended, and to all of the other provisions of said Acts, now or hereafter in effect and to all valid rules and regulations of the Nuclear Regulatory Commission. THIS LICENSE IS INVALID UNLESS SIGNED BELOW BY AUTHORIZED NRC REPRESENTATIVE Margaret M. Doane, Deputy Director Office of International Programs DATE OF ISSUANCE May 24, 2006	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Conditions 6 and 8 on page three of this license apply to this export. ////////////////////////////////////		
Nettner this license or any right under this license shall be assigned or otherwise transferred in violation of the provisions of the Atomic Energy Act of 1954, as amended, and the Energy Reorganization Act of 1974. This license is subject to the right of recapture or control by Section 108 of the Atomic Energy Act of 1954, as amended, and to all of the other provisions of said Acts, now or hereafter in effect and to all valid rules and regulations of the Nuclear Regulatory Commission. Margaret M. Doane, Deputy Director Office of International Programs   MARCE Market				
Inis license is subject to the right of recapture of control by section 108 of the Atomic Energy Act of 1954, as amended, and to all of the other provisions of said Acts, now or hereafter in effect and to all valid rules and regulations of the Nuclear Regulatory Commission. Office of International Programs   DATE OF ISSUANCE May 24, 2006	otherwise transferred Act of 1954, as ame	I in violation of the provisions of the Atomic Energy nded, and the Energy Reorganization Act of 1974.	Margaret M. Doane, Deputy Director	
provisions of said Acts, now or hereafter in effect and to all valid rules and regulations of the Nuclear Regulatory Commission. DATE OF ISSUANCE May 24, 2006	This license is subjec the Atomic Energy		Office of International Programs	
	provisions of said Act regulations of the Nuc	ts, now or hereafter in effect and to all valid rules and	DATE OF ISSUANCE May 24, 2006	
EXPORT LICENSE	ACACACACACACACA			

ŝ

## **Continued from Page 1**

, **t** 

### XSNM03440 Page 2 of 3

# INTERMEDIATE CONSIGNEES IN FOREIGN COUNTRY:

1. Nuclear Fuel Industries, Ltd. Tokai Works 3135-41 Muramatsu, Tokai-Mura Naka-Gun Ibaraki-Ken Japan

(Fuel Fabrication)

2. Nuclear Fuel Industries, Ltd. Kumatori Works 950 Asashiro-Nishi 1-Chome Kumatori-Cho Sennan-Gun Osaka, Japan

(Fuel Fabrication)

**U.S. NUCLEAR REGULATORY COMMISSION** 

NRC FORM 250A (6-85)

÷ 🖡

#### U.S. NUCLEAR REGULATORY COMMISSION EXPORT LICENSE

#### License Number XSNM03440

Page 3 of 3

## Conditions

Condition 1 -- Licensee shall file with the Customs Officer or the Postmaster two copies, in addition to those otherwise required, of the Shipper's Export Declaration covering each export and mark one of such copies for transmittal to the U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. The following declaration should accompany or be placed on the Shipper's Export Declarations for such exports:

"This shipment is being made pursuant to specific license number (specific license number) filed at (location of customs office where license is filed), on (date license was filed). This license expires on (explration date of license), and the unshipped balance remaining on this license is sufficient to cover the shipment described on this declaration."

- Condition 2 Exports authorized in any country or destination, except Country Groups Q, S, W, X, Y, and Z in Part 370, Supplement No. 1, of the Comprehensive Export Schedule of the U.S. Department of Commerce.
- **Condition 3** This license covers only the nuclear content of the material.
- **Condition 4** The material to be exported under this license shall be shipped in accordance with the physical protection requirements for special nuclear material in 10 CFR 73.
- Condition 5 -- Special nuclear material authorized for export under this license shall not be transported outside the United States in passenger-carrying aircraft in shipments exceeding (1) 20 grams or 20 curies, whichever is less, of plutonium or uranium 233, or (2) 350 grams of uranium 235.
- Condition 6 -- This license authorizes export only and does not authorize the receipt, physical possession, or use of the nuclear material.
- Condition 7 The licensee shall complete and submit an NRC Form 741 for each shipment of source material exported under this license.
- Condition 8 The licensee shall advise the NRC in the event there is any change in the designation of the company who will package the nuclear material to be exported under this license, or any change in the location of the packaging operation, at least three weeks prior to the scheduled date of export.