## 3.8 ELECTRICAL POWER SYSTEMS

## 3.8.7 Inverters—Operating

LCO 3.8.7 The Division 1, 2, 3, and 4 inverters, and A and B RPS solenoid bus inverters shall be OPERABLE.

APPLICABILITY: MODES 1, 2, and 3.

## ACTIONS

Enter applicable Conditions and Required Actions of LCO 3.8.9, \*Distribution Systems—Operating, \* with any uninterruptible AC bus de-energized.

	CONDITION		REQUIRED ACTION	COMPLETION TIME
Α.	Division 1 or 2 inverter inoperable.	A.1	Restore Division 1 and 2 inverters to OPERABLE status.	7 days
<del></del>		- 1 - 11 - 12 - 13 - 13 - 13 - 13 - 13 - 13		
в.	One or more Division 3 or 4 inverters inoperable.	B.1	Declare High Pressure Core Spray System inoperable.	Immediately
	inoperante.			
-				
c.	One RPS solenoid bus inverter inoperable.	C.1.1	Transfer RPS bus to alternate power	1 hour
		AND	source.	
		C.1.2	Verify RPS bus supply frequency ≥ 57 Hz.	Once per 8 hours thereafter
		<u>OR</u>		1 hour
		C.2	De-energize RPS bus.	