



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

May 31, 2006

Docket No. 03017800

License No. 29-19503-01

Jeffrey L. Jacobs  
Vice President/RSO  
Lippincott Engineering Associates  
The Watchcase Office Complex  
One Pavilion Avenue  
P.O. Box 354  
Riverside, NJ 08075-0354

SUBJECT: INSPECTION 03017800/2006001, LIPPINCOTT ENGINEERING ASSOCIATES

Dear Mr. Jacobs:

This letter forwards NRC Form 591, "Safety Inspection," indicating that no items of non-compliance were found during the above described inspection of your licensed activities. Please retain the form in your files. No acknowledgment of this letter is required. However, should you have any questions, we shall be pleased to discuss them with you.

Current NRC regulations are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Industrial, and Academic Uses of Nuclear Material**; then **Toolkit Index Page**. The current Enforcement Policy is included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **What We Do, Enforcement**, then **Enforcement Policy**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

Your cooperation with us is appreciated.

Sincerely,

***Original signed by John D. Kinneman***

John D. Kinneman, Chief  
Materials Security and Industrial Branch  
Division of Nuclear Materials Safety

Enclosure:  
NRC Form 591

DOCUMENT NAME: E:\Filenet\ML061510134.wpd

**SISP Review Complete: JJoustra**

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	Jjoustra/JDK f/		JDKinneman/JDK				
DATE	05/30/2006		05/31/2006				

OFFICIAL RECORD COPY