



Global Nuclear Fuel

A Joint Venture of GE, Toshiba, & Hitachi

NEDO-24011-A-16-US
Class I
July 2006

Licensing Topical Report

**General Electric Standard Application
for Reactor Fuel**

(Supplement for United States)

Notice

Neither Global Nuclear Fuels – Americas, LLC (GNF) nor any of the contributors to this document makes any warranty or representation (express or implied) with respect to the accuracy, completeness, or usefulness of the information contained in this document; or that the use of such information may not infringe privately owned rights; nor do they assume any responsibility for liability or damage of any kind which may result from the use of any of the information contained in this document.

Proprietary information of GNF has been removed from this non–proprietary version of GESTAR II. The information removed was contained between opening double brackets ([[) and closing double brackets (]]). Change bars in the margin indicate the latest revision.

Contents

	Page
S.1 Introduction	US-1
S.1.1 Analysis of Anticipated Operational Occurrences (AOOs) and Accidents	US-1
S.1.2 Vessel Pressure ASME Code Compliance	US-2
S.1.3 Stability Analysis	US-2
S.1.4 Analysis Options	US-2
S.2 AOO and Accident Analysis	US-3
S.2.1 Frequency Classification	US-3
S.2.2 Descriptions and Frequency Categorization of Significant AOOs, Infrequent Incidents, and Accidents	US-5
S.2.3 Analysis Initial Conditions and Inputs	US-33
S.3 Vessel Pressure ASME Code Compliance Model	US-33
S.4 Stability Analysis Methods	US-35
S.4.1 BWROG Long-Term Stability Solutions	US-36
S.4.2 Interim/Backup Stability Solution	US-37
S.5 Analysis Options	US-37
S.5.1 Available MCPR Margin Improvement Options	US-37
S.5.2 Operating Flexibility Options	US-40
S.5.3 Fuel Loading Error Analysis Requirements	US-45
S.6 References	US-48
 Appendices	
A Standard Supplemental Reload Licensing Report	US.A-1
B Responses to NRC Questions	US.B-1
C NRC Safety Evaluation Reports	US.C-1

Tables

No.	Table Title	Page
S-1	Sensitivity of CPR to Various Thermal-Hydraulic Parameters	US-55
S-2	Plants for Which ATWS Pump Trip is Assumed in Transient Analyses	US-55
S-3	Δ CPR as Function of RBM Setpoint for Generic Rod Withdrawal Error Analysis	US-56
S-4	Group Notch Plants	US-56
S-5	Specific Plant Analysis	US-57

Illustrations

No.	Figure Title	Page
S-1	Loss-of-Coolant Accident Evaluation Model (SAFE/REFLOOD Analysis Methods)	US-58
S-2	Loss-of-Coolant Accident Evaluation Model (SAFER/GESTR Analysis Methods)	US-59
S-3	Scenario 2 Krypton Whole Body Dose with Respect to Charcoal Hold Up	US-60
S-4	Scenario 2 Xenon Whole Body Dose with Respect to Charcoal Hold Up	US-60
S-5	Scenario 2 Krypton TEDE with Respect to Charcoal Hold Up Utilizing AST Methodology	US-61
S-6	Scenario 2 Xenon TEDE with Respect to Charcoal Hold Up Utilizing AST Methodology	US-61