

**Sensitive–Security-Related Information
C.6 Checklist–DOCKET FILE INFORMATION**

Applicant Information:

Control No. 315430

Name: <u>Radiology Associates, P.C.</u>	Type of Request: New, Renewal, or <u>Amendment</u> Program Code(s):
Location: <u>Bloomfield, MI</u>	License No.: <u>21-16754-01</u> Docket No.: <u>030-11590</u>

STEP 1–Radioactive Materials and Quantities Requested:

Instructions for Step 1: Complete Step 1 for all applications. If all your responses in Step 1 are "No" then do not complete Step 2 (Screening Criteria). Sign and date the completed step-sheet and add it as the sensitive and non-publicly available OAR in ADAMS. If a "yes" response is indicated for any item in Step 1, also complete Step 2. If the type of use is subject to a Security Order or the requirements for increased controls, complete Step 3 (Item A or Item B) without delay.	Yes or No
A. The request is from a new applicant.	N
B. NUREG-1556, Volume 20, Section 4.9 indicates a licensing site visit is needed for the requested type of use, e.g., (1) Type A broad scope license, (2) panoramic irradiator containing > 10000 curies, (3) manufacturers or distributors using unsealed radioactive material or significant quantities of sealed material, (4) radioactive waste brokers, (5) radioactive waste incinerators, (6) commercial nuclear laundries, and (7) any other application that in the judgement of the reviewer and cognizant supervisor involves complex technical issues, complex safety questions, or unprecedented issues that warrant a site visit.	N
C. The applicant requested certain radionuclides and quantities that equal or exceed the Risk Significant Quantity (TBq) values in the table, below, that have been "highlighted" by the reviewer	N

Table of Risk Significant Quantities

(Category 2 Quantities, IAEA Safety Guide No. RS-G-1.9, Categorization of Radioactive Sources, August 2005)

Radionuclide	Risk Significant Quantity (TBq ¹)	Risk Significant Quantity (Ci ¹)	Radionuclide	Risk Significant Quantity (TBq ¹)	Risk Significant Quantity (Ci ¹)
Am-241	0.6	16	Pm-147	400	11,000
Am-241/Be	0.6	16	Pu-238	0.6	16
Cf-252	0.2	5.4	Pu-239/Be	0.6	16
Cm-244	0.5	14	Ra-226 ²	0.4	11
Co-60	0.3	8.1	Se-75	2	54
Cs-137	1	27	Sr-90 (Y-90)	10	270
Gd-153	10	270	Tm-170	200	5,400
Ir-192	0.8	22	Yb-169	3	81

¹ The primary values are TBq. The curie (Ci) values are for informational purposes only.

² The Atomic Energy Act, as amended by the Energy Policy Act of 2005, authorizes NRC to regulate Ra-226 and NRC is in the process of amending its regulations for discrete sources of Ra-226.

Calculations of the Total Activity or the Unity Rule are attached to document whether or not the screening criteria in Step 2 were also completed to evaluate the application. NOTE–If an amendment of an existing license is being requested, the calculations will include the previously authorized quantities for the radionuclide(s).	Yes, No, or Not Applicable (NA)
Total Activity–multiple activities are requested for a single radionuclide and the sum of the activities equals or exceeds the quantity of concern for the radionuclide	
Unity Rule--multiple radionuclides are requested and the sum of the ratios equals or exceeds unity, e.g., [(total activity for radionuclide A) ÷ (risk significant quantity for radionuclide A)] + [(total activity for radionuclide B) ÷ (risk significant quantity for radionuclide B)] ≥ 1.0.	


Signature and Date for Step 1:

Jim Muller
License Reviewer and Date
5/25/06

Certification

LICENSING ACTION for Radiology Associates, P.C., License No. 21-16754-01:

This is to certify that to the best of my knowledge, this licensing action in response to amendment request dated May 5, 2006, was performed in accordance with NUREG 1556, Vol. 9, Rev. 1 and 10 CFR Part 35, current security criteria and current SUNSI criteria. This application meets the CATX requirements of 10 CFR 51.22(c)(14). The security checklist was not used for this review since this license does not meet the security criteria and the license was not marked since it does not meet the SUNSI criteria. NUREG 1556, Vol. 9, Rev. 1, checklist was not needed for this review.


This action is certified by James R. Mullauer, M.H.S.
DATE 5/25/06 Health Physicist.