

SAFEGUARDS INFORMATION

June 20, 2006

EA-06-137

Holders of Licenses for Operating
Power Reactors listed in
Attachment 1 to the Order

SUBJECT: ISSUANCE OF ORDER REQUIRING COMPLIANCE WITH KEY
RADIOLOGICAL PROTECTION MITIGATION STRATEGIES

The U.S. Nuclear Regulatory Commission (NRC or the Commission) has issued the enclosed Order, which modifies the current license for your facility. The Order applies to all addressees listed in Attachment 1 to the Order and is effective immediately.

The Order requires you to provide reasonable assurance that public health and safety and common defense and security continue to be adequately protected for a scenario resulting from a large fire or explosion at your site. The key radiological protection mitigation strategies are identified in Attachment 2 to this Order and must be incorporated into your security plan, safeguards contingency plan, guard training and qualification plan, and emergency plan, as appropriate.

The NRC has determined that Orders to require these key mitigation strategies are necessary for the Commission to have reasonable assurance that the public health and safety and common defense and security continue to be adequately protected.

Attachment 2 to the Enclosure transmitted herewith contains Safeguards Information. When separated from Attachment 2 to the Enclosure, the Letter, Enclosure, and Attachment 1 are decontrolled.

WARNING: Violation of Section 147 of the Atomic Energy Act, "Safeguards Information" is subject to Civil and Criminal Penalties.

Safeguards Information determination made by:
Name/Title M.L. Marshall, Jr., Chief
Organization NRR/DORL/LPL2-2
Basis 10 CFR 73.21
Signature /RA/ Date 6/13 /06

SAFEGUARDS INFORMATION

SAFEGUARDS INFORMATION

- 2 -

Changes to your site plan(s) necessary to fully implement the key mitigation strategies must be completed within 120 days of the date of the Order. Once implementation is complete, you must notify the Commission by sending to the NRC the changed plan pages. The NRC will confirm your implementation of the Order through routine licensing security reviews and baseline inspections. The NRC will issue a safety evaluation (SE) for actions related to Section B.5.b of the February 25, 2002 Order. The SE will address the subject of this Order requiring compliance with key radiological mitigation strategies.

This Order does not obviate the need for you to continue compliance with Orders issued on February 25, 2002, January 7, 2003, and April 29, 2003.

The enclosed Order calls for responses and actions within specified time frames. Please contact your Licensing Project Manager to facilitate resolution of any issues related to compliance with the requirements in the enclosed Order, or if you have any other questions.

Based on the current status of NRC's ongoing review of licensee commitments to implement the remaining Section B.5.b mitigation strategies, it is expected that no additional Orders beyond those attached to this letter will be necessary to comply with the February 25, 2002, Order. However, if a licensee's implementation of mitigating strategies is found to be unacceptable, or if a licensee refuses to incorporate the mitigation strategies required by Section B.5.b into site security and emergency plans, additional Orders to individual licensees may be warranted.

The enclosed Order has been forwarded to the Office of the Federal Register for publication.

Sincerely,

/RA/

J. E. Dyer, Director
Office of Nuclear Reactor Regulation

Docket Nos.: See Attachment 1

Enclosure: Order w/atts 1 and 2

cc w/Order and Att 1 only: See Plant Mailing Lists

SAFEGUARDS INFORMATION

SAFEGUARDS INFORMATION

- 2 -

June 20, 2006

Changes to your site plan(s) necessary to fully implement the key mitigation strategies must be completed within 120 days of the date of the Order. Once implementation is complete, you must notify the Commission by sending to the NRC the changed plan pages. The NRC will confirm your implementation of the Order through routine licensing security reviews and baseline inspections. The NRC will issue a safety evaluation (SE) for actions related to Section B.5.b of the February 25, 2002 Order. The SE will address the subject of this Order requiring compliance with key radiological mitigation strategies.

This Order does not obviate the need for you to continue compliance with Orders issued on February 25, 2002, January 7, 2003, and April 29, 2003.

The enclosed Order calls for responses and actions within specified time frames. Please contact your Licensing Project Manager to facilitate resolution of any issues related to compliance with the requirements in the enclosed Order, or if you have any other questions.

Based on the current status of NRC's ongoing review of licensee commitments to implement the remaining Section B.5.b mitigation strategies, it is expected that no additional Orders beyond those attached to this letter will be necessary to comply with the February 25, 2002, Order. However, if a licensee's implementation of mitigating strategies is found to be unacceptable, or if a licensee refuses to incorporate the mitigation strategies required by Section B.5.b into site security and emergency plans, additional Orders to individual licensees may be warranted.

The enclosed Order has been forwarded to the Office of the Federal Register for publication.

Sincerely,

/RA/

J. E. Dyer, Director
Office of Nuclear Reactor Regulation

Docket Nos.: See Attachment 1

Enclosure: Order w/atts 1 and 2

cc w/Order and Att 1 only: See Plant Mailing Lists

Distribution:
See next page

Package No.: ML061600169

Enclosure: ML061600076

* No Legal Obligation

ADAMS Accession No.: ML061600039

Attachment 1: ML061600182

ADM-012

OFFICE	DORL/ PM	DORL /LA	PNSP/BC	DORL/D	OGC	OE/D	NSIR/D	NRR/D
NAME	BMoroney	BClayton	HBClayton	CHaney	DReddick*	MBurrell for MJohnson	RZimmerman	JDyer
DATE	06/08/06	06/08/06	06/09/06	06/13/06	06/09/06	06/12/06	06/09/06	06/20/06

OFFICIAL RECORD COPY

SAFEGUARDS INFORMATION

SAFEGUARDS INFORMATION

Distribution

PUBLIC

LPL 1-1 r/f

LPL 1-2 r/f

LPL 3-2 r/f

RidsNrrLASLittle

RidsNrrLACRaynor

RidsNrrLADClarke

RidsNrrPMRGuzman

RidsNrrPMMBanerjee

RidsNrrOd

RidsNrrDprPnsp

RidsNrrDprPspb

SBurnell, OPA

RidsNrrDorLpl1-1

RidsNrrDorLpl1-2

RidsNrrDorLpl3-2

RidsOgcRp

RidsAcrsAcnwMailCenter

RidsSecyMailCenter

RidsRgn1MailCenter

RidsRgn3MailCenter

BSosa, EDO Region I

JDixon-Herrity, EDO Region III

RidsOeOd

RidsNsirOd

RidsResOd

RidsStpOd

SAFEGUARDS INFORMATION

Susquehanna Steam Electric Station, Unit Nos. 1 and 2

cc:

Robert A. Saccone
Vice President - Nuclear Operations
PPL Susquehanna, LLC
769 Salem Blvd., NUCSB3
Berwick, PA 18603-0467

Bryan A. Snapp, Esq
Assoc. General Counsel
PPL Services Corporation
Two North Ninth Street, GENTW3
Allentown, PA 18101-1179

Aloysius J. Wrape, III
General Manager - Performance
Improvement and Oversight
PPL Susquehanna, LLC
Two North Ninth Street, GENPL4
Allentown, PA 18101-1179

Supervisor - Document Control Services
PPL Susquehanna, LLC
Two North Ninth Street, GENPL4
Allentown, PA 18101-1179

Terry L. Harpster
General Manager - Plant Support
PPL Susquehanna, LLC
769 Salem Blvd., NUCSA4
Berwick, PA 18603-0467

Richard W. Osborne
Allegheny Electric Cooperative, Inc.
212 Locust Street
P.O. Box 1266
Harrisburg, PA 17108-1266

Rocco R. Sgarro
Manager - Nuclear Regulatory Affairs
PPL Susquehanna, LLC
Two North Ninth Street, GENPL4
Allentown, PA 18101-1179

Director, Bureau of Radiation Protection
Pennsylvania Department of
Environmental Protection
Rachel Carson State Office Building
P.O. Box 8469
Harrisburg, PA 17105-8469

Walter E. Morrissey
Supervising Engineer
Nuclear Regulatory Affairs
PPL Susquehanna, LLC
769 Salem Blvd., NUCSA4
Berwick, PA 18603-0467

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 35, NUCSA4
Berwick, PA 18603-0035

Michael H. Crowthers
Supervising Engineer
Nuclear Regulatory Affairs
PPL Susquehanna, LLC
Two North Ninth Street, GENPL4
Allentown, PA 18101-1179

Regional Administrator, Region 1
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Steven M. Cook
Manager - Quality Assurance
PPL Susquehanna, LLC
769 Salem Blvd., NUCSB2
Berwick, PA 18603-0467

Board of Supervisors
Salem Township
P.O. Box 405
Berwick, PA 18603-0035

Luis A. Ramos
Community Relations Manager,
Susquehanna
PPL Susquehanna, LLC
634 Salem Blvd., SSO
Berwick, PA 18603-0467

Dr. Judith Johnsrud
National Energy Committee
Sierra Club
443 Orlando Avenue
State College, PA 16803

SAFEGUARDS INFORMATION

SAFEGUARDS INFORMATION

Limerick Generating Station, Unit Nos. 1 and 2

cc:

Site Vice President
Limerick Generating Station
Exelon Generation Company, LLC
P.O. Box 2300
Sanatoga, PA 19464

Plant Manager
Limerick Generating Station
Exelon Generation Company, LLC
P.O. Box 2300
Sanatoga, PA 19464

Regulatory Assurance Manager - Limerick
Exelon Generation Company, LLC
P.O. Box 2300
Sanatoga, PA 19464

Senior Vice President - Nuclear Services
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Vice President - Operations, Mid-Atlantic
Exelon Generation Company, LLC
200 Exelon Way, KSA 3-N
Kennett Square, PA 19348

Vice President
Licensing and Regulatory Affairs
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Director
Licensing and Regulatory Affairs
Exelon Generation Company, LLC
200 Exelon Way, KSA 3-E
Kennett Square, PA 19348

Manager Licensing
Limerick Generating Station
Exelon Generation Company, LLC
200 Exelon Way, KSA 3-E
Kennett Square, PA 19348

Assistant General Counsel
Exelon Generation Company, LLC
200 Exelon Way
Kennett Square, PA 19348

Correspondence Control Desk
Exelon Generation Company, LLC
P.O. Box 160
Kennett Square, PA 19348

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
Limerick Generating Station
P.O. Box 596
Pottstown, PA 19464

Library
U.S. Nuclear Regulatory Commission
Region I
475 Allendale Road
King of Prussia, PA 19406

Director, Bureau of Radiation Protection
Pennsylvania Dept. of Environmental
Protection
Rachel Carson State Office Building
P.O. Box 8469
Harrisburg, PA 17105-8469

Chairman
Board of Supervisors of Limerick Township
646 West Ridge Pike
Linfield, PA 19468

Dr. Judith Johnsrud
National Energy Committee
Sierra Club
433 Orlando Avenue
State College, PA 16803

SAFEGUARDS INFORMATION

SAFEGUARDS INFORMATION

Peach Bottom Atomic Power Station, Unit Nos. 2 and 3

Page 1 of 2

cc:

Site Vice President
Peach Bottom Atomic Power Station
Exelon Generation Company, LLC
1848 Lay Road
Delta, PA 17314

Assistant General Counsel
Exelon Generation Company, LLC
200 Exelon Way
Kennett Square, PA 19348

Plant Manager
Peach Bottom Atomic Power Station
Exelon Generation Company, LLC
1848 Lay Road
Delta, PA 17314

Regulatory Assurance Manager
Peach Bottom Atomic Power Station
Exelon Generation Company, LLC
1848 Lay Road
Delta, PA 17314

Resident Inspector
U.S. Nuclear Regulatory Commission
Peach Bottom Atomic Power Station
P.O. Box 399
Delta, PA 17314

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Mr. Roland Fletcher
Department of Environment
Radiological Health Program
2400 Broening Highway
Baltimore, MD 21224

Correspondence Control Desk
Exelon Generation Company, LLC
P. O. Box 160
Kennett Square, PA 19348

Director, Bureau of Radiation Protection
Pennsylvania Department of
Environmental Protection
Rachel Carson State Office Building
P.O. Box 8469
Harrisburg, PA 17105-8469

Board of Supervisors
Peach Bottom Township
545 Broad Street Ext.
Delta, PA 17314-9203

Mr. Richard McLean
Power Plant and Environmental
Review Division
Department of Natural Resources
B-3, Tawes State Office Building
Annapolis, MD 21401

Dr. Judith Johnsrud
National Energy Committee
Sierra Club
433 Orlando Avenue
State College, PA 16803

Manager-Financial Control & Co-Owner
Affairs
Public Service Electric and Gas Company
P.O. Box 236
Hancocks Bridge, NJ 08038-0236

Manager Licensing-Peach Bottom
Atomic Power Station
Exelon Generation Company, LLC
200 Exelon Way, KSA -3E
Kennett Square, PA 19348

Vice President - Licensing and Regulatory
Affairs
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

SAFEGUARDS INFORMATION

SAFEGUARDS INFORMATION

Peach Bottom Atomic Power Station, Unit Nos. 2 and 3

Page 2 of 2

Vice President-Operations Mid-Atlantic
Exelon Generation Company, LLC
200 Exelon Way, KSA 3-N
Kennett Square, PA 19348

Senior Vice President, Nuclear Services
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Director-Licensing and Regulatory Affairs
Exelon Generation Company, LLC
200 Exelon Way, KSA 3-E
Kennett Square, PA 19348

SAFEGUARDS INFORMATION

SAFEGUARDS INFORMATION

Quad Cities Nuclear Power Station Units 1 and 2

cc:

Site Vice President - Quad Cities Nuclear Power Station
Exelon Generation Company, LLC
22710 206th Avenue N.
Cordova, IL 61242-9740

Quad Cities Nuclear Power Station Plant Manager
Exelon Generation Company, LLC
22710 206th Avenue N.
Cordova, IL 61242-9740

Regulatory Assurance Manager - Quad Cities
Exelon Generation Company, LLC
22710 206th Avenue N.
Cordova, IL 61242-9740

Quad Cities Resident Inspectors Office
U.S. Nuclear Regulatory Commission
22712 206th Avenue N.
Cordova, IL 61242

David C. Tubbs
MidAmerican Energy Company
One River Center Place
106 E. Second, P.O. Box 4350
Davenport, IA 52808-4350

Vice President - Law and Regulatory Affairs
MidAmerican Energy Company
One River Center Place
106 E. Second Street
P.O. Box 4350
Davenport, IA 52808

Chairman
Rock Island County Board of Supervisors
1504 3rd Avenue
Rock Island County Office Bldg.
Rock Island, IL 61201

Regional Administrator
U.S. NRC, Region III
801 Warrenville Road
Lisle, IL 60532-4351

Illinois Emergency Management Agency
Division of Disaster Assistance & Preparedness
110 East Adams Street
Springfield, IL 62701-1109

Document Control Desk - Licensing
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Senior Vice President of Operations
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Vice President - Licensing and Regulatory Affairs
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Director - Licensing and Regulatory Affairs
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

Assistant General Counsel
Exelon Generation Company, LLC
200 Exelon Way
Kennett Square, PA 19348

Manager Licensing - Dresden, Quad Cities and Clinton
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, IL 60555

SAFEGUARDS INFORMATION