

September 18, 2006

Mr. Dennis L. Koehl
Site Vice President
Point Beach Nuclear Plant
Nuclear Management Company, LLC
6610 Nuclear Road
Two Rivers, WI 54241-9516

SUBJECT: POINT BEACH NUCLEAR PLANT, UNITS 1 AND 2 - RESPONSE TO GENERIC LETTER 2006-03, "POTENTIALLY NONCONFORMING HEMYC AND MT FIRE BARRIER CONFIGURATIONS" (TAC NOS. MD1617 AND MD1618)

Dear Mr. Koehl:

By letter dated June 8, 2006, as supplemented by letter dated September 11, 2006, Nuclear Management Company, LLC (NMC), responded to U.S. Nuclear Regulatory Commission (NRC) Generic Letter 2006-03, "Potentially Nonconforming Hemyc and MT Fire Barrier Configurations." Under oath or affirmation, you stated that Point Beach Nuclear Plant, Units 1 and 2, do not rely on either the Hemyc or MT fire barrier system. You submitted documentation under oath or affirmation that other 1 or 3-hour fire barrier material that separates redundant safe shutdown trains located within the same fire area has been designed and installed in accordance with (1) current NRC guidance or (2) industry fire standards available prior to issuance of NRC Generic Letter 86-10, Supplement 1. Based on your response, the design basis for this other fire barrier material should be maintained on site, and will be subject to inspection during the normal NRC inspection process.

If you have any questions regarding this response, please contact me at (301) 415-2296.

Sincerely,

Carl F. Lyon, Project Manager
Plant Licensing Branch III-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-266 and 50-301

cc: See next page

Mr. Dennis L. Koehl
Site Vice President
Point Beach Nuclear Plant
Nuclear Management Company, LLC
6610 Nuclear Road
Two Rivers, WI 54241-9516

September 18, 2006

SUBJECT: POINT BEACH NUCLEAR PLANT, UNITS 1 AND 2 - RESPONSE TO GENERIC LETTER 2006-03, "POTENTIALLY NONCONFORMING HEMYC AND MT FIRE BARRIER CONFIGURATIONS" (TAC NOS. MD1617 AND MD1618)

Dear Mr. Koehl:

By letter dated June 8, 2006, as supplemented by letter dated September 11, 2006, Nuclear Management Company, LLC (NMC), responded to U.S. Nuclear Regulatory Commission (NRC) Generic Letter 2006-03, "Potentially Nonconforming Hemyc and MT Fire Barrier Configurations." Under oath or affirmation, you stated that Point Beach Nuclear Plant, Units 1 and 2, do not rely on either the Hemyc or MT fire barrier system. You submitted documentation under oath or affirmation that other 1 or 3-hour fire barrier material that separates redundant safe shutdown trains located within the same fire area has been designed and installed in accordance with (1) current NRC guidance or (2) industry fire standards available prior to issuance of NRC Generic Letter 86-10, Supplement 1. Based on your response, the design basis for this other fire barrier material should be maintained on site, and will be subject to inspection during the normal NRC inspection process.

If you have any questions regarding this response, please contact me at (301) 415-2296.

Sincerely,

/RA/

Carl F. Lyon, Project Manager
Plant Licensing Branch III-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-266 and 50-301

cc: See next page

DISTRIBUTION

PUBLIC	LPL3-1 R/F	RidsAcrsAcnwMailCenter	DFrumkin, NRR
RidsNrrDorlPl3-1	RidsNrrDraAfpb	RidsNrrDprPgcb	
RidsNrrLADClarke	RidsRgn3MailCenter	RidsNrrPMFLyon	
RidsOgcRp	RidsNrrDorlDpr	QNguyen, NRR	

ADAMS Accession Number: ML061640009

*previously concurred

OFFICE	LPL3-1/PM	LPL3-1/LA	AFPB/BC	LPL3-1/BC (A)
NAME	FLyon:	THarris* for DClarke	SWeerakkody	MMurphy
DATE	9/14/06	6/23/06	9/14/06	9/18/06

OFFICIAL RECORD COPY

Point Beach Nuclear Plant, Units 1 and 2

cc:

Jonathan Rogoff, Esquire
Vice President, Counsel & Secretary
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Mr. F. D. Kuester
President & Chief Executive Officer
WE Generation
231 West Michigan Street
Milwaukee, WI 53201

Regulatory Affairs Manager
Point Beach Nuclear Plant
Nuclear Management Company, LLC
6610 Nuclear Road
Two Rivers, WI 54241

Mr. Ken Duveneck
Town Chairman
Town of Two Creeks
13017 State Highway 42
Mishicot, WI 54228

Chairman
Public Service Commission
of Wisconsin
P.O. Box 7854
Madison, WI 53707-7854

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
Suite 210
2443 Warrenville Road
Lisle, IL 60532-4351

Resident Inspector's Office
U.S. Nuclear Regulatory Commission
6612 Nuclear Road
Two Rivers, WI 54241

Mr. Jeffery Kitsembel
Electric Division
Public Service Commission of Wisconsin
P.O. Box 7854
Madison, WI 53707-7854

Nuclear Asset Manager
Wisconsin Electric Power Company
231 West Michigan Street
Milwaukee, WI 53201

Michael B. Sellman
President and Chief Executive Officer
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Douglas E. Cooper
Senior Vice President - Group Operations
Palisades Nuclear Plant
Nuclear Management Company, LLC
27780 Blue Star Memorial Highway
Covert, MI 49043

Site Director of Operations
Nuclear Management Company, LLC
6610 Nuclear Road
Two Rivers, WI 54241