



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**

REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

Michael G. Wiese  
Radiation Safety Officer  
Universal Medical Resources, Inc.  
207 Lange Drive  
Washington, MO 63090

**JUN 05 2006**

Dear Mr. Wiese:

Enclosed is Amendment No. 03 to your NRC Material License No. 24-32189-01 in accordance with your request dated May 4, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

**Please note that in accordance with our telephone conversation on May 23, 2006, cesium-137 and barium-133 were removed from your NRC license since you do not possess these sources and have no future plans to obtain these sources. Also, please note that License Condition No. 17 which referred to financial assurance was removed from your NRC license since your possession limits are well below the limits requiring financial assurance.**


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

M. G. Wiese

2

Sincerely,

  
James R. Mullauer, M.H.S.  
Health Physicist  
Materials Licensing Branch

License No. 24-32189-01  
Docket No. 030-35121

Enclosure: Amendment No. 03