

September 20, 2006

Mr. Jeffery B. Archie
Vice President, Nuclear Operations
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88
Jenkinsville, SC 29065

SUBJECT: NRC RECEIPT OF VIRGIL C. SUMMER NUCLEAR STATION RESPONSE TO
GENERIC LETTER 2006-03, "POTENTIALLY NONCONFORMING HEMYC
AND MT FIRE BARRIER CONFIGURATIONS" (TAC NO, MD1636)

Dear Mr. Archie:

The Nuclear Regulatory Commission (NRC) acknowledges the receipt of your responses to Generic Letter 2006-03, "Potentially Nonconforming Hemyc and MT Fire Barrier Configurations." Under oath or affirmation, you have stated that your nuclear power plant does not rely on either the Hemyc or MT fire barrier system. You have submitted documentation under oath or affirmation that other 1 or 3-hour fire barriers that separates redundant safe shutdown trains located within the same fire area have been designed and installed in accordance with current NRC guidance. Based on your responses, dated June 5 and August 4, 2006, the basis for stating that this other fire barriers have been designed and installed in accordance with NRC guidance should be maintained on site, and will be subject to inspection during the normal NRC inspection process.

If you have any questions regarding this response, please contact me at 301-415-1493 or rem@nrc.gov.

Sincerely,

/RA/

Robert E. Martin, Senior Project Manager
Plant Licensing Branch II-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-395

cc: See next page

September 20, 2006

Mr. Jeffery B. Archie
Vice President, Nuclear Operations
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88
Jenkinsville, SC 29065

SUBJECT: NRC RECEIPT OF VIRGIL C. SUMMER NUCLEAR STATION RESPONSE TO
GENERIC LETTER 2006-03, "POTENTIALLY NONCONFORMING HEMYC
AND MT FIRE BARRIER CONFIGURATIONS" (TAC NO, MD1636)

Dear Mr. Archie:

The Nuclear Regulatory Commission (NRC) acknowledges the receipt of your responses to Generic Letter 2006-03, "Potentially Nonconforming Hemyc and MT Fire Barrier Configurations." Under oath or affirmation, you have stated that your nuclear power plant does not rely on either the Hemyc or MT fire barrier system. You have submitted documentation under oath or affirmation that other 1 or 3-hour fire barriers that separates redundant safe shutdown trains located within the same fire area have been designed and installed in accordance with current NRC guidance. Based on your responses, dated June 5 and August 4, 2006, the basis for stating that this other fire barriers have been designed and installed in accordance with NRC guidance should be maintained on site, and will be subject to inspection during the normal NRC inspection process.

If you have any questions regarding this response, please contact me at 301-415-1493 or rem@nrc.gov.

Sincerely,

/RA/

Robert E. Martin, Senior Project Manager
Plant Licensing Branch II-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-395

cc: See next page

DISTRIBUTION:

Public	R. Jervey, NRR	RidsNrrLARSola (hard copy)
LPL2-1 R/F	D. Frumkin, NRR	RidsAcrcsAcnwMailCenter
RidsNrrDorLpl2-1	RidsNrrDraAfpb	RidsRgn2MailCenter (KLandis)
RidsNrrPMRMartin (hard copy)	RidsOgcRp	

ADAMS Accession No. ML061660200

NRR-106

OFFICE	LPL2-1/PM	LPL2-1	LPL2-1/LA	AFPB/FPE	LPL2-1/BC
NAME	RMartin	RJervey	CSola	D. Frumkin	EMarinos
DATE	9/11/06	7/07/06	9/11/06	9/04/06	9/20/06

OFFICIAL RECORD COPY

Mr. Jeffrey B. Archie
South Carolina Electric & Gas Company

VIRGIL C. SUMMER NUCLEAR STATION

cc:
Mr. R. J. White
Nuclear Coordinator
S.C. Public Service Authority
c/o Virgil C. Summer Nuclear Station
Post Office Box 88, Mail Code 802
Jenkinsville, South Carolina 29065

Resident Inspector/Summer NPS
c/o U.S. Nuclear Regulatory Commission
576 Stairway Road
Jenkinsville, South Carolina 29065

Chairman, Fairfield County Council
Drawer 60
Winnsboro, South Carolina 29180

Mr. Henry Porter, Assistant Director
Division of Waste Management
Bureau of Land & Waste Management
Dept. of Health & Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

Mr. Thomas D. Gatlin, General Manager
Nuclear Plant Operations
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88, Mail Code 300
Jenkinsville, South Carolina 29065

Mr. Robert G. Sweet, Manager
Nuclear Licensing
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88, Mail Code 830
Jenkinsville, South Carolina 29065

Ms. Kathryn M. Sutton
Morgan, Lewis & Bockius LLP
111 Pennsylvania Avenue, NW.
Washington, DC 20004