



**Charleston Area  
Medical Center**

**RECEIVED  
REGION 1**

2006 JUN -5 PM 1:24

NUCLEAR PHARMACY

3200 MacCorkle Ave. SE  
Charleston, WV 25304  
(304) 388-9295  
Pharmacy (304) 388-9701  
Fax: (304) 388-8922

May 30, 2006

*Br. 1/2*

U.S. Nuclear Regulatory Commission  
Region I  
License Assistance Team  
475 Allendale Road  
King of Prussia, Pennsylvania 19406-1415

RE: Amendment of NRC License 47-15473-01  
Amendment of NRC License 47-15473-02MD  
Charleston Area Medical Center  
Charleston, West Virginia

*03009164*

*Br 1*

*03018982*

*Br 2*

Gentlemen:

Please amend NRC License 47-15473-01 as follows:

1. Add Depleted Uranium-235 in the chemical and/or physical form of metal to the license with a possession limit of 360 kilograms.

Please amend NRC License 47-15473-02MD as follows:

1. Change the possession limit of Depleted Uranium-235 from 101 kilograms to 180 kilograms.
2. Change the possession limit of Technetium-99m from 12 curies to 30 curies.

If you have any questions, or require additional information, please do not hesitate to contact the undersigned.

Sincerely,

Kim D. Lowe, PharmD, BCNP  
CAMC Nuclear Pharmacy  
3200 MacCorkle Avenue, SE  
Charleston, WV 25304  
(304) 388-9295

*138959/138960*  
NMSS/RGNI MATERIALS-002

This is to acknowledge the receipt of your letter/application dated

5/30/2006, and to inform you that the initial processing which includes an administrative review has been performed.

Amendments 47-15473-01/47-15473-02 MD  
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

---

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 138959/138960  
When calling to inquire about this action, please refer to this control number.  
You may call us on (610) 337-5398, or 337-5260.