

Homeowner Well Sampling (Last Updated Dec. 9, 2005 - 1240)

Home/Property Owner	Address	Phone	Sample Drawn or Date to be Drawn	Notes
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of the well were taken Dec. 1 -- no tritium above background was detected. Communicated Results back to resident on Dec. 2.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of the well were taken Dec. 1 -- no tritium above background was detected. Communicated Results back to resident on Dec. 2.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of the well were taken Dec. 1 -- no tritium above background was detected. Communicated Results back to resident on Dec. 2.	[REDACTED]
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of the well were taken Dec. 2 -- no tritium above background was detected. Communicated Results back to resident on Dec. 4.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of the well were taken on Dec 3 -- tritium levels were 1150 pCi/L. Communicated Results back to resident on Dec. 5. Second sample taken on Dec. 6 -- tritium levels were 1524 pCi/L.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of well taken on Dec. 5. No tritium above background was detected. Communicated Results back to resident on Dec. 6.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of well taken on Dec. 5. Received permission for sampling wells if needed. Communicated Results back to resident on Dec. 6.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of well taken on Dec. 6. No tritium above background was detected. Communicated Results back to resident on Dec. 8.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of well taken on Dec. 6. No tritium above background was detected. Communicated Results back to resident on Dec. 9.	Well - 680 Ft. Sample not part of original plan -- taken at resident request.

Information in this record was deleted in accordance with the Freedom of Information Act, exemptions 6
FOIA- 2006-115

6-60

[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of well taken on Dec. 6. No tritium above background was detected. Communicated Results back to resident on Dec. 9.	
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of well taken on Dec. 6. No tritium above background was detected. Communicated Results back to resident on Dec. 9.	Well - 33 Ft.
[REDACTED]	Braidwood, IL 60408	[REDACTED]	Samples of well taken on Dec. 6. No tritium above background was detected. Communicated Results back to resident on Dec. 9.	Well depth unknown