

May 4, 2006

U.S. Nuclear Regulatory Commission Materials Licensing Branch Region III ** Warrenville Road Suite 210 Lisle, IL 60532

Re:

2443

Amendment to 21-03646-03

Dear Madam or Sir:

We wish to amend our Materials License 21-03646-03. We have recently closed our diagnostic Nuclear Medicine service within our Ambulatory Care Center on Town Centre Road in Saginaw, Michigan. We wish to remove this area of use from our license.

All sealed sources were removed and properly transported to our main hospital campus hot lab. Leak tests on all sources as appropriate were performed in the first quarter, 2006. No sources were leaking. Minimal residual waste had decayed in storage to background levels.

Only diagnostic unit dose Nuclear Medicine services under 35.100 and 35.200 were conducted within the areas noted. We have performed closeout surveys and wipe tests revealing no residual activity. A map of the area and survey / wipe test results is enclosed for your review.

We wish to retain this address of use for possible prostate brachytherapy usage in the future as presently noted in our Materials License.

If you have any questions, please contact our Medical Nuclear Physicist, Thomas M. Kumpuris, M.S., DABR of Medical Physics Consultants, Inc., 800.321,2207.

Sincerely, Juiled A Henry

Michael Henne, COO

St. Mary's of Michigan - Ambulatory Care Center

License # 21-03646-03

Date: 5/2/2006

Performed By: C. Christenson CNMT

Well Counter: Captus

MDA: 19 dpm

Survey Meter: Ludium 14C EWGM

Calibrated 07/14/05

Check Value: 1.0 mR/hr

		cpm	net dpm	mR/h	
1	Hailway	160.00	0	0.02	
2	Hot Lab Door	165.00	0	0.02	
3	Dose Prep	164.00	0	0.02	
4	Hot Lab Counter	158.00	0	0.02	
5	Hot Lab Floor	159.00	0	0.02	
6	Pkg. Receipt	161.00	0	0.02	
7	Inj. Chair	159.00	0	0.02	
8	Dept. Door	150.00	0	0.02	
9	Cam./ CPU	162.00		0.02	
10	Cam Floor	164.00		0.02	
11	Cam. Table	167.00		0.02	
12	North Wall	155.00	_	0.02	
13	South Wall	160.00		0.02	
14	East Wall	156.00		0.02	
15	West Wali	155.00		0.02	
16			_		
.17					
18					
19					
20					
21			_		
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
	Background	168		0.02	

ACTION LEVELS: 2000 dpm

Efficiency (dpm/cpm):

1.26

< 0.2 mR/hr

COMMENTS: No evidence of removable contamination.

RSO Signature:

N

RADIOACTIVE MATERIAL TRANSFER - SHIPMENT FORM

FROM:	NAME & COREY CHOST LICENSEE ST. MARY	ENSON N.R.C. License: Type SAEGA # 21-03646-0	<u>, 3</u>
TO:	NAME_ LICENSEE ST. CAC	N.R.C. License: Type Sceif - # 21-0346-0	1.3
	on Safety Officer Approval; ding Institution)	Natha JACKK WiErzbick, Ph.D. Licensee St. Mary's of Mickilar Address Sofinar Signature	
10CFR3(0.41 Verification: C	opy of LicenseLetter of CertVerbal (10 Day Written Confidence in the Radioactive Material N.O.S. UN 2982	mı)
	RADIOAC	CTIVE MATERIAL DESCRIPTION AND MONITORING RESULTS	
Radionu	Chem. and/or	Activity Container Exposure Rate (mR/hr) Wipe Test mCl Type Contact 1 Meter dpm	Label Category
<u>Cs -/</u>	37 0191	196.8 ml: vial Gnell 0.05 mall D	not
BA-1	33 U:Al	289.724 U:al 3.2 maples O. Sakles O	N/9
1-22	27 Rod	O.S. all Ros O.B.S. melho 0.05 mallo 0	NA
<u>(, - </u>	57 Solie	20,0 mls Flood 3,2 ml/br 0.04 ml/hi 0	MA
	0 0		
MONITO	RED BY: 2 Golg C	Mid Orans DATE: 5/2/6	_
Survey li	nstrument: GM GM Manufacturer: CJ 21L	10 Describe Other 353 Model: # 6 S/N: 167353	
Wipe Tes	el instrument: CAPTUS		
	Manufacturer: <u>CAPIA</u> Wipe Test Minimum Detec		
MODE Oi Explain E	F TRANSFER AND/OR SHIF	PMENT: [] Commercial Carrier [/ Self [] Other	
			
	patt-01		
SENDER:		DAYE:	
		PHONE:	
	ADDRESS		
RECEIVE		DATE:	
	TITLE	PHONE:	
	ADDRESS		

	E-E	TRK# 8571 5844 1001 0200 ORD
	FedEx. US Airbill Express Tracking 8571 584	4 1607 60532 -IL-US NC BDFA
)	Date 6/17/06	As Express 4. Express
	Sender's De of the P	Codex Priori
'	Company 5 + 11	27-82/9 Gedex 2Day
(1800 463 3330	Address 800 5 N	4b Express Fre
		Next harmone day. " Friend the second manager of the second manage
fedex.com 1800.GoFedEx	2 Your Internal Billing Reference	FedEx FedEx Pak* FedEx DefedEx Other
1800	Recipient's U.S. No. 1 Reg. X / Phone	Special Handling hocket Folia address in Section 3.
X.COM	Company M	First: Sense of Overright. First: Print - Pri
ි ි fede	Recipient's Address We connot deliver in P.O. borac of P.O. ZIP codes.	No Yes As the chart of the char
	Address 2 44 47 W To request a package be held at a specific Fadic location, print Fadic address here.	Sender Recipions Page Page Page Page Page Page Page Page
	City	
		Total Ductional Value Total Charges
,		8 NEW Residential Delivery Signature Options you need to details. Credit Cord Aut.
	8571 5844 1807	No Signature Required Peckage may be left with out obtaining a signature for debuting. Ance loss between 192021-1-12222. Proc. Does betw
	shipments. Customers outside the U.S., can your occur. FedEx office.	Air Waybill for more details.
	©2000 Federal Express Corporation	
	155476	

. 155475 155475F25 155475F50 REV 6/04 RT

Insert airbill here