



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

July 4, 2006

Docket No. 03001003

License No. 37-13088-01

John S. Eck, Ph.D., Dean  
College of Natural Sciences and Mathematics  
Indiana University of Pennsylvania  
975 Oakland Avenue  
Indiana, PA 15705

SUBJECT: INSPECTION 03001003/2005002, INDIANA UNIVERSITY OF PENNSYLVANIA,  
INDIANA, PENNSYLVANIA SITE AND NOTICE OF VIOLATION

Dear Dr. Eck:

On May 10, 2006, John Nicholson of this office conducted a safety inspection at the above address of activities authorized by your NRC license. The inspection was an examination of your licensed activities as they relate to radiation safety and to compliance with the Commission's regulations and the license conditions. The inspection consisted of observations by the inspector, interviews with personnel, and a selected examination of representative records. The findings of the inspection were discussed with you and your Radiation Safety Officer, Dr. Muhammad Numan, at the conclusion of the inspection.

Based on the results of this inspection, it appears that your activities were not conducted in full compliance with NRC requirements. A Notice of Violation is enclosed that categorizes each violation by severity level. You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. Your response may reference or include previous docketed correspondence, if the correspondence adequately addresses the required response. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

Current NRC regulations are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Industrial, and Academic Uses of Nuclear Material**; then **Toolkit Index Page**. The current Enforcement Policy is included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **What We Do, Enforcement**, then **Enforcement Policy**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

J. Eck  
Indiana University of Pennsylvania

2

Your cooperation with us is appreciated.

Sincerely,

***Original signed by James P. Dwyer***

James P. Dwyer, Chief  
Commercial and R&D Branch  
Division of Nuclear Materials Safety

Enclosure:  
Notice of Violation

cc:  
Muhammad Numan, Ph.D., Radiation Safety Officer  
Commonwealth of Pennsylvania

J. Eck  
Indiana University of Pennsylvania

3

Distribution:  
D. J. Holody, RI

DOCUMENT NAME: E:\Filenet\ML061860307.wpd

**SISP Review Complete: JNicholson**

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	Jnicholson/JPD f/		Jdwyer/JPD				
DATE	06/15/2006		7/4/2006				

OFFICIAL RECORD COPY

## NOTICE OF VIOLATION

Indiana University of Pennsylvania  
Indiana, PA

Docket No. 03001003  
License No. 37-13088-01

During an NRC inspection conducted on May 10, 2006, one violation of NRC requirements was identified. In accordance with the NRC Enforcement Policy, the violation is listed below:

Condition 16A of NRC license number 37-13088-01 requires that sealed sources be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210.

The certificate of registry for the NUMEC Model 320-C plutonium-beryllium sealed source specifies that the source be leak tested every six months.

Contrary to the above, as of May 10, 2006, the NUMEC Model 320-C plutonium-beryllium sealed source had not been leak tested since April 13, 2005, a period of time in excess of six months.

This is a Severity Level IV violation (Supplement IV).

Pursuant to the provisions of 10 CFR 2.201, Indiana University of Pennsylvania is hereby required to submit a written statement or explanation to the U.S. Nuclear Regulatory Commission, ATTN: Document Control Desk, Washington, D.C. 20555, with a copy to the Regional Administrator, Region I, within 30 days of the date of the letter transmitting this Notice of Violation (Notice). This reply should be clearly marked as a "Reply to a Notice of Violation" and should include for each violation: (1) the reason for the violation, or, if contested, the basis for disputing the violation, (2) the corrective steps that have been taken and the results achieved, (3) the corrective steps that will be taken to avoid further violations, and (4) the date when full compliance will be achieved. Your response may reference or include previous docketed correspondence, if the correspondence adequately addresses the required response. If an adequate reply is not received within the time specified in this Notice, an order or a Demand for Information may be issued as to why the license should not be modified, suspended, or revoked, or why such other action as may be proper should not be taken. Where good cause is shown, consideration will be given to extending the response time.

If you contest this enforcement action, you should also provide a copy of your response to the Director, Office of Enforcement, United States Nuclear Regulatory Commission, Washington, DC 20555-0001. Under the authority of Section 182 of the Act, 42 U.S.C. 2232, any response which contests an enforcement action shall be submitted under oath or affirmation.

Your response will be placed in the NRC Public Document Room (PDR) and on the NRC Web site. To the extent possible, it should, therefore, not include any personal privacy, proprietary, or safeguards information so that it can be made publically available without redaction. However, if you find it necessary to include such information, you should clearly indicate the specific information that you desire not to be placed in the PDR, and provide the legal basis to support your request for withholding the information from the public.

Notice of Violation  
Indiana University of Pennsylvania

2

In accordance with 10 CFR 19.11, you may be required to post this Notice within two working days.

Dated This 4th day of July 2006