

<b>U.S. NUCLEAR REGULATORY COMMISSION</b>		Date: 07/10/2006
<b>TELEPHONE CONVERSATION RECORD</b>		Time: 1:08PM
Mail Control or Report No(s).	138861	License No(s). 29-30472-01 Docket No(s). 03034820
Name of Licensee:	Bergenline Imaging Center d.b.a Bergenline X-Ray Diagnostic Center	
Name of Participant(s):	Gina Diaz	
Telephone No.	201-348-6060	
Subject: <small>(NOTE: This will be used as the Documents Title in ADAMS)</small>	RAI, Address on letterhead	
Summary:	I asked about the address on the letter head 400-02 43 <sup>rd</sup> Street. Ms. Diaz explained that means address 400 and 402 in which they are located in 2 buildings. Place of use had not changed.	
Action Required:	Place in Adams for clarification	
Document Availability:	<input checked="" type="checkbox"/> Publicly Available <input type="checkbox"/> Non-Publicly Available <input checked="" type="checkbox"/> Non-Sensitive <input type="checkbox"/> Non-Sensitive Copyright <input type="checkbox"/> Sensitive <input type="checkbox"/> Sensitive Copyright <input type="checkbox"/> Immediate Release <input checked="" type="checkbox"/> Normal Release <input type="checkbox"/> Delay Release Date	
Prepared & SUNSI Review Completed By:	Dennis Lawyer	/ RA /      Date: 07/10/2006