



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD STE 210  
LISLE, ILLINOIS 60532-4352  
JUL 05 2006

Tooraj Torabi, Ph.D.  
Radiation Safety Officer  
Saint Joseph Regional Medical Center  
South Bend Campus  
Department of Nuclear Medicine  
801 East LaSalle Street  
South Bend, IN 46617-1935

Dear Dr. Torabi:

Enclosed is Amendment No. 37 to your NRC Material License No. 13-02650-02 in accordance with your request. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

If you have any questions or require clarification on any of the information stated above, you may contact me at (630) 829-9841.

As described in my June 1, 2006, conversation record transmitted via facsimile to your referenced point of contact for this amendment, John D. Scheu, Ph.D., Nguyen Binh Tran, M.D. cannot be approved to use materials in 10 CFR 35.400 at this time because his application does not support the request. He is listed on a referenced Illinois license dated May 31, 2005, which means he does not qualify under 10 CFR 35.57. Therefore, he must demonstrate that he qualifies under 10 CFR 35.490. To pursue this request, please submit a written response to my attention and reference it as "additional information to control number 315342." We will then continue our review.

You may refer to 10 CFR 35 and NUREG 1556, Vol. 9, Section 8.7, Item 11, and Appendices B, D and E for assistance. These documents are accessible on our website at <http://www.nrc.gov>. Then click on the "Nuclear Materials" toolbar key and the "Medical Use Licensing/Part 35" option on the Quick List.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

  
Colleen Carol Casey  
Materials Licensing Branch

License No. 13-02650-02  
Docket No. 030-13685

Enclosure:

Amendment No. 37