

REQUEST FOR TECHNICAL ASSISTANCE (RFTA)

R2-B42

INSPECTOR'S NAME: WILLIAM GLOERSEN TELEPHONE #: 404-331-6279

FACILITY NAME AND LOCATION: Westinghouse- Columbia, SC

DOCKET NO: 70-1151 DATE OF REQUEST: 11/01/95 RFTA #: 96-6
(LEAVE BLANK)

FEE OR NON-FEE RECOVERABLE: FEE - REPORT # 70-1151/95-05 → 1/22/96

PROVIDE APPLICATION DATE (FROM LICENSEE): N.A.

PLEASE CHECK: NEW LICENSE AMENDMENT RENEWAL

DESCRIPTION OF WORK TO BE PERFORMED (INCLUDING SCHEDULE) (USE SEPARATE SHEET IF NEEDED): Confirmatory Measurements of liquid effluent composite sample to compare analytical results of licensee with NRC. The following analyses are required for the liquid effluent sample: (1) gross alpha; (2) gross beta; and (3) isotopic uranium.

FOR CONFIRMATORY SURVEY REQUESTS, PLEASE ANSWER THE FOLLOWING: N.A.

- 1. HAS PRELIMINARY INFORMATION BEEN RECEIVED FROM LICENSEE? YES NO
- 1.A HAS THIS INFORMATION BEEN REVIEWED BY NRC AND IS IT ACCEPTABLE? YES NO

(NOTE: ORAU SHOULD BE PROVIDED 30 CALENDAR DAYS TO REVIEW INFORMATION AND PREPARE FOR SURVEY)

- 2. IS A PRELIMINARY SITE VISIT NEEDED? _____ WHEN? _____
- 3. DATE SURVEY PLAN NEEDED: _____
- 4. DATE SURVEY NEEDED: _____

AUTHORIZATION

William B. Gloersen 11/1/95 [Signature] 1/11/96
INSPECTOR DATE BRANCH CHIEF DATE

EMERGENCY AUTHORIZATION (SEE INSPECTION CHAPTER 0312 FOR DEFINITION OF ACCEPTABLE EMERGENCY REQUESTS). EXPLAIN, ON SEPARATE SHEET, THE JUSTIFICATION FOR THE EMERGENCY REQUEST. *NOTE THAT THE REQUEST CANNOT BE PROCESSED WITHOUT THIS JUSTIFICATION.

DIVISION DATE

APPROVAL

HQ TAPM DATE HQ TM DATE

C-26