

August 4, 2006

Mr. Thomas J. Palmisano
Site Vice President
Prairie Island Nuclear Generating Plant
Nuclear Management Company, LLC
1717 Wakonade Drive East
Welch, MN 55089

SUBJECT: PRAIRIE ISLAND NUCLEAR GENERATING PLANT, UNITS 1 AND 2 - NRC
RECEIPT OF RESPONSE TO GENERIC LETTER 2006-03, "POTENTIALLY
NONCONFORMING HEMYC AND MT FIRE BARRIER CONFIGURATIONS"
(TAC NOS. MD1619 AND MD1620)

Dear Mr. Palmisano:

The Nuclear Regulatory Commission (NRC) acknowledges the receipt of your response to Generic Letter 2006-03, "Potentially Nonconforming Hemyc and MT Fire Barrier Configurations." Under oath or affirmation, you have stated that your nuclear power plant does not rely on either the Hemyc or MT fire barrier system. You have submitted documentation under oath or affirmation that other 1 or 3-hour fire barriers that separate redundant safe shutdown trains located within the same fire area have been designed and installed in accordance with current NRC guidance. Based on your response, the basis for stating that this other fire barrier has been designed and installed in accordance with NRC guidance should be maintained on site, and will be subject to inspection during the normal NRC inspection process.

If you have any questions regarding this response, please contact me.

Sincerely,

/RA/

Mahesh Chawla, Project Manager
Plant Licensing Branch III-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-282 and 50-306

cc: see next page

August 4, 2006

Mr. Thomas J. Palmisano
Site Vice President
Prairie Island Nuclear Generating Plant
Nuclear Management Company, LLC
1717 Wakonade Drive East
Welch, MN 55089

SUBJECT: PRAIRIE ISLAND NUCLEAR GENERATING PLANT, UNITS 1 AND 2 - NRC
RECEIPT OF RESPONSE TO GENERIC LETTER 2006-03, "POTENTIALLY
NONCONFORMING HEMYC AND MT FIRE BARRIER CONFIGURATIONS"
(TAC NOS. MD1619 AND MD1620)

Dear Mr. Palmisano:

The Nuclear Regulatory Commission (NRC) acknowledges the receipt of your response to Generic Letter 2006-03, "Potentially Nonconforming Hemyc and MT Fire Barrier Configurations." Under oath or affirmation, you have stated that your nuclear power plant does not rely on either the Hemyc or MT fire barrier system. You have submitted documentation under oath or affirmation that other 1 or 3-hour fire barriers that separate redundant safe shutdown trains located within the same fire area have been designed and installed in accordance with current NRC guidance. Based on your response, the basis for stating that this other fire barrier has been designed and installed in accordance with NRC guidance should be maintained on site, and will be subject to inspection during the normal NRC inspection process.

If you have any questions regarding this response, please contact me.

Sincerely,
/RA/

Mahesh Chawla, Project Manager
Plant Licensing Branch III-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-282 and 50-306

cc: see next page

DISTRIBUTION

PUBLIC LPL3-1 r/f RidsNrrDorlLple
RidsNrrPMMChawla RidsNrrLATHarris RidsOGCRp
RidsAcrsAcnwMailCenter RidsRgn3MailCenter RidsNrrDorlDpr
TDinh SWeerakkody

ADAMS Accession No.: **ML062050077**

OFFICE	NRR/LPL3-1/PM	NRR/LPL3-1/LA	BC:AFPB	NRR/LPL3-1/(A)BC
NAME	MChawla	THarris	SWeerakkody	MMurphy
DATE	07/31/06	07/26/06	08/01/06	08/04/06

OFFICIAL RECORD COPY

Prairie Island Nuclear Generating Plant,
Units 1 and 2

cc:

Jonathan Rogoff, Esquire
Vice President, Counsel & Secretary
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Manager, Regulatory Affairs
Prairie Island Nuclear Generating Plant
Nuclear Management Company, LLC
1717 Wakonade Drive East
Welch, MN 55089

Manager - Environmental Protection Division
Minnesota Attorney General's Office
445 Minnesota St., Suite 900
St. Paul, MN 55101-2127

U.S. Nuclear Regulatory Commission
Resident Inspector's Office
1719 Wakonade Drive East
Welch, MN 55089-9642

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
Suite 210
2443 Warrenville Road
Lisle, IL 60532-4351

Administrator
Goodhue County Courthouse
Box 408
Red Wing, MN 55066-0408

Commissioner
Minnesota Department of Commerce
85 7th Place East, Suite 500
St. Paul, MN 55101-2198

Tribal Council
Prairie Island Indian Community
ATTN: Environmental Department
5636 Sturgeon Lake Road
Welch, MN 55089

Nuclear Asset Manager
Xcel Energy, Inc.
414 Nicollet Mall, R.S. 8
Minneapolis, MN 55401

Michael B. Sellman
President and Chief Executive Officer
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016

Craig G. Anderson
Senior Vice President, Group Operations
Nuclear Management Company, LLC
700 First Street
Hudson, WI 54016