



444 South 16th Street Mall
Omaha NE 68102-2247

July 26, 2006
LIC-06-0083

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555

Reference: Docket No. 50-285

SUBJECT: Fitness-for-Duty Program Performance Data Report

In accordance with 10 CFR 26.71(d), attached please find the Omaha Public Power District (OPPD) Fitness-for-Duty Program Performance Data for the six-month period from January 1 through June 30, 2006.

No commitments are made to the NRC in this letter. If you have any questions, please contact Theresa Petersen at (402) 533-7325.

Sincerely,

J. L. McManis
Manager
Nuclear Licensing

JLM/mle

Attachment

**Fitness for Duty Program
 Performance Data
 Personnel Subject to 10 CFR 26**

| | |
|---|----------------------------------|
| <u>Omaha Public Power District</u> | <u>June 30, 2006</u> |
| Company | 6 Months Ending |
| <u>Fort Calhoun Nuclear Power Station</u> | |
| Location | |
| <u>Terri Petersen</u> | <u>(402) 533-7325</u> |
| Contact Name | Phone (include area code) |
| Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26 | |
| Marijuana 50 / 15 | Amphetamines 1000 / 500 |
| Cocaine 300 / 150 | Phencyclidine 25 / 25 |
| Opiates 300 / 300 | Alcohol (% BAC) 0.04 |

| Testing Results | Licensee Employees | | Long-Term Contractor Personnel | | Short-Term Contractor Personnel | |
|---------------------------------------|--------------------|-------------------|--------------------------------|-------------------|---------------------------------|-------------------|
| Average Number with Unescorted Access | 889 | | | | 317 | |
| Categories | # Tested | # Positive | # Tested | # Positive | # Tested | # Positive |
| Pre-Access | 52 | 0 | | | 377 | 3* |
| For Cause | Post Accident | 0 | 0 | | 0 | 0 |
| | Observed behavior | 2 | 0 | | 0 | 0 |
| Random | 294 | 2 | | | 104 | 0 |
| Follow-up | 30 | 0 | | | 7 | 1 |
| Other (re-entry) | 1 | 1 | | | 0 | 0 |
| Total | 379 | 3 | | | 488 | 4 |

* One person refused the test. This is considered a positive test result.

Breakdown of Confirmed Positive Tests for Specific Substances

| | Marijuana | Cocaine | Opiates | Amphetamine | Phencyclidine | Alcohol | Refusal to Test | |
|------------------------|-----------|---------|---------|-------------|---------------|---------|-----------------|--------|
| Licensee Employees | | | | | | 3 | | |
| Long-Term Contractors | | | | | | | | |
| Short-Term Contractors | 1*1** | | | 1 | | 1 | 1 | A |
| Total | 1*/1** | | | 1 | | 4 | 1 | 7*/7** |

*NRC Required Level
 **OPPD Required Level

I. MANAGEMENT ACTIONS

- A. One contractor employee refused a pre-access drug/alcohol test. This is treated as if it were a positive result. The individual was denied unescorted access and turned over to his employer.
- B. Two contractor employees tested positive on their pre-access tests. One tested positive for marijuana and one tested positive for methamphetamines. They were denied unescorted access and turned over to their employers.
- C. One contractor employee tested positive for alcohol on a follow-up test. The individual was placed in a follow-up program at another utility. This follow-up test was done in an effort to assist the other utility in completing the required number of follow-up tests outlined by that utility.
- D. One licensed employee left at the end of shift without stopping to do a random drug/alcohol test as instructed to do so earlier by his manager. The individual was immediately contacted by his manager and instructed to return to the site to complete the random test. The individual stated that he had forgotten he was to take a test and returned immediately. The specimen was collected under direct observation within two hours of the initial notification.

II. EVENTS REPORTED

- A. One licensed supervisory employee tested positive for alcohol on a random test and again tested positive for alcohol on a re-entry test. The individual was terminated and denied unescorted access.
- B. One licensed employee tested positive for alcohol on a random test. The individual was placed in the follow-up program.