



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION IV  
611 RYAN PLAZA DRIVE, SUITE 400  
ARLINGTON, TEXAS 76011-4005

July 25, 2006

Portneuf Medical Center  
ATTN: Jing Wang, M.S.  
Radiation Safety Officer  
651 Memorial Drive  
Pocatello, Idaho 83201

SUBJECT: LICENSE AMENDMENT

Please find enclosed Amendment No. 17 to License No. 11-27384-01, **authorizing the location of Advanced Imaging Center of Pocatello on your license, as requested by Mr. Patrick Hermanson, CEO, by letter dated May 22, 2006.** In addition, this amendment authorizes the transfer of control from Advanced Imaging Center of Pocatello to Portneuf Medical Center. It is our understanding that Portneuf Medical Center agrees to abide by all constraints, conditions, requirements, representations, and commitments identified in NRC License No. 11-29215-01; therefore, those commitments have been incorporated into your license under License Condition 19.E. Additionally, Dr. Steven T. Strickler has been authorized for 35.100 and 35.200 materials on your license.

**Please note that your license has also been amended to remove the authorized use for decay of strontium-90 for ophthalmic treatments since this source is authorized for storage only.**

NRC's Regulatory Issue Summary (RIS) 2005-31, provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/> and the link for frequently asked questions may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>. Pursuant to NRC's RIS 2005-31, the enclosed materials license will not be made publicly available.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14)(iv). You should review this license carefully and be sure that you understand all conditions. If you have any questions, you may contact me at 817-276-6552.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your radiation safety program according to the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate by NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers: Inspection and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC in writing of any change in mailing address.
3. By 10 CFR 30.36(d) and/or license condition, notify NRC, promptly, in writing, and request termination of the license:
  - a. When you decide to terminate all activities involving materials authorized under the license whether at the entire site or any separate building or outdoor area; or
  - b. If you decide not to acquire or possess and use authorized material; or
  - c. When no principal activities under the license have been conducted for a period of 24 months.
4. In accordance with 10 CFR 35.14, notify the NRC no later than 30 days after:
  - a. The date that the licensee permits an individual to work as an authorized user, an authorized nuclear pharmacist or an authorized medical physicist under 10 CFR 35.13(b)(1) through (b)(4);
  - b. An authorized user, an authorized nuclear pharmacist, a Radiation Safety Officer, or an authorized medical physicist permanently discontinues duties under the license or has a name change;
  - c. The licensee's mailing address changes;
  - d. The licensee's name changes, but the name change does not constitute a transfer of control of the license as described in 10 CFR 30.34(b); or
  - e. The licensee has added to or changed the areas of use identified in the application or on the license where byproduct material is used in accordance with either 35.100 or 35.200.
5. Request and obtain a license amendment before you:
  - a. Change Radiation Safety Officers;
  - b. Order byproduct material in excess of the amount, radionuclide or form authorized on the license;
  - c. Add or change the areas or address(es) of use identified in the license application or on the license, except for areas of use where byproduct material is used only in accordance with either 10 CFR 35.100 or 35.200; or
  - d. Change the name or ownership of your organization.

In addition, please note that NRC Form 313 requires the applicant, by signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant. Since the NRC also accepts a letter requesting amendment of an NRC license, the signatory for such a request should also be the licensee or certifying official rather than a consultant.

NRC will periodically inspect your radiation safety program. Failure to conduct your program according to NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC may result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available on the following internet address:  
<http://www.nrc.gov/what-we-do/regulatory/enforcement/enforc-pol.pdf>.

The NRC no longer publishes the NRC Rules and Regulations loose leaf supplements due to budget constraints. However, an electronic version of the NRC's regulations is available on the NRC Web site at [www.nrc.gov](http://www.nrc.gov). To view these regulations, highlight "Electronic Reading Room" and choose "Regulations" on the drop down menu. An electronic version of the NUREG-1556 Series publications is also available on the NRC Web site. To view these guidance documents, highlight "Electronic Reading Room," choose "All Document Types" on the drop down menu. Scroll down to "NUREG-Series Publications" and select "Publications Prepared by the NRC Staff." Then, choose "NUREG-1556" from the table and select the appropriate volume(s) for your license type.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

*/RA/*

Rachel S. Browder, Health Physicist  
Nuclear Materials Licensing Branch

Docket: 030-32325  
License: 11-27384-01  
Control: 471044

Enclosure: As stated