



University of Pittsburgh

Radiation Safety Office

Room G-7 Parran Hall
Pittsburgh, PA 15261
412-624-2728, 2729
Fax: 412-624-3562

July 21, 2006

Br. 1

2006 JUL 28 PM 12:50

RECEIVED
REGION I

Director
Division of Nuclear Material Safety
U.S. Nuclear Regulatory Commission
Washington D.C. 20555

37-00245-02
03002945

Re: Transfer of Depleted Uranium

Dear Sir or Madam:

Pursuant to the requirements under 10 CFR 40.51, this is to inform your office that we have transferred a Varian Clinac 600C linear accelerator (Serial No. 72) containing depleted uranium which was covered under the University of Pittsburgh's NRC Radioactive Materials License (No. No. 37-00245-02) to the following party:

Richard Clough, Service Manager/RSO
VJ Technologies, Inc.
80 Commercial Street
East Haven, CT 06512

This company submitted NRC Form 244 and obtained a general license (File No. 198) to use devices containing depleted uranium in a small volume of the product. If you have any questions or require additional information, please do not hesitate to contact me.

Sincerely,

Jerry Rosen
Radiation Safety Officer

cc: Region I, U.S. NRC

139205
NMSS/RGNI MATERIALS-C02

This is to acknowledge the receipt of your letter/application dated

7/21/2006, and to inform you that the initial processing which includes an administrative review has been performed.

Amendment 37-00245-02 There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 139205.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.