

**RESPONSE TO FREEDOM OF
INFORMATION ACT (FOIA) / PRIVACY
ACT (PA) REQUEST**

2006-0231

1

RESPONSE
TYPE ☐ FINAL ☒ PARTIAL

REQUESTER

Doug Tuffley

DATE

AUG 01 2006

PART I. -- INFORMATION RELEASED

- ☐ No additional agency records subject to the request have been located.
- ☐ Requested records are available through another public distribution program. See Comments section.
- ☒ **APPENDICES**
A Agency records subject to the request that are identified in the listed appendices are already available for public inspection and copying at the NRC Public Document Room.
- ☐ **APPENDICES** Agency records subject to the request that are identified in the listed appendices are being made available for public inspection and copying at the NRC Public Document Room.
- ☒ Enclosed is information on how you may obtain access to and the charges for copying records located at the NRC Public Document Room, 11555 Rockville Pike, Rockville, MD 20852-2738.
- ☐ **APPENDICES** Agency records subject to the request are enclosed.
- ☐ Records subject to the request that contain information originated by or of interest to another Federal agency have been referred to that agency (see comments section) for a disclosure determination and direct response to you.
- ☒ We are continuing to process your request.
- ☒ See Comments.

PART I.A -- FEES

AMOUNT *

\$

- ☐ You will be billed by NRC for the amount listed. ☐ None. Minimum fee threshold not met.
- ☐ You will receive a refund for the amount listed. ☐ Fees waived.

* See comments
for details**PART I.B -- INFORMATION NOT LOCATED OR WITHHELD FROM DISCLOSURE**

- ☐ No agency records subject to the request have been located.
- ☐ Certain information in the requested records is being withheld from disclosure pursuant to the exemptions described in and for the reasons stated in Part II.
- ☐ This determination may be appealed within 30 days by writing to the FOIA/PA Officer, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. Clearly state on the envelope and in the letter that it is a "FOIA/PA Appeal."

PART I.C COMMENTS (Use attached Comments continuation page if required)

The incoming FOIA/PA-2006-0231 request is located in ADAMS at ML061780590.

SIGNATURE - FREEDOM OF INFORMATION ACT AND PRIVACY ACT OFFICER

Russell A. Nichols

**APPENDIX A
RECORDS ALREADY PUBLICLY AVAILABLE**

SEE ATTACHED LISTINGS

Carol Marcus Petition for Rulemaking-56FR26945

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9107190008	MARCUS C S, CALIFORNIA, UNIV. OF, LOS ANGELES, CA	Petition for rulemaking PRM-20-20 re authorization to operate up to annual dose to individual members of public of 5 mSv.	12/26/1990	12/28/1990	AE41-1-002, AE41-1-2, PRM-20-20	58448:004-58448:008	PDR:PRM-20-20-901226,PDR:PRM//20-20 901226	Publicly Available	14
9107190015	BENEDETTO A R, AFFILIATION NOT ASSIGNED, TEXAS, UNIV. OF, GALVESTON, TX	Comments on PRM-20-20 concerning CS Marcus recommendation that dose limit for members of patients families be higher than 1 mSv.	06/20/1991	06/25/1991	56FR26945-00001, 56FR26945-1, AE41-1-003, AE41-1-3	58448:021-58448:023	PDR:PRM-20-20-910620,PDR:PRM//20-20 910620	Publicly Available	3
9107190019	LEWIS M I, AFFILIATION NOT ASSIGNED	Comment opposing petition for rulemaking PRM-20-20 re proposed rev to stds for radiation protection from 100 to 500 millirems per year to public.NRC should reject petition due to health & safety concerns.	07/07/1991	07/15/1991	56FR26945, AE41-1-004, AE41-1-4	58448:038-58448:038	PDR:PRM-20-20-910707,PDR:PRM//20-20 910707	Publicly Available	1
9108050030	BEVEN T, MALMUD L, AMERICAN COLLEGE OF NUCLEAR PHYSICIANS, SOCIETY OF NUCLEAR MEDICINE	Comment supporting petition for rulemaking PRM-20-20 re increased allowable annual radiation dose absorbed by small subgroup of members of general public from 1 mSv to 5 mSv.	07/15/1991	07/17/1991	56FR26945-00003, 56FR26945-3, AE41-1-005, AE41-1-5	58634:074-58634:075	PDR:PRM-20-20-910715,PDR:PRM//20-20 910715	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108050085	HIATT S L, OHIO CITIZENS FOR RESPONSIBLE ENERGY	Comment opposing petition for rulemaking PRM-20-20 re rev to part 20 to raise annual dose limit that can be absorbed by public from patients receiving radiopharm from 1 mSv to 5 mSv.	07/16/1991	07/19/1991	56FR26945-00004, 56FR26945-4, AE41-1-006, AE41-1-6	58634:240-58634:241	PDR:PRM-20-20-910716,PDR:PRM/20-20 910716	Publicly Available	2
9108050045	JOHNSRUD J H, ENVIRONMENTAL COALITION ON NUCLEAR POWER	Requests copy of 901226 petition for rulemaking & extension of comment period for addl 45 days.	07/18/1991	07/29/1991	56FR26945	58634:131-58634:131	PDR:PRM-20-20-910718,PDR:PRM/20-20 910718	Publicly Available	1
9108050069	LAVEN D L, AFFILIATION NOT ASSIGNED, DEPT. OF VETERANS AFFAIRS MEDICAL CENTER, BAY PINES,	Comment opposing petition for rulemaking PRM-20-20 re 10CFR20.1301, reducing total effective dosage equivalent.	07/19/1991	07/25/1991	56FR26945-00005, 56FR26945-5, AE41-1-007, AE41-1-7	58634:224-58634:225	PDR:PRM-20-20-910719,PDR:PRM/20-20 910719	Publicly Available	2
9108050053	BURT R W, AFFILIATION NOT ASSIGNED, BURT, R.W., MD	Comment supporting petition for rulemaking PRM-20-20 re reducing exposure to public from 0.5 rem to 0.1 rem.	07/23/1991	07/29/1991	56FR26945-00007, 56FR26945-7, AE41-1-009, AE41-1-9	58634:183-58634:184	PDR:PRM-20-20-910723,PDR:PRM/20-20 910723	Publicly Available	1
9108050018	SPENCE G L, MALLINCKRODT, INC.	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/25/1991	07/29/1991	56FR26945-00006, 56FR26945-6, AE41-1-008, AE41-1-8	58634:043-58634:043	PDR:PRM-20-20-910725,PDR:PRM/20-20 910725	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108050034	LAUGHNER W G, MEDICAL CENTER, INC., BEAVER, PA	Comment supporting petition for rulemaking PRM-20-20 re 10CFR20.1301 reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/25/1991	07/30/1991	56FR26945-00008, 56FR26945-8, AE41-1-010, AE41-1-10	58634:120- 58634:120	PDR:PRM-20-20-910725,PDR:PRM//20-20 910725	Publicly Available	1
9108050042	HORSLEY R, AFFILIATION NOT ASSIGNED, BRADFORD HOSP., BRADFORD, PA	Comment supporting petition for rulemaking PRM-20-20 re revised 10CFR20.1301 on reduction of total effective dosage equivalent to members of public from 0.5 rem(5 mSv) to 0.1 rem(1 mSv).	07/25/1991	08/01/1991	56FR26945-00014, 56FR26945-14, AE41-1-016, AE41-1-16	58634:127- 58634:127	PDR:PRM-20-20-910725,PDR:PRM//20-20 910725	Publicly Available	1
9108050050	MCCREARY T W, AFFILIATION NOT ASSIGNED, MEDICAL CENTER, INC., BEAVER, PA	Comment supporting petition for rulemaking PRM-20-20 re 10CFR20.1301, reducing total effective dose equivalent.	07/25/1991	08/01/1991	56FR26945-00013, 56FR26945-13, AE41-1-015, AE41-1-15	58634:182- 58634:182	PDR:PRM-20-20-910725,PDR:PRM//20-20 910725	Publicly Available	1
9108050067	PUCKETT J L, AFFILIATION NOT ASSIGNED, CLARION HOSP., CLARION, PA (FORMERLY CLARION OSTEOPAT	Comment supporting petition for rulemaking PRM-20-20 re 10CFR20.1301, reducing total effective dose equivalent.	07/25/1991	07/30/1991	56FR26945-00010, 56FR26945-10, AE41-1-012, AE41-1-12	58634:223- 58634:223	PDR:PRM-20-20-910725,PDR:PRM//20-20 910725	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108050094	WILLIAMS M C, AFFILIATION NOT ASSIGNED, INDIANA HOSP., INDIANA, PA	Comment supporting petition for rulemaking PRM-20-20 re reduction to total effective dose equivalent to individual members of public from 5 mSv to 1 mSv.	07/26/1991	08/01/1991	56FR26945-00012, 56FR26945-12, AE41-1-014, AE41-1-14	58634:242-58634:242	PDR:PRM-20-20-910726,PDR:PRM//20-20 910726	Publicly Available	1
9108050109	NORBY E H, AFFILIATION NOT ASSIGNED, WOODBURN NUCLEAR MEDICINE, LTD., ANNANDALE, VA (FORME	Comment supporting petition for rulemaking PRM-20-20 re reduction of total effective dose equivalent to individual members of public from 5 mSv to 1 mSv.	07/26/1991	08/01/1991	56FR26945-00015, 56FR26945-15, AE41-1-017, AE41-1-17	58634:259-58634:259	PDR:PRM-20-20-910726,PDR:PRM//20-20 910726	Publicly Available	1
9108050117	BERKLEY D A, AFFILIATION NOT ASSIGNED, WESTMORELAND RADIATION ONCOLOGY CENTER, GREENSBURG,	Comment supporting petition for rulemaking PRM-20-20 re reduction to total effective dose equivalent to individual members of public from 5 mSv to 1 mSv.	07/26/1991	08/01/1991	56FR26945-00016, 56FR26945-16, AE41-1-018, AE41-1-118, AE41-1-18	58634:264-58634:264	PDR:PRM-20-20-910726,PDR:PRM//20-20 910726	Publicly Available	1
9108070162	SPECHT R P, AFFILIATION NOT ASSIGNED, WESTMORELAND RADIATION ONCOLOGY CENTER, GREENSBURG,	Comment supporting petition for rulemaking PRM-20-20 re revised 10CFR35 regulations governing medical use of byproduct matl.	07/26/1991	08/05/1991	56FR26945-00032, 56FR26945-32, AE41-1-034, AE41-1-32, AE41-1-34	58661:111-58661:111	PDR:PRM-20-20-910726,PDR:PRM//20-20 910726	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108290001	ROOT L M, AFFILIATION NOT ASSIGNED, DR. T.C. HOBBS & ASSOCIATES, INC.	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/26/1991	08/27/1991	56FR26945-00119, 56FR26945-119, AE41-1-119, AE41-1-121, AE41-1-122	58904:229-58904:229	PDR:PRM-20-20-910726,PDR:PRM/20-20 910726	Publicly Available	1
9607250234	DI ZINNO M, LAKEWOOD HOSP., LAKEWOOD, OH	Comment supporting petition for rulemaking PRM-20-20 re reduction to total effective dose equivalent to individual members of public from 5 mSv to 1 mSv.	07/29/1991	07/31/1991	56FR26945-00011, 56FR26945-11, AE41-1-013, AE41-1-13	89203:046-89203:307	PDR:PR-20-59FR30724-960718,PDR:PR/20 59FR30724 960718	Publicly Available	1
9108060331	RAYMOND J A, AFFILIATION NOT ASSIGNED, MERCY HOSP., CADILLAC, MI	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/29/1991	08/02/1991	56FR26945-00024, 56FR26945-24, AE41-1-026, AE41-1-26	58660:102-58660:102	PDR:PRM-20-20-910729,PDR:PRM/20-20 910729	Publicly Available	1
9108060334	CALCE J V, AFFILIATION NOT ASSIGNED, DIVINE PROVIDENCE HOSP., WILLIAMSPORT, PA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual member of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/29/1991	08/02/1991	56FR26945-00023, 56FR26945-23, AE41-1-025, AE41-1-25	58660:101-58660:101	PDR:PRM-20-20-910729,PDR:PRM/20-20 910729	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108060373	CABLE H F, AFFILIATION NOT ASSIGNED, ANCHORAGE DIAGNOSTIC IMAGING CENTER, ANCHORAGE, AK	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/29/1991	08/02/1991	56FR26945-00019, 56FR26945-19, AE41-1-021, AE41-1-21	58660:174-58660:174	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1
9108060378	MESSNER R H, AFFILIATION NOT ASSIGNED, BRENTWOOD HOSP., CLEVELAND, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/29/1991	08/01/1991	56FR26945-00017, 56FR26945-17, AE41-1-019, AE41-1-19	58660:176-58660:176	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1
9108070064	GUNDERSON S D, AFFILIATION NOT ASSIGNED, GOSHEN GENERAL HOSP., GOSHEN, IN	Comment supporting petition for rulemaking PRM-20-20 re reducing total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	07/29/1991	08/02/1991	56FR26945-00026, 56FR26945-26, AE41-1-028, AE41-1-28	58661:060-58661:060	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1
9108070069	HOFFMAN D A, HEART ASSOCIATES, YOUNGSTOWN, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	07/29/1991	08/05/1991	56FR26945-00034, 56FR26945-34, AE41-1-036, AE41-1-36	58661:061-58661:061	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108070088	SCOTT T, ANCHORAGE DIAGNOSTIC IMAGING CENTER, ANCHORAGE, AK	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public to 0.1 (1 mSv).	07/29/1991	08/02/1991	56FR26945-00025, 56FR26945-25, AE41-1-027, AE41-1-27	58661:070- 58661:070	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1
9108070153	GOHIL D, AFFILIATION NOT ASSIGNED, MT. DIABLO MEDICAL CENTER, CONCORD, CA	Comment supporting petition for rulemaking PRM-20-20 re revised 10CFR35 regulations governing medical use of byproduct matl.	07/29/1991	08/05/1991	56FR26945-00030, 56FR26945-30, AE41-1-032, AE41-1-32	58661:101- 58661:101	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1
9108070167	CHIN D, AFFILIATION NOT ASSIGNED, MANSFIELD GENERAL HOSP., MANSFIELD, OH	Comment supporting petition for rulemaking PRM-20-20 re revised 10CFR35 regulations governing medical use of byproduct matl.	07/29/1991	08/05/1991	56FR26945-00033, 56FR26945-33, AE41-1-035, AE41-1-35	58661:119- 58661:119	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1
9108090017	JONES P, AFFILIATION NOT ASSIGNED, OHIO HEART INSTITUTE, YOUNGSTOWN, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1mSv).	07/29/1991	08/05/1991	56FR26945-00046, 56FR26945-46, AE41-1-048, AE41-1-48, AE41-1-49	58699:194- 58699:194	PDR:PRM-20-20-910729,PDR:PRM//20-20 910729	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108050015	MARTIN T R, LORAIN COMMUNITY HOSP., LORAIN, OH	Comment supporting petition for rulemaking PRM-20-20 re 10CFR20.1301 having reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/30/1991	07/30/1991	56FR26945-00009, 56FR26945-9, AE41-1-011, AE41-1-11	58634:042- 58634:042	PDR:PRM-20-20-910730,PDR:PRM//20-20-910730	Publicly Available	1
9108060375	VENTO J, AFFILIATION NOT ASSIGNED, VETERANS ADMIN. MEDICAL CENTER, NEWINGTON, CT	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/30/1991	08/01/1991	56FR26945-00018, 56FR26945-18, AE41-1-020, AE41-1-20	58660:175- 58660:175	PDR:PRM-20-20-910730,PDR:PRM//20-20-910730	Publicly Available	1
9108070074	CHAPMAN C, EASTON HOSP., EASTON, PA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	07/30/1991	08/05/1991	56FR26945-00035, 56FR26945-35, AE41-1-037, AE41-1-37	58661:062- 58661:062	PDR:PRM-20-20-910730,PDR:PRM//20-20-910730	Publicly Available	1
9108070080	WIDMAN D E, AFFILIATION NOT ASSIGNED, GALION COMMUNITY HOSP., GALION, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	07/30/1991	08/05/1991	56FR26945-00036, 56FR26945-36, AE41-1-038, AE41-1-36, AE41-1-38	58661:063- 58661:063	PDR:PRM-20-20-910730,PDR:PRM//20-20-910730	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108070098	WALKER J N, AFFILIATION NOT ASSIGNED, DOUGLAS COMMUNITY HOSP., ROSEBURG, OR	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	07/30/1991	08/05/1991	56FR26945-00037, 56FR26945-37, AE41-1-039, AE41-1-37, AE41-1-39	58661:071- 58661:071	PDR:PRM-20-20-910730,PDR:PRM//20-20 910730	Publicly Available	1
9108070136	FORD K, AFFILIATION NOT ASSIGNED, GOOD SAMARITAN HOSP. OF SANTA CLARA VALLEY, SAN JOSE,	Comment supporting petition for rulemaking PRM-20-20 re revised 10CFR35 regulations governing medical use of byproduct matl.	07/30/1991	08/05/1991	56FR26945-00028, 56FR26945-28, AE41-1-030, AE41-1-30	58661:099- 58661:099	PDR:PRM-20-20-910730,PDR:PRM//20-20 910730	Publicly Available	1
9108230108	, AFFILIATION NOT ASSIGNED, TORRANCE MEMORIAL MEDICAL CENTER, TORRANCE, CA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/30/1991	08/16/1991	56FR26945-00105, 56FR26945-105, AE-41-1-108, AE41-1-107, AE41-1-108	58870:216- 58870:216	PDR:PRM-20-20-910730,PDR:PRM//20-20 910730	Publicly Available	1
9108070009	TOBE R H, DOCTORS HOSP. OF JACKSON, JACKSON, MI (FORMERLY JACKS	Comment supporting petition for rulemaking PRM-20-20 re reducing total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	07/31/1991	08/05/1991	56FR26945-00041, 56FR26945-41, AE41-1-043, AE41-1-43	58661:020- 58661:020	PDR:PRM-20-20-910731,PDR:PRM//20-20 910731	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108070014	APICELLA F V, AFFILIATION NOT ASSIGNED, SALEM COMMUNITY HOSP., SALEM, OH (FORMERLY NORTHERN	Comment supporting petition for rulemaking PRM-20-20 re reducing total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	07/31/1991	08/05/1991	56FR26945-00042, 56FR26945-42, AE41-1-044, AE41-1-42, AE41-1-44	58661:021-58661:021	PDR:PRM-20-20-910731,PDR:PRM//20-20 910731	Publicly Available	1
9108070143	DURKIN A P, AFFILIATION NOT ASSIGNED, GOOD SAMARITAN HOSP. OF SANTA CLARA VALLEY, SAN JOSE,	Comment supporting petition for rulemaking PRM-20-20 re revised 10CFR35 regulations governing medical use of byproduct matl.	07/31/1991	08/05/1991	56FR26945-00029, 56FR26945-29, AE41-1-031, AE41-1-31	58661:100-58661:100	PDR:PRM-20-20-910731,PDR:PRM//20-20 910731	Publicly Available	1
9108090048	NEDELMAN S H, AFFILIATION NOT ASSIGNED, COMMUNITY HOSP. OF SPRINGFIELD & CLARK COUNTY, SPRING	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/31/1991	08/07/1991	56FR26945-00054, 56FR26945-54, AE41-1-056, AE41-1-56, AE41-1-57	58699:282-58699:282	PDR:PRM-20-20-910731,PDR:PRM//20-20 910731	Publicly Available	1
9108140114	VIBHAKAR S D, AFFILIATION NOT ASSIGNED, SOUTHWEST GENERAL HOSP., MIDDLEBURG HEIGHTS, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	07/31/1991	08/12/1991	56FR26945-00088, 56FR26945-88, AE41-1-090, AE41-1-90, AE41-1-91	58741:220-58741:220	PDR:PRM-20-20-910731,PDR:PRM//20-20 910731	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140127	LADYMAN G, AFFILIATION NOT ASSIGNED, HUMANA HOSP. ALASKA, ANCHORAGE, AK	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1mSv).	07/31/1991	08/13/1991	56FR26945-00099, 56FR26945-99, AE41-1-101, AE41-1- 102	58742:194- 58742:194	PDR:PRM-20- 20- 910731,PDR:P RM//20-20 910731	Publicly Available	1
9108070003	ALLY K M, VETERANS ADMIN. MEDICAL CENTER, DAYTON, OH	Comment supporting petition for rulemaking PRM-20- 20 re reducing total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/05/1991	56FR26945-00039, 56FR26945-39, AE41-1-041, AE41-1- 41	58661:002- 58661:002	PDR:PRM-20- 20- 910801,PDR:P RM//20-20 910801	Publicly Available	1
9108070016	MCCAIN T, AFFILIATION NOT ASSIGNED, ST. LOUISE HOSP. & HEALTH CENTER, MORGAN HILL, CA	Comment supporting petition for rulemaking PRM-20- 20 re reducing total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	08/01/1991	08/05/1991	56FR26945-00043, 56FR26945-43, AE41-1-045, AE41-1- 43, AE41-1-45	58661:022- 58661:022	PDR:PRM-20- 20- 910801,PDR:P RM//20-20 910801	Publicly Available	1
9108070105	DAILEY J W, AFFILIATION NOT ASSIGNED, ILLINOIS, UNIV. OF, COLLEGE OF MEDICINE, PEORIA,	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	08/01/1991	08/05/1991	56FR26945-00038, 56FR26945-38, AE41-1-040, AE41-1- 40	58661:072- 58661:072	PDR:PRM-20- 20- 910801,PDR:P RM//20-20 910801	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108090021	BROGA D W, AFFILIATION NOT ASSIGNED, VIRGINIA COMMONWEALTH UNIV., MEDICAL COLLEGE, RICHMON	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1mSv).	08/01/1991	08/05/1991	56FR26945-00047, 56FR26945-47, AE41-1-049, AE41-1-49, AE41-1-50	58699:198-58699:198	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108090029	FICKEN V J, FICKEN, V.J., PHD	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/05/1991	56FR26945-00044, 56FR26945-44, AE41-1-046, AE41-1-46	58699:254-58699:254	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9110110012	STANO R G, AFFILIATION NOT ASSIGNED, MOUNTAIN STATES TUMOR INSTITUTE, BOISE, ID	Comment opposing petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	10/07/1991	56FR26945-00127, 56FR26945-127, AE41-1-129, AE41-1-130	59342:187-59342:187	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108120166	WATT R L, AFFILIATION NOT ASSIGNED, MALLINCKRODT MEDICAL, INC., ST. PAUL, MN	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/07/1991	56FR26945-00061, 56FR26945-61, AE41-1-063, AE41-1-63, AE41-1-64	58716:314-58716:314	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108130134	MAJOR C, AFFILIATION NOT ASSIGNED, SDI, INC.	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/08/1991	56FR26945-00067, 56FR26945-67, AE41-1-069, AE41-1-69, AE41-1-70	58726:217- 58726:217	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108130136	BRANHAM J A, AFFILIATION NOT ASSIGNED, SDI, INC.	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/08/1991	56FR26945-00065, 56FR26945-65, AE41-1-067, AE41-1-67, AE41-1-68	58726:218- 58726:218	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108130149	WERKMAN M, AFFILIATION NOT ASSIGNED, SOLANO DIAGNOSTICS IMAGING, FAIRFIELD, CA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/08/1991	56FR26945-00066, 56FR26945-66, AE41-1-068, AE41-1-68, AE41-1-69	58726:231- 58726:231	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108130168	PALDI J A, AFFILIATION NOT ASSIGNED, SOLANO DIAGNOSTICS IMAGING, FAIRFIELD, CA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/08/1991	56FR26945-00068, 56FR26945-68, AE41-1-070, AE41-1-70, AE41-1-71	58726:243- 58726:243	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140005	BELCHER A D, AFFILIATION NOT ASSIGNED, MARION GENERAL HOSP., MARION, IN	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/12/1991	56FR26945-00080, 56FR26945-80, AE41-1-082, AE41-1-82, AE41-1-83	58741:001-58741:001	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108140019	GREIS T, AFFILIATION NOT ASSIGNED, ST. JOHNS REGIONAL HEALTH CENTER, SPRINGFIELD, MO	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/09/1991	56FR26945-00077, 56FR26945-77, AE41-1-079, AE41-1-79, AE41-1-8, AE41-1-80	58741:006-58741:006	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108140102	MATHERN D, AFFILIATION NOT ASSIGNED, HOT SPRINGS COUNTY MEMORIAL HOSP., THERMOPOLIS, WY	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/01/1991	08/12/1991	56FR26945-00091, 56FR26945-91, AE41-1-093, AE41-1-93, AE41-1-94	58741:215-58741:215	PDR:PRM-20-20-910801,PDR:PRM//20-20 910801	Publicly Available	1
9108060341	DUNLAP D, AFFILIATION NOT ASSIGNED, WARREN GENERAL HOSP., WARREN, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/02/1991	56FR26945-00022, 56FR26945-22, AE41-1-024, AE41-1-24	58660:103-58660:103	PDR:PRM-20-20-910802,PDR:PRM//20-20 910802	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108060359	CURTISS C H, AFFILIATION NOT ASSIGNED, WARREN GENERAL HOSP., WARREN, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/02/1991	56FR26945-00021, 56FR26945-21, AE41-1-023, AE41-1- 23	58660:114- 58660:114	PDR:PRM-20- 20- 910802,PDR:P RM//20-20 910802	Publicly Available	1
9108060369	JANOVICK R, AFFILIATION NOT ASSIGNED, WARREN GENERAL HOSP., WARREN, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/02/1991	56FR26945-00020, 56FR26945-20, AE41-1-022, AE41-1- 20, AE41-1-22	58660:173- 58660:173	PDR:PRM-20- 20- 910802,PDR:P RM//20-20 910802	Publicly Available	1
9108090015	ZENGER G H, HUMANA HOSP. AUDUBON, LOUISVILLE, KY	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/05/1991	56FR26945-00045, 56FR26945-45, AE41-1-047, AE41-1- 47	58699:082- 58699:082	PDR:PRM-20- 20- 910802,PDR:P RM//20-20 910802	Publicly Available	1
9108090022	ALEXANDER D, AFFILIATION NOT ASSIGNED, OIL, CHEMICAL & ATOMIC WORKERS INTERNATIONAL UNION	Comment opposing petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/06/1991	56FR26945-00050, 56FR26945-50, AE41-1-052, AE41-1- 52, AE41-1-53	58699:199- 58699:200	PDR:PRM-20- 20- 910802,PDR:P RM//20-20 910802	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108120159	ROBERTSON C Q, AFFILIATION NOT ASSIGNED, MEMORIAL HOSP. OF SANDUSKY COUNTY, FREMONT, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/07/1991	56FR26945-00057, 56FR26945-57, AE41-1-059, AE41-1-59, AE41-1-60	58716:246-58716:246	PDR:PRM-20-20-910802,PDR:PRM//20-20 910802	Publicly Available	1
9108120162	CALDWELL J L, AFFILIATION NOT ASSIGNED, MEMORIAL HOSP. OF SANDUSKY COUNTY, FREMONT, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/07/1991	56FR26945-00056, 56FR26945-56, AE41-1-058, AE41-1-58, AE41-1-59	58716:247-58716:247	PDR:PRM-20-20-910802,PDR:PRM//20-20 910802	Publicly Available	1
9108140009	VOLARICH D T, AFFILIATION NOT ASSIGNED, METROPOLITAN MEDICAL CENTER, MINNEAPOLIS, MN	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/09/1991	56FR26945-00072, 56FR26945-72, AE41-1-074, AE41-1-74, AE41-1-75	58741:004-58741:004	PDR:PRM-20-20-910802,PDR:PRM//20-20 910802	Publicly Available	1
9108140027	THATCHER J, AFFILIATION NOT ASSIGNED, ST. ANTHONY MEDICAL CENTER, COLUMBUS, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1mSv).	08/02/1991	08/09/1991	56FR26945-00075, 56FR26945-75, AE41-1-077, AE41-1-77, AE41-1-78	58741:012-58741:012	PDR:PRM-20-20-910802,PDR:PRM//20-20 910802	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140113	BRAMOWITZ A D, AFFILIATION NOT ASSIGNED, SOUTH HILLS HEALTH SYSTEM, PITTSBURGH, PA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/12/1991	56FR26945-00095, 56FR26945-95, AE41-1-097, AE41-1-95, AE41-1-97, AE41-1-98	58741:219-58741:219	PDR:PRM-20-20-910802,PDR:PRM/20-20 910802	Publicly Available	1
9108140115	WEBER S, AFFILIATION NOT ASSIGNED, ST. ANNS HOSP., WESTERVILLE, OH (FORMERLY IN COLUMBUS	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/09/1991	56FR26945-00073, 56FR26945-73, AE41-1-075, AE41-1-75, AE41-1-76	58741:221-58741:221	PDR:PRM-20-20-910802,PDR:PRM/20-20 910802	Publicly Available	1
9108230048	CRAWFORD R V, AFFILIATION NOT ASSIGNED, ROYAL C. JOHNSON VETERANS MEMORIAL HOSP. & REGIONAL	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	08/14/1991	56FR26945-00102, 56FR26945-102, AE41-1-104, AE41-1-105	58870:112-58870:113	PDR:PRM-20-20-910802,PDR:PRM/20-20 910802	Publicly Available	2
9109050109	LURIE A, AFFILIATION NOT ASSIGNED, ALVARADO HOSP. MEDICAL CENTER, SAN DIEGO, CA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/02/1991	09/03/1991	56FR26945-00121, 56FR26945-121, AE41-1-123, AE41-1-124	58944:344-58944:344	PDR:PRM-20-20-910802,PDR:PRM/20-20 910802	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108070059	BERGH A V, AFFILIATION NOT ASSIGNED, ST. JOSEPHS HOSP., ST. PAUL, MN	Comment supporting petition for rulemaking PRM-20- 20 re reducing total effective dose equivalent to individual members of public to 0.1 rem (1 mSv).	08/05/1991	08/05/1991	56FR26945-00027, 56FR26945-27, AE41-1-029, AE41-1- 29	58661:054- 58661:054	PDR:PRM-20- 20- 910805,PDR:P RM//20-20 910805	Publicly Available	1
9108090024	REED P W, AFFILIATION NOT ASSIGNED, LIMA MEMORIAL HOSP., LIMA, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/05/1991	56FR26945-00048, 56FR26945-48, AE41-1-050, AE41-1- 50, AE41-1-51	58699:201- 58699:201	PDR:PRM-20- 20- 910805,PDR:P RM//20-20 910805	Publicly Available	1
9108130115	RAE R M, AFFILIATION NOT ASSIGNED, BOADE, W.A., MD, LTD.	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/08/1991	56FR26945-00062, 56FR26945-62, AE41-1-064, AE41-1- 64, AE41-1-65	58726:177- 58726:177	PDR:PRM-20- 20- 910805,PDR:P RM//20-20 910805	Publicly Available	1
9108140004	DURICHEKAMY V, AFFILIATION NOT ASSIGNED, WASHINGTON RADIOLOGISTS MEDICAL GROUP, INC., FREMONT,	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/12/1991	56FR26945-00081, 56FR26945-81, AE41-1-083, AE41-1- 83, AE41-1-84	58741:007- 58741:007	PDR:PRM-20- 20- 910805,PDR:P RM//20-20 910805	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140033	, AFFILIATION NOT ASSIGNED, JOINT TOWNSHIP DISTRICT MEMORIAL HOSP., ST. MARYS,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/09/1991	56FR26945-00071, 56FR26945-71, AE41-1-073, AE41-1-73, AE41-1-74	58741:060-58741:060	PDR:PRM-20-20-910805,PDR:PRM//20-20 910805	Publicly Available	1
9108140047	WOODARD J D, AFFILIATION NOT ASSIGNED, ALABAMA POWER CO.	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/09/1991	56FR26945-00069, 56FR26945-69, AE41-1-071, AE41-1-71, AE41-1-72	58741:067-58741:067	PDR:PRM-20-20-910805,PDR:PRM//20-20 910805	Publicly Available	1
9108140075	BECKHAM J T, GEORGIA POWER CO.	Comment on petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).Endorses NUMARC comments.	08/05/1991	08/09/1991	56FR26945-00070, 56FR26945-70, AE41-1-072, AE41-1-72, AE41-1-73	58741:120-58741:121	PDR:PRM-20-20-910805,PDR:PRM//20-20 910805	Publicly Available	2
9108140090	KOSTICK R J, AFFILIATION NOT ASSIGNED, WASHINGTON RADIOLOGISTS MEDICAL GROUP, INC., FREMONT,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/12/1991	56FR26945-00082, 56FR26945-82, AE41-1-084, AE41-1-84, AE41-1-85	58741:160-58741:160	PDR:PRM-20-20-910805,PDR:PRM//20-20 910805	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140108	CHENG J, AFFILIATION NOT ASSIGNED, WASHINGTON RADIOLOGISTS MEDICAL GROUP, INC., FREMONT,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/12/1991	56FR26945-00094, 56FR26945-94, AE41-1-096, AE41-1-97	58741:217- 58741:217	PDR:PRM-20-20-910805,PDR:PRM/20-20-910805	Publicly Available	1
9108140118	RIZZO M J, AFFILIATION NOT ASSIGNED, WASHINGTON RADIOLOGISTS MEDICAL GROUP, INC., FREMONT,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/12/1991	56FR26945-00096, 56FR26945-96, AE41-1-098, AE41-1-99	58742:104- 58742:104	PDR:PRM-20-20-910805,PDR:PRM/20-20-910805	Publicly Available	1
9108140119	RICHEY D, AFFILIATION NOT ASSIGNED, BARNESVILLE HOSP. ASSOCIATION, INC., BARNESVILLE,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/12/1991	56FR26945-00086, 56FR26945-86, AE41-1-088, AE41-1-89	58742:105- 58742:105	PDR:PRM-20-20-910805,PDR:PRM/20-20-910805	Publicly Available	1
9108140138	SPELLMAN M A, AFFILIATION NOT ASSIGNED, WASHINGTON RADIOLOGISTS MEDICAL GROUP, INC., FREMONT,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/12/1991	56FR26945-00083, 56FR26945-83, AE41-1-085, AE41-1-86	58742:235- 58742:235	PDR:PRM-20-20-910805,PDR:PRM/20-20-910805	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140139	GALLACHER D J, AFFILIATION NOT ASSIGNED, WASHINGTON RADIOLOGISTS MEDICAL GROUP, INC., FREMONT,	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/05/1991	08/12/1991	56FR26945-00097, 56FR26945-97, AE41-1-099, AE41-1- 100, AE41-1-99	58742:234- 58742:234	PDR:PRM-20- 20- 910805,PDR:P RM//20-20 910805	Publicly Available	1
9108090027	, AFFILIATION NOT ASSIGNED, MEDICAL CENTER HOSP., CHILLICOTHE, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/06/1991	08/06/1991	56FR26945-00049, 56FR26945-49, AE41-1-051, AE41-1- 51, AE41-1-52	58699:205- 58699:205	PDR:PRM-20- 20- 910806,PDR:P RM//20-20 910806	Publicly Available	1
9108140006	SCHMIDT M, AFFILIATION NOT ASSIGNED, GEAUGA COMMUNITY HOSP., CHARDON, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/06/1991	08/09/1991	56FR26945-00076, 56FR26945-76, AE41-1-078, AE41-1- 78, AE41-1-79	58741:002- 58741:002	PDR:PRM-20- 20- 910806,PDR:P RM//20-20 910806	Publicly Available	1
9108140112	KING R L, AFFILIATION NOT ASSIGNED, MERIDIA EUCLID HOSP., EUCLID, OH (FORMERLY EUCLID	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/06/1991	08/12/1991	56FR26945-00089, 56FR26945-89, AE41-1-091, AE41-1- 91, AE41-1-92	58741:218- 58741:218	PDR:PRM-20- 20- 910806,PDR:P RM//20-20 910806	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140121	BIRCHELL B K, AFFILIATION NOT ASSIGNED, WYOMING MEDICAL SERVICES, INC., RIVERTON, WY D/B/A	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/06/1991	08/12/1991	56FR26945-00087, 56FR26945-87, AE41-1-089, AE41-1-89, AE41-1-90	58742:109-58742:109	PDR:PRM-20-20-910806,PDR:PRM//20-20 910806	Publicly Available	1
9108230041	MORALES J O, AFFILIATION NOT ASSIGNED, INSTITUTO RADIO-SONO-NUCLEAR DEL HOSP. ONCOLOGICO,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/06/1991	08/15/1991	56FR26945-00104, 56FR26945-104, AE41-1-106, AE41-1-107	58876:069-58876:070	PDR:PRM-20-20-910806,PDR:PRM//20-20 910806	Publicly Available	2
9108090031	HOLLIS D B, AFFILIATION NOT ASSIGNED, MUHLENBERG COMMUNITY HOSP., GREENVILLE, KY	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/07/1991	56FR26945-00051, 56FR26945-51, AE41-1-053, AE41-1-53, AE41-1-54	58699:332-58699:332	PDR:PRM-20-20-910807,PDR:PRM//20-20 910807	Publicly Available	1
9108090034	WENZEL J, AFFILIATION NOT ASSIGNED, ILLINOIS HEART INSTITUTE, PEORIA, IL	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/07/1991	56FR26945-00052, 56FR26945-52, AE41-1-054, AE41-1-54, AE41-1-55	58699:333-58699:333	PDR:PRM-20-20-910807,PDR:PRM//20-20 910807	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108090037	REED L D, AFFILIATION NOT ASSIGNED, ST. ANTHONY'S HOSP., ALTON, IL	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/07/1991	56FR26945-00053, 56FR26945-53, AE41-1-055, AE41-1- 55, AE41-1-56	58699:266- 58699:266	PDR:PRM-20- 20- 910807,PDR:P RM//20-20 910807	Publicly Available	1
9108090053	, AFFILIATION NOT ASSIGNED, ST. FRANCIS MEDICAL CENTER, PEORIA, IL	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/07/1991	56FR26945-00055, 56FR26945-55, AE41-1-057, AE41-1- 57, AE41-1-58	58699:306- 58699:306	PDR:PRM-20- 20- 910807,PDR:P RM//20-20 910807	Publicly Available	1
9108120150	JOHNSON L, AFFILIATION NOT ASSIGNED, MARION GENERAL HOSP., MARION, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/07/1991	56FR26945-00060, 56FR26945-60, AE41-1-062, AE41-1- 62, AE41-1-63	58716:250- 58716:250	PDR:PRM-20- 20- 910807,PDR:P RM//20-20 910807	Publicly Available	1
9108120153	SITTERLEY B, AFFILIATION NOT ASSIGNED, MARION GENERAL HOSP., MARION, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/07/1991	56FR26945-00059, 56FR26945-59, AE41-1-061, AE41-1- 61, AE41-1-62	58716:249- 58716:249	PDR:PRM-20- 20- 910807,PDR:P RM//20-20 910807	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108120154	RAPP C, AFFILIATION NOT ASSIGNED, MARION GENERAL HOSP., MARION, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/07/1991	56FR26945-00058, 56FR26945-58, AE41-1-060, AE41-1-61	58716:248-58716:248	PDR:PRM-20-20-910807,PDR:PRM//20-20 910807	Publicly Available	1
9108140149	CHUMLEY D A, AFFILIATION NOT ASSIGNED, MEMORIAL HOSP., BELLEVILLE, IL	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/07/1991	08/12/1991	56FR26945-00085, 56FR26945-85, AE41-1-087, AE41-1-88	58742:244-58742:244	PDR:PRM-20-20-910807,PDR:PRM//20-20 910807	Publicly Available	1
9108130121	VAUGHN W H, AFFILIATION NOT ASSIGNED, ST. JOHN MEDICAL CENTER, STEUBENVILLE, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1mSv).	08/08/1991	08/08/1991	56FR26945-00064, 56FR26945-64, AE41-1-066, AE41-1-66, AE41-1-67	58726:179-58726:179	PDR:PRM-20-20-910808,PDR:PRM//20-20 910808	Publicly Available	1
9108130160	ROCHFORD K D, AFFILIATION NOT ASSIGNED, PRATT REGIONAL MEDICAL CENTER, PRATT, KS	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/08/1991	08/08/1991	56FR26945-00063, 56FR26945-63, AE41-1-065, AE41-1-65, AE41-1-66	58726:239-58726:239	PDR:PRM-20-20-910808,PDR:PRM//20-20 910808	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140124	CLUTTER T, AFFILIATION NOT ASSIGNED, VERMILLION COUNTY HOSP., CLINTON, IN	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/08/1991	08/12/1991	56FR26945-00092, 56FR26945-92, AE41-1-094, AE41-1- 94, AE41-1-95	58742:110- 58742:110	PDR:PRM-20- 20- 910808,PDR:P RM//20-20 910808	Publicly Available	1
9108140014	EDWARDS D W, YANKEE ATOMIC ELECTRIC CO.	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/09/1991	08/12/1991	56FR26945-00078, 56FR26945-78, AE41-1-080, AE41-1- 80, AE41-1-81, FYC- 91-6	58741:005- 58741:005	PDR:PRM-20- 20- 910809,PDR:P RM//20-20 910809	Publicly Available	1
9108140024	BUCK C L, AFFILIATION NOT ASSIGNED, BUCYRUS COMMUNITY HOSP., BUCYRUS, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/09/1991	08/09/1991	56FR26945-00074, 56FR26945-74, AE41-1-076, AE41-1- 76, AE41-1-77	58741:011- 58741:011	PDR:PRM-20- 20- 910809,PDR:P RM//20-20 910809	Publicly Available	1
9108140072	TIPTON T E, AFFILIATION NOT ASSIGNED, NUCLEAR ENERGY INSTITUTE (FORMERLY NUCLEAR MGMT &	Comment on petition for rulemaking PRM- 20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).NRC should apply consistent rules for all classes of licenses.	08/09/1991	08/12/1991	56FR26945-00084, 56FR26945-84, AE41-1-086, AE41-1- 86, AE41-1-87	58741:118- 58741:119	PDR:PRM-20- 20- 910809,PDR:P RM//20-20 910809	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108230058	WALKER E C, AFFILIATION NOT ASSIGNED, ST. JOSEPH RIVERSIDE HOSP., WARREN, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/09/1991	08/15/1991	56FR26945-00103, 56FR26945-103, AE41-1-105, AE41-1- 106	58870:111- 58870:111	PDR:PRM-20- 20- 910809,PDR:P RM//20-20 910809	Publicly Available	1
9108270183	THOMAS S R, CINCINNATI, UNIV. OF, MEDICAL CENTER, CINCINNATI,	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/09/1991	08/22/1991	56FR26945-00116, 56FR26945-116, AE41-1-116, AE41-1- 118, AE41-1-119	58890:099- 58890:101	PDR:PRM-20- 20- 910809,PDR:P RM//20-20 910809	Publicly Available	3
9108140008	, AFFILIATION NOT ASSIGNED, DOCTORS HOSP., COLUMBUS, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/12/1991	56FR26945-00079, 56FR26945-79, AE41-1-081, AE41-1- 81, AE41-1-82	58741:003- 58741:003	PDR:PRM-20- 20- 910812,PDR:P RM//20-20 910812	Publicly Available	1
9108140106	ZERBONIA A N, AFFILIATION NOT ASSIGNED, METRO HEALTH CENTER, ERIE, PA (FORMERLY DOCTORS OSTEO	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/12/1991	56FR26945-00090, 56FR26945-90, AE41-1-092, AE41-1- 92, AE41-1-93	58741:216- 58741:216	PDR:PRM-20- 20- 910812,PDR:P RM//20-20 910812	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108140120	TODD J S, AMERICAN MEDICAL ASSOCIATION	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/12/1991	56FR26945-00098, 56FR26945-98, AE41-1-100, AE41-1-101	58742:106-58742:108	PDR:PRM-20-20-910812,PDR:PRM//20-20 910812	Publicly Available	3
9108140128	DRUM D E, AFFILIATION NOT ASSIGNED, BRIGHAM & WOMEN'S HOSP., BOSTON, MA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/12/1991	56FR26945-00093, 56FR26945-93, AE41-1-095, AE41-1-95, AE41-1-96	58742:195-58742:195	PDR:PRM-20-20-910812,PDR:PRM//20-20 910812	Publicly Available	1
9108190012	BROWN R W, MALLINCKRODT, INC.	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/13/1991	56FR26945-00101, 56FR26945-101, AE41-1-103, AE41-1-104	58807:244-58807:245	PDR:PRM-20-20-910812,PDR:PRM//20-20 910812	Publicly Available	1
9108190064	BECK G J, PECO ENERGY CO., (FORMERLY PHILADELPHIA ELECTRIC	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/13/1991	56FR26945-00100, 56FR26945-100, AE41-1-102, AE41-1-103	58807:298-58807:299	PDR:PRM-20-20-910812,PDR:PRM//20-20 910812	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108230086	BAGHERY A S, AFFILIATION NOT ASSIGNED, ST. ALEXIS HOSP., CLEVELAND, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/19/1991	56FR26945-00111, 56FR26945-111, AE41-1-113, AE41-1-114	58869:090-58869:090	PDR:PRM-20-20-910812,PDR:PRM//20-20 910812	Publicly Available	1
9108230095	HIDDE A J, AFFILIATION NOT ASSIGNED, GOOD SAMARITAN HOSP., VINCENNES, IN	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/12/1991	08/19/1991	56FR26945-00112, 56FR26945-112, AE41-1-114, AE41-1-115	58869:088-58869:088	PDR:PRM-20-20-910812,PDR:PRM//20-20 910812	Publicly Available	1
9108230072	MAXEY R, AFFILIATION NOT ASSIGNED, MEMORIAL MEDICAL CENTER, SPRINGFIELD, IL	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/13/1991	08/16/1991	56FR26945-00108, 56FR26945-108, AE41-1-110, AE41-1-111	58870:056-58870:056	PDR:PRM-20-20-910813,PDR:PRM//20-20 910813	Publicly Available	1
9108230111	CAPESTRAIN R, AFFILIATION NOT ASSIGNED, MEMORIAL MEDICAL CENTER, SPRINGFIELD, IL	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/13/1991	08/16/1991	56FR26945-00109, 56FR26945-109, AE41-1-111, AE41-1-112	58869:086-58869:086	PDR:PRM-20-20-910813,PDR:PRM//20-20 910813	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108230046	SAENGER E L, AFFILIATION NOT ASSIGNED, CINCINNATI, UNIV. OF, MEDICAL CENTER, CINCINNATI,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/14/1991	08/19/1991	56FR26945-00113, 56FR26945-113, AE41-1-115, AE41-1-116	58876:071- 58876:076	PDR:PRM-20-20-910814,PDR:PRM//20-20 910814	Publicly Available	6
9108230117	STEWART W L, VIRGINIA POWER (VIRGINIA ELECTRIC & POWER CO.)	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/14/1991	08/16/1991	56FR26945-00106, 56FR26945-106, 91-463, AE41-1-108, AE41-1-109	58869:084- 58869:085	PDR:PRM-20-20-910814,PDR:PRM//20-20 910814	Publicly Available	2
9108230065	LANOIEBUHNER, AFFILIATION NOT ASSIGNED, CALIFORNIA PACIFIC MEDICAL CENTER, SAN FRANCISCO,	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/15/1991	08/20/1991	56FR26945-00114, 56FR26945-114, AE41-1-116, AE41-1-117	58870:215- 58870:215	PDR:PRM-20-20-910815,PDR:PRM//20-20 910815	Publicly Available	1
9108230082	CYRIAC G C, AFFILIATION NOT ASSIGNED, AUDRAIN MEDICAL CENTER, MEXICO, MO	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/15/1991	08/20/1991	56FR2645-115, 56FR26945-00115, 56FR26945-115, AE41-1-117, AE41-1-118	58869:091- 58869:091	PDR:PRM-20-20-910815,PDR:PRM//20-20 910815	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9108230075	GUTOWICZ M F, AFFILIATION NOT ASSIGNED, FISHER- TITUS MEMORIAL HOSP., NORWALK, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/16/1991	08/16/1991	56FR26945-00107, 56FR26945-107, AE41-1-109, AE41-1- 110	58870:058- 58870:058	PDR:PRM-20- 20- 910816,PDR:P RM//20-20 910816	Publicly Available	1
9108230102	, AFFILIATION NOT ASSIGNED, SPECIALIZED IMAGING SERVICES, INC.	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/19/1991	08/19/1991	56FR26945-00110, 56FR26945-110, AE41-1-112, AE41-1- 113	58869:087- 58869:087	PDR:PRM-20- 20- 910819,PDR:P RM//20-20 910819	Publicly Available	1
9108270190	KRETZSCHMAR F, AFFILIATION NOT ASSIGNED, MARIN GENERAL HOSP., SAN RAFAEL, CA	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/19/1991	08/23/1991	56FR26945-00117, 56FR26945-117, AE41-1-117, AE41-1- 119, AE41-1-120	58891:358- 58891:358	PDR:PRM-20- 20- 910819,PDR:P RM//20-20 910819	Publicly Available	1
9109050105	FRAENKEL R, AFFILIATION NOT ASSIGNED, MARIN GENERAL HOSP., SAN RAFAEL, CA	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/19/1991	08/30/1991	56FR26945-00120, 56FR26945-120, AE41-1-122, AE41-1- 123	58944:343- 58944:343	PDR:PRM-20- 20- 910819,PDR:P RM//20-20 910819	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9110140119	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	Notice of petition for rulemaking extending comment period on PRM-20-20 from 910812 to 1012.	08/22/1991	10/10/1991		59350:327- 59350:328	PDR:PRM-20- 20- 910822,PDR:P RM//20-20 910822	Publicly Available	2
9108290002	WALL M J, AFFILIATION NOT ASSIGNED, BELLEVUE HOSP., BELLEVUE, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	08/26/1991	08/26/1991	56FR26945-00118, 56FR26945-118, AE41-1-120, AE41-1- 121	58904:230- 58904:230	PDR:PRM-20- 20- 910826,PDR:P RM//20-20 910826	Publicly Available	1
9109260054	JOHNSRUD J H, AFFILIATION NOT ASSIGNED, ENVIRONMENTAL COALITION ON NUCLEAR POWER	Comment opposing petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	09/10/1991	09/24/1991	56FR26945-00123, 56FR26945-123, AE41-1-125, AE41-1- 126	59197:008- 59197:010	PDR:PRM-20- 20- 910910,PDR:P RM//20-20 910910	Publicly Available	3
9109200007	, PARMA GENERAL HOSP., PARMA, OH	Comment supporting petition for rulemaking PRM-20- 20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	09/17/1991	09/17/1991	56FR26945-00122, 56FR26945-122, AE41-1-124, AE41-1- 125	59148:313- 59148:313	PDR:PRM-20- 20- 910917,PDR:P RM//20-20 910917	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9109260051	SMITH G M, AFFILIATION NOT ASSIGNED, BERTHOLD SYSTEMS, INC.	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	09/19/1991	09/24/1991	56FR26945-00124, 56FR26945-124, AE41-1-124, AE41-1-126, AE41-1-127	59197:007- 59197:007	PDR:PRM-20-20- 910919,PDR:P RM//20-20 910919	Publicly Available	1
9110070051	CHU R Y, AFFILIATION NOT ASSIGNED, DEPT. OF VETERANS AFFAIRS MEDICAL CENTER, OKLAHOMA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	09/26/1991	10/02/1991	56FR26945-00125, 56FR26945-125, AE41-1-125, AE41-1-127, AE41-1-128	59290:067- 59290:067	PDR:PRM-20-20- 910926,PDR:P RM//20-20 910926	Publicly Available	1
9110110013	LIETO R P, AFFILIATION NOT ASSIGNED, HENRY FORD HOSP., DETROIT, MI	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	09/30/1991	10/09/1991	56FR26945-00128, 56FR26945-128, AE41-1-130, AE41-1-131	59342:188- 59342:188	PDR:PRM-20-20- 910930,PDR:P RM//20-20 910930	Publicly Available	1
9110240128	PATTERSON E, OKLAHOMA, UNIV. OF, HEALTH SCIENCES CENTER, OKLAHOMA	Comment opposing petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/06/1991	10/10/1991	56FR26945-00136, 56FR26945-136, AE41-1-138, AE41-1-139	59435:304- 59435:304	PDR:PRM-20-20- 911006,PDR:P RM//20-20 911006	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9110230002	OMAILLE T P, AFFILIATION NOT ASSIGNED, MARIETTA MEMORIAL HOSP., MARIETTA, OH	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/07/1991	10/21/1991	56FR26945-00135, 56FR26945-135, AE41-1-137, AE41-1-138	59424:003- 59424:003	PDR:PRM-20-20- 911007,PDR:P RM//20-20 911007	Publicly Available	1
9110230041	WETZEL R A, AMERICAN COLLEGE OF NUCLEAR MEDICINE	Comment opposing petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/08/1991	10/15/1991	56FR26945-00129, 56FR26945-129, AE41-1-131, AE41-1-132	59424:149- 59424:150	PDR:PRM-20-20- 911008,PDR:P RM//20-20 911008	Publicly Available	2
9110230075	BUKOVITZ A G, AFFILIATION NOT ASSIGNED, ARMSTRONG COUNTY MEMORIAL HOSP., KITTANNING, PA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/08/1991	10/15/1991	56FR26945-00130, 56FR26945-130, AE41-1-132, AE41-1-133	59424:349- 59424:350	PDR:PRM-20-20- 911008,PDR:P RM//20-20 911008	Publicly Available	2
9110230009	PARKER C D, AFFILIATION NOT ASSIGNED, NEW YORK, STATE OF	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/11/1991	10/15/1991	56FR26945-00133, 56FR26945-133, AE41-1-135, AE41-1-136	59424:041- 59424:047	PDR:PRM-20-20- 911011,PDR:P RM//20-20 911011	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9110230045	LAMBERT K, TEMPLE UNIV., PHILADELPHIA, PA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1mSv).	10/11/1991	10/15/1991	56FR26945-00131, 56FR26945-131, AE41-1-133, AE41-1-134	59424:157- 59424:157	PDR:PRM-20-20-911011,PDR:PRM//20-20 911011	Publicly Available	1
9110230099	MATTMULLER S R, AFFILIATION NOT ASSIGNED, ST. JOHNS MERCY MEDICAL CENTER, ST. LOUIS, MO	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/15/1991	10/15/1991	56FR26945-00132, 56FR26945-132, AE41-1-134, AE41-1-135	59425:162- 59425:162	PDR:PRM-20-20-911015,PDR:PRM//20-20 911015	Publicly Available	1
9110240137	ALGER E, IZON D, MICHAEL H P, UNIV. OF MEDICINE & DENTISTRY OF NEW JERSEY, NEWARK,	Comment opposing petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/15/1991	10/15/1991	56FR26945-00137, 56FR26945-137, AE41-1-139, AE41-1-140	59435:309- 59435:309	PDR:PRM-20-20-911015,PDR:PRM//20-20 911015	Publicly Available	1
9110070120	SWANSON J W, AFFILIATION NOT ASSIGNED, KETTERING MEDICAL CENTER, ADVENTIST HEALTH SYSTEMS-EA	Comment supporting petition for rulemaking PRM-20-20 re reduced total effective dose equivalent to individual members of public from 0.5 rem (5 mSv) to 0.1 rem (1 mSv).	10/27/1991	10/02/1991	56FR26945-00126, 56FR26945-126, AE41-1-128, AE41-1-129	59290:276- 59290:276	PDR:PRM-20-20-911027,PDR:PRM//20-20 911027	Publicly Available	1

[illegible]

Disposal of Radioactive Material By Release Into Sanitary Sewer System-59FR09146

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090043	NORTON M E, TEXAS, UNIV. OF, CANCER CENTER, HOUSTON, TX	Recommends that NRC not consider dose limit approach to sewer disposal primarily because current regulations adequate.	05/18/1994	05/18/1994		79665:103- 79665:105	PDR:PR-20- 59FR9146- 940525,PDR:P R//20 59FR9146 940525	Publicly Available	3
9406090046	MACMILLAN K T, AFFILIATION NOT ASSIGNED	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewage sys.Recommends continuation of allowed release form.	05/24/1994	06/01/1994	14FR9146-00052, 14FR9146-52	79665:113- 79665:114	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	2
9405090096	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	Provides notice of proposed rule 10CFR20 re regulations governing release of radionuclides from licensed nuclear facilities to sanitary sewer sys.	02/18/1994	02/22/1994	59FR9146	79167:074- 79167:089	PDR:PR-20- 59FR9146- 940218,PDR:P R//20 59FR9146 940218	Publicly Available	16
9405090082	HENDRICKS N, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive materials by release into sanitary sewer sys.	03/17/1994	03/22/1994	59FR9146-00001, 59FR9146-1	79167:093- 79167:093	PDR:PR-20- 59FR9146- 940317,PDR:P R//20 59FR9146 940317	Publicly Available	1
9405090066	JACKSON A M, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive materials into sewer sys.	03/30/1994	04/06/1994	59FR9146-00002, 59FR9146-2	79167:094- 79167:095	PDR:PR-20- 59FR9146- 940330,PDR:P R//20 59FR9146 940330	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9405090040	BENNETT T, AFFILIATION NOT ASSIGNED	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Requests that NRC affirm inherent public health benefit of current exemption of patient excreta.	05/02/1994	05/02/1994	59FR9146-00004, 59FR9146-4	79167:190- 79167:192	PDR:PR-20- 59FR9146- 940502,PDR:P R//20 59FR9146 940502	Publicly Available	3
9405090045	PAGUETH R, AFFILIATION NOT ASSIGNED	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Requests that stds not be lowered.	05/09/1994	04/22/1994	59FR9146-00004, 59FR9146-4	79167:030- 79167:030	PDR:PR-20- 59FR9146- 940509,PDR:P R//20 59FR9146 940509	Publicly Available	1
9405090035	LYOU J K, COMMITTEE TO BRIDGE THE GAP	Informs of interest in submitting comments on potential mods to regulations governing disposal of radioactive matls into sanitary sewer sys.Requests petition for rulemaking submitted by listed district in Cleveland,OH.	04/26/1994	05/05/1994	59FR9146-00005, 59FR9146-5	79167:129- 79167:129	PDR:PR-20- 59FR9146- 940426,PDR:P R//20 59FR9146 940426	Publicly Available	1
9406080059	MARCUS C S, CALIFORNIA, UNIV. OF, LOS ANGELES, CA	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release in sanitary sewer sys.	05/13/1994	05/17/1994	59FR9146-00006, 59FR9146-6	79659:192- 79659:198	PDR:PR-20- 59FR9146- 940513,PDR:P R//20 59FR9146 940513	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406080015	BONTE F J, TEXAS, UNIV. OF, DALLAS, TX	Comment opposing Commission setting limits on total quantity of radioactive matl that can be released annually by licensees re proposed rule 10CFR20.	05/06/1994	05/17/1994	59FR9146-00007, 59FR9146-7	79659:039-79659:040	PDR:PR-20-59FR9146-940506,PDR:P R/20 59FR9146 940506	Publicly Available	2
9406080022	BOVINO M J, INTERSTATE NUCLEAR SERVICES CORP. DBA INS CORP.	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Proposes that Commission put greater emphasis on actual measurement of resulting sewage treatment plant area exposure rates.	05/13/1994	05/18/1994	59FR9146-00008, 59FR9146-8	79659:049-79659:056	PDR:PR-20-59FR9146-940513,PDR:P R/20 59FR9146 940513	Publicly Available	8
9406080024	CERNY J, CALIFORNIA, UNIV. OF, BERKELEY, CA.	Comment opposing proposed change to 10CFR20 re disposal of radioactive matl into sanitary sewer systems.	05/12/1994	05/20/1994	59FR9146-00009, 59FR9146-9	79659:057-79659:058	PDR:PR-20-59FR9146-940512,PDR:P R/20 59FR9146 940512	Publicly Available	2
9406080029	PAULSON T C, CALIFORNIA, STATE OF	Comments on proposed rule 10CFR20 re disposal of radioactive matls in sanitary sewer sys.Supports reporting sys for releases which could cause threat to POTW workers or environ..	05/16/1994	05/20/1994	59FR9146-00010, 59FR9146-10	79659:063-79659:064	PDR:PR-20-59FR9146-940516,PDR:P R/20 59FR9146 940516	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406080046	TESLIK N W, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive hospital sewage. Advises that technology required existing & readily available.	05/13/1994	05/23/1994	59FR9146-00011, 59FR9146-11	79659:163- 79659:167	PDR:PR-20- 59FR9146- 940513,PDR:P R/20 59FR9146 940513	Publicly Available	5
9406080066	LEGG D R, CHARM SCIENCES, INC.	Comment supporting proposed rule 10CFR5,7 & 94 re disposal of radioactive matl by release into sanitary sewerage sys.	05/20/1994	05/24/1994	59FR9146-00012, 59FR9146-12	79659:240- 79659:240	PDR:PR-5- 59FR9146- 940520,PDR:P R/5 59FR9146 940520	Publicly Available	1
9406090025	MCAVOY D R, ELI LILLY & CO.	Comment on proposed rule 10CFR20 re addl or alternative means of regulatory control over radioactive matl releases into sanitary sewers. Supports use of concentration limits for measuring licensee limits re disposal of matl.	05/25/1994	05/26/1994	59FR9146-00012, 59FR9146-12	79665:069- 79665:079	PDR:PR-20- 59FR9146- 940525,PDR:P R/20 59FR9146 940525	Publicly Available	3
9406080065	LUTZKER L G, AFFILIATION NOT ASSIGNED, ST. BARNABAS MEDICAL CENTER, LIVINGSTON, NJ	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl through sanitary sewage sys.	05/24/1994	05/25/1994	59FR9146-00015, 59FR9146-15	79659:239- 79659:239	PDR:PR-20- 59FR9146- 940524,PDR:P R/20 59FR9146 940524	Publicly Available	1
9406080070	SAXTON D R, VERMONT, STATE OF	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.	05/24/1994	05/25/1994	59FR9146-00016, 59FR9146-16	79659:242- 79659:244	PDR:PR-20- 59FR9146- 940524,PDR:P R/20 59FR9146 940524	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406080026	HILL D E, External (Affiliation Not Assigned)	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage systems.	05/24/1994	05/25/1994	59FR9146-00017, 59FR9146-17	79659:060- 79659:061	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	2
9406080040	WALKER T A, OHIO RADIOACTIVE MATERIALS USERS GROUP (ORMUG)	Comments on proposed rule 10CFR20 re disposal of radioactive matls by release into sanitary sewer sys.Advises that before changing current practices,evaluation should be made of status of radioactive contamination events at POTWs.	05/26/1994	05/26/1994	59FR9146-00018, 59FR9146-18	79659:148- 79659:150	PDR:PR-20- 59FR9146- 940526,PDR:P R//20 59FR9146 940526	Publicly Available	3
9406080011	CINDER G M, OAK RIDGE, TN	Comment supporting stricter control by Commission of radioactive discharges re proposed rule 10CFR20 involving disposal of radioactive matl by release into sanitary sewer sys.	05/24/1994	05/26/1994	59FR9146-00019, 59FR9146-19	79659:065- 79659:103	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	39
9406080013	DUMAS D, DUPONT MERCK PHARMACEUTICAL CO.	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	05/24/1994	05/26/1994	59FR9146-00020, 59FR9146-20	79659:036- 79659:037	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406100131	NICHOLS G B, LAWRENCE MEMORIAL HOSP. OF MEDFORD, MEDFORD, MA	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage systems.Licensee recommends continuation of allowed release form.	06/01/1994	06/08/1994	59FR9146-00020, 59FR9146-20	79690:294- 79690:295	PDR:PR-20- 59FR9146- 940601,PDR:P R/20 59FR9146 940601	Publicly Available	2
9406090022	BLANK D, GENETICS INSTITUTE	Comment opposing proposed rule 10CFR20 re advanced notice of proposed rulemaking for "Disposal of Radioactive Matl by Release into Sanitary Sewer Sys."	05/25/1994	05/26/1994	59FR9146-00021, 59FR9146-21	79665:058- 79665:058	PDR:PR-20- 59FR9146- 940525,PDR:P R/20 59FR9146 940525	Publicly Available	1
9406090028	MCCARTNEY W H, REBA R C, AMERICAN COLLEGE OF NUCLEAR PHYSICIANS	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Urges Commission to refrain from making regulatory changes to current exemption of disposal of patient excreta into sanitary sys.	05/25/1994	05/26/1994	59FR9146-00023, 59FR9146-23	79665:082- 79665:083	PDR:PR-20- 59FR9146- 940525,PDR:P R/20 59FR9146 940525	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090040	WRIGHT C H, TEXAS, UNIV. OF, AUSTIN, TX	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Requests that specific exemption from rule for all educational & medical research institutions be included in final regulations.	05/25/1994	05/26/1994	59FR9146-00024, 59FR9146-24	79665:098-79665:105	PDR:PR-20-59FR9146-940525,PDR:PR/20 59FR9146 940525	Publicly Available	3
9406090031	GARELICK I M, . AFFILIATION NOT ASSIGNED, ST. BARNABAS MEDICAL CENTER, LIVINGSTON, NJ	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	05/20/1994	05/26/1994	59FR9146-00025, 59FR9146-25	79665:085-79665:086	PDR:PR-20-59FR9146-940520,PDR:PR/20 59FR9146 940520	Publicly Available	2
9406090086	PECHALONIS D, JORDAN HEALTH SYSTEMS, INC., PLYMOUTH, MA (FORMERLY	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Rapid dispersal of soluble waste stream of short-lived matl seems most practical approach to issue.	05/23/1994	05/27/1994	59FR9146-00026, 59FR9146-26	79665:180-79665:181	PDR:PR-20-59FR9146-940523,PDR:PR/20 59FR9146 940523	Publicly Available	2
9406090090	GLEASON E J, NEW YORK, STATE OF	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	05/25/1994	05/27/1994	59FR9146-00027, 59FR9146-27	79665:182-79665:188	PDR:PR-20-59FR9146-940525,PDR:PR/20 59FR9146 940525	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090093	CASTRONOVO F P, BRIGHAM & WOMEN'S HOSP., BOSTON, MA	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl into sanitary sewage sys.Present sanitary sewage disposal release of radioactive matl environmentally adequate.	05/20/1994	05/31/1994	59FR9146-00028, 59FR9146-28	79665:189- 79665:190	PDR:PR-20- 59FR9146- 940520,PDR:P R//20 59FR9146 940520	Publicly Available	2
9406090097	MACCARTY D E, WALTHAMWESTON HOSP. & MEDICAL CENTER, WALTHAM, MA	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.	05/23/1994	05/31/1994	59FR9146-00029, 59FR9146-29	79665:191- 79665:192	PDR:PR-20- 59FR9146- 940523,PDR:P R//20 59FR9146 940523	Publicly Available	2
9406090105	NEWBERG A, SPAULDING REHABILITATION HOSP., BOSTON, MA	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys. Process that eliminates radioactive by-products more completely would seem preferable.	05/24/1994	05/31/1994	59FR9146-00030, 59FR9146-30	79665:193- 79665:193	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	1
9406090111	, SIERRA CLUB	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release in sanitary sewage sys.Strongly oppose any regulatory actions that would allow licensees economic considerations to override NRC provision re safety.	05/23/1994	05/31/1994	59FR9146-00031, 59FR9146-31	79665:194- 79665:195	PDR:PR-20- 59FR9146- 940523,PDR:P R//20 59FR9146 940523	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090067	LAVELY P, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive matl into sanitary sewer sys.Suggests that Commission consider extending dose calculation concepts in Part 20.1204 & 10CFR50 App 1 to sewer disposal of matls.	05/16/1994	05/31/1994	59FR9146-00032, 59FR9146-32	79665:156- 79665:156	PDR:PR-20- 59FR9146- 940516,PDR:P R//20 59FR9146 940516	Publicly Available	1
9406090071	HUNGER G A, PECO ENERGY CO., (FORMERLY PHILADELPHIA ELECTRIC	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	05/19/1994	05/31/1994	59FR9146-00033, 59FR9146-33	79665:159- 79665:160	PDR:PR-20- 59FR9146- 940519,PDR:P R//20 59FR9146 940519	Publicly Available	2
9406090073	RATLIFF R A, TEXAS, STATE OF	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Concept of requiring licensee to provide notice prior to release via sanitary sewer unworkable.	05/20/1994	05/31/1994	59FR9146-00034, 59FR9146-34	79665:164- 79665:164	PDR:PR-20- 59FR9146- 940520,PDR:P R//20 59FR9146 940520	Publicly Available	1
9406090078	CHAFEY J H, BEVERLY HOSP., BEVERLY, MA	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.Recommends continuation of allowed release form.	05/23/1994	05/31/1994	59FR9146-00035, 59FR9146-35	79665:167- 79665:168	PDR:PR-20- 59FR9146- 940523,PDR:P R//20 59FR9146 940523	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090081	BURSIK S, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Adding unnecessary restrictions on disposal of radioactive matls into sewer will compromise industry ability to work w/matls.	05/24/1994	05/31/1994	59FR9146-00036, 59FR9146-36	79665:172- 79665:173	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	2
9406090083	KENT R B, PROTEIN ENGINEERING CORP.	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into santiary sewerage sys.Recommends continuation of allowed release form.	05/24/1994	05/31/1994	59FR9146-00037, 59FR9146-37	79665:174- 79665:175	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	2
9406090011	FISHER D H, External (Affiliation Not Assigned)	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage systems.	05/25/1994	06/01/1994	59FR9146-00038, 59FR9146-38	79665:002- 79665:003	PDR:PR-20- 59FR9146- 940525,PDR:P R//20 59FR9146 940525	Publicly Available	2
9406090024	BOHLKE W H, FLORIDA POWER & LIGHT CO.	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer systems.	05/31/1994	05/31/1994	59FR9146-00040, 59FR9146-40, L-94- 132	79665:066- 79665:068	PDR:PR-20- 59FR9146- 940531,PDR:P R//20 59FR9146 940531	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090050	COLLINS S C, ILLINOIS, STATE OF	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer systems.	05/26/1994	05/31/1994	59FR9146-00043, 59FR9146-43	79665:123- 79665:125	PDR:PR-20- 59FR9146- 940526,PDR:P R//20 59FR9146 940526	Publicly Available	3
9406090060	CONSTANTINOU C, BROCKTON HOSP., BROCKTON, MA	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer systems.	05/26/1994	05/31/1994	59FR9146-00044, 59FR9146-44	79665:148- 79665:148	PDR:PR-20- 59FR9146- 940526,PDR:P R//20 59FR9146 940526	Publicly Available	1
9406090070	MATTILA R, GENZYME CORP.	Comment opposing proposed rule 10CFR20 re disposal of radioactive matls into sewer systems.Any significant change in reasonable limits for sewer disposal would increase amount of liquid & solid waste.	05/23/1994	05/31/1994	59FR9146-00045, 59FR9146-45	79665:158- 79665:158	PDR:PR-20- 59FR9146- 940523,PDR:P R//20 59FR9146 940523	Publicly Available	1
9406090079	NORTON M E, TEXAS, UNIV. OF, HOUSTON, TX	Comment opposing proposed rule 10CFR20 re disposal of radioactive matls by release into sanitary sewer systems.	05/18/1994	06/01/1994	59FR9146-00046, 59FR9146-46	79665:169- 79665:171	PDR:PR-20- 59FR9146- 940518,PDR:P R//20 59FR9146 940518	Publicly Available	3
9406090041	MITCHELL M L, NEW ENGLAND INSTITUTE	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.Recommends continuation of allowed release form.	05/24/1994	06/01/1994	59FR9146-00051, 59FR9146-51	79665:106- 79665:107	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090052	APRILLE J R, TUFTS UNIV. SCHOOL OF MEDICINE, BOSTON, MA	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.Recommends continuation of allowed release form.	05/25/1994	06/01/1994	59FR9146-00053, 59FR9146-53	79665:126-79665:127	PDR:PR-20-59FR9146-940525,PDR:P R//20 59FR9146 940525	Publicly Available	2
9406090055	DRUM D E, BRIGHAM & WOMEN'S HOSP., BOSTON, MA	Comment supporting proposed rule 10CFR20 re disposal of radioactive matls by release into sanitary sewer sys.	05/25/1994	06/01/1994	59FR9146-00054, 59FR9146-54	79665:141-79665:141	PDR:PR-20-59FR9146-940525,PDR:P R//20 59FR9146 940525	Publicly Available	1
9406090057	WARREN A A, TUFTS UNIV. SCHOOL OF MEDICINE, BOSTON, MA	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.Recommends continuation of allowed release form.	05/25/1994	06/01/1994	59FR9146-00055, 59FR9146-55	79665:146-79665:147	PDR:PR-20-59FR9146-940525,PDR:P R//20 59FR9146 940525	Publicly Available	2
9406090068	KEOGH C C, MERCY HOSP., CADILLAC, MI	Comment opposing proposed rule 10CFR20 re release of radwaste into sanitary sys.	05/25/1994	06/01/1994	59FR9146-00056, 59FR9146-56	79665:157-79665:157	PDR:PR-20-59FR9146-940525,PDR:P R//20 59FR9146 940525	Publicly Available	1
9406090072	WURTZ E A, MERCK & CO., INC.	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	05/25/1994	06/01/1994	59FR9146-00057, 59FR9146-57	79665:161-79665:163	PDR:PR-20-59FR9146-940525,PDR:P R//20 59FR9146 940525	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090045	SMITH L R, AFFILIATION NOT ASSIGNED	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	05/18/1994	06/02/1994	59FR9146-00058, 59FR9146-58	79665:109- 79665:112	PDR:PR-20- 59FR9146- 940518,PDR:P R//20 59FR9146 940518	Publicly Available	4
9406100107	WALKER W J, HEALTH & HUMAN SERVICES, DEPT. OF, U.S. PUBLIC HEALTH	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sys.	06/02/1994	06/06/1994	59FR9146-00059, 59FR9146-59	79690:250- 79690:255	PDR:PR-20- 59FR9146- 940602,PDR:P R//20 59FR9146 940602	Publicly Available	6
9406100075	LLAURADO J G, AFFILIATION NOT ASSIGNED, VETERANS ADMIN. JERRY L. PETTIS MEMORIAL HOSP., LOMA	Comment supporting proposed rule 10CFR20 re release of radioactive matls to sanitary sewer systems.Author believes category of patient excreta should be extended to cover vomitus from patient in order to avoid confusion.	05/05/1994	06/07/1994	59FR9146-00060, 59FR9146-60	79690:164- 79690:164	PDR:PR-20- 59FR9146- 940505,PDR:P R//20 59FR9146 940505	Publicly Available	1
9406100066	NEBESAR R A, REILLY J T, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sys.Practical solution is to allow excretion into sewer sys as current practice.	05/24/1994	06/07/1994	59FR9146-00061, 59FR9146-61	79690:153- 79690:153	PDR:PR-20- 59FR9146- 940524,PDR:P R//20 59FR9146 940524	Publicly Available	1
9406100103	ARANA T, FRANCE R T, WHIDDEN MEMORIAL HOSP., EVERETT, MA	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.	05/25/1994	06/07/1994	59FR9146-00062, 59FR9146-62	79690:248- 79690:249	PDR:PR-20- 59FR9146- 940525,PDR:P R//20 59FR9146 940525	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9403170247	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	Advanced notice of proposed rulemaking 10CFR20, "Disposal of Radioactive Matl by Release Into Sanitary Sewer Sys."	02/18/1994		CCS	78563:308- 78563:326	PDR:PR-20- 59FR91461- 940222,PDR:P R//20 59FR91461 940222	Publicly Available	16
9404190198	HOKE M R, HOUSE OF REP.	Supports Northeast OH Regional Sewer District two-part petition for rulemaking re twenty-four hour notice prior to release of radioactive waste into sewer sys & exemption to NRC regulation which prohibits incineration of waste.	02/18/1994		CCS	78955:242- 78955:244	PDR:PR-20- 59FR9146- 940321,PDR:P R//20 59FR9146 940321	Publicly Available	2
9403170242	RATHBUN D K, NRC OFFICE OF CONGRESSIONAL AFFAIRS (OCA)	Forwards advance notice of proposed rulemaking 10CFR20, "Disposal of Radioactive Matl by Release Into Sanitary Sewer Sys."	02/22/1994		CCS	78563:304- 78563:326	PDR:PR-20- 59FR9146- 940222,PDR:P R//20 59FR9146 940222	Publicly Available	4
9404190192	TAYLOR J M, NRC OFFICE OF THE EXECUTIVE DIRECTOR FOR OPERATIONS (EDO)	Responds to 940218 ltr to Chairman Selin re Northeast OH Regional Sewer District petition for rulemaking.	03/21/1994		CCS	78955:231- 78955:244	PDR:PR-20- 59FR9146- 940321,PDR:P R//20 59FR9146 940321	Publicly Available	11
9406100135	ODEAL E J, NORTHEAST OHIO REGIONAL SEWER DISTRICT	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl into sanitary sewer sys.	05/19/1994	06/08/1994	59FR9146-00064, 59FR9146-64, RIN- 3150-AE90	79690:296- 79690:302	PDR:PR-20- 59FR9146- 940519,PDR:P R//20 59FR9146 940519	Publicly Available	6

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406080047	LEGG D R, AFFILIATION NOT ASSIGNED	Comment supporting proposed rule 10CFR20 re current policy for disposal of radioactive matl by release into sanitary sewerage sys.	05/20/1994	05/24/1994	50FR9146-00013, 50FR9146-13	79659:168- 79659:168	PDR:PR-20- 59FR9146- 940520,PDR:P R//20 59FR9146 940520	Publicly Available	1
9406080055	EVDOKIMOFF V, BOSTON UNIV. MEDICAL CENTER, BOSTON, MA	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.	05/20/1994	05/24/1994	59FR9146-00014, 59FR9146-14	79659:179- 79659:180	PDR:PR-20- 59FR9146- 940520,PDR:P R//20 59FR9146 940520	Publicly Available	2
9406090084	JOHNSRUD J H, ENVIRONMENTAL COALITION ON NUCLEAR POWER	Comment on proposed rule 10CFR20 re disposal of radioactive matl in sanitary sewage systems.Urges that 20.2003 exemption for medical recipient excreta,also cited in discussion section,should be removed.	05/20/1994	06/01/1994	59FR9146-00047, 59FR9146-47	79665:176- 79665:179	PDR:PR-20- 59FR9146- 940520,PDR:P R//20 59FR9146 940520	Publicly Available	4
9406090021	MASSE F X, NEW ENGLAND MEDICAL CENTER, INC., BOSTON, MA	Comments on proposed rule 10CFR20 re release of by product matls into sanitary sewerage sys.Recommends continuation of allowed release form.	05/23/1994	06/01/1994	59FR9146-00048, 59FR9146-48	79665:056- 79665:057	PDR:PR-20- 59FR9146- 940523,PDR:P R//20 59FR9146 940523	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406090033	DRAETTA G F, AFFILIATION NOT ASSIGNED	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.Recommends continuation of allowed release form.	05/23/1994	06/01/1994	59FR9146-00049, 59FR9146-49	79665:088- 79665:089	PDR:PR-20- 59FR9146- 940523,PDR:P R/20 59FR9146 940523	Publicly Available	2
9406090036	MASSE F X, MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE,	Comments on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewerage sys.Recommends continuation of allowed release form.	05/23/1994	06/01/1994	59FR9146-00050, 59FR9146-50	79665:092- 79665:093	PDR:PR-20- 59FR9146- 940523,PDR:P R/20 59FR9146 940523	Publicly Available	2
9406090018	SABO A T, WESTINGHOUSE ELECTRIC COMPANY, DIV OF CBS CORP.	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer systems.	05/26/1994	05/31/1994	59FR9146-00039, 59FR9146-39, RA- 94-029-ATS, RA-94- 29-ATS	79665:040- 79665:042	PDR:PR-20- 59FR9146- 940526,PDR:P R/20 59FR9146 940526	Publicly Available	3
9406090029	SANDERSON R E, ENVIRONMENTAL PROTECTION AGENCY	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer systems.Offers no comment.	05/26/1994	05/31/1994	59FR9146-00041, 59FR9146-41	79665:084- 79665:084	PDR:PR-20- 59FR9146- 940526,PDR:P R/20 59FR9146 940526	Publicly Available	1
9406090038	DARRIGO D, NUCLEAR INFORMATION & RESOURCE SERVICE	Comment opposing proposed rule 10CFR20 re exemption of sewage treatment from NRC regulations re disposal of radioactive matl.	05/26/1994	05/31/1994	59FR9146-00042, 59FR9146-42	79665:094- 79665:097	PDR:PR-20- 59FR9146- 940526,PDR:P R/20 59FR9146 940526	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406100125	HADEED S J, AFFILIATION NOT ASSIGNED	Comment supporting proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	05/26/1994	06/07/1994	59FR9146-00063, 59FR9146-63	79690:281- 79690:291	PDR:PR-20- 59FR9146- 940526,PDR:P R//20 59FR9146 940526	Publicly Available	11
9406100039	LAMASTRA A, HEALTH PHYSICS ASSOCIATES, LTD.	Comment opposing proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.	06/02/1994	06/08/1994	59FR9146-00066, 59FR9146-66	79690:075- 79690:077	PDR:PR-20- 59FR9146- 940602,PDR:P R//20 59FR9146 940602	Publicly Available	3
9406100121	JENKINS S, VETERANS AFFAIRS, DEPT. OF (FORMERLY VETERANS ADMINIS	Comments on proposed rule 10CFR20 re disposal of radioactive matl by relaease into sanitary sewerage sys.	06/02/1994	06/08/1994	59FR9146-00067, 59FR9146-67	79690:279- 79690:280	PDR:PR-20- 59FR9146- 940602,PDR:P R//20 59FR9146 940602	Publicly Available	2
9406200014	JOHNSON D V, ADDISON GILBERT HOSP., GLOUCESTER, MA, AFFILIATION NOT ASSIGNED	Comment on current policy for disposal of radioactive matl by release into sanitary sewerage sys.	06/03/1994	06/09/1994	59FR9146-00068, 59FR9146-68	79807:115- 79807:116	PDR:PR-20- 59FR9146- 940603,PDR:P R//20 59FR9146 940603	Publicly Available	2
9406200030	BOELDT E, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.Requests that NRC avoid dose limit approaches.	05/26/1994	06/09/1994	59FR9146-00069, 59FR9146-69	79807:193- 79807:194	PDR:PR-20- 59FR9146- 940526,PDR:P R//20 59FR9146 940526	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9406220273	HERMES L H, AFFILIATION NOT ASSIGNED	Comment on proposed rule 10CFR20 re disposal of radioactive matl by release into sanitary sewer sys.NRC should consider exposure to collection sys workers,in addition to wastewater treatment plant personnel & overall environ issues.	06/16/1994	06/20/1994	59FR9146-00070, 59FR9146-70	79845:256- 79845:259	PDR:PR-20- 59FR9146- 940616,PDR:P R//20 59FR9146 940616	Publicly Available	4
9407200002	PELLETIER R F, ENERGY, DEPT. OF	Comment opposing proposed rule 10CFR20 re disposal of radioactive matls into sewer systems.	06/13/1994	06/21/1994	59FR9146-00071, 59FR9146-71	80262:005- 80262:010	PDR:PR-20- 59FR9146- 940613,PDR:P R//20 59FR9146 940613	Publicly Available	6
9407200031	ZEMELMAN M S, KAISER PERMANENTE MEDICAL CENTER, OAKLAND, CA	Comment on proposed rule 10CFR20 re disposal of radioactive matl into sanitary sewer sys.Risk to personnel of capturing, containing,transportin g & disposing of radioactive excreta would be much greater than current practice of discharge.	07/07/1994	07/11/1994	59FR9146-00072, 59FR9146-72	80262:121- 80262:122	PDR:PR-20- 59FR9146- 940707,PDR:P R//20 59FR9146 940707	Publicly Available	2
9407220048	SCOTT R F, COLUMBUS, OH	Comment opposing proposed rule 10CFR20 re disposal of waste into public sewage sys.	07/13/1994	07/18/1994	59FR9146-00073, 59FR9146-73	80292:160- 80292:162	PDR:PR-20- 59FR9146- 940713,PDR:P R//20 59FR9146 940713	Publicly Available	3

[illegible]

Standards for Protection Against Radiation - 50FR51992

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230287	TAYLOR L S, NATIONAL COUNCIL ON RADIATION PROTECTION & MEASUREMENT	Comments on proposed rule 10CFR50.36a re levels of radiation exposure. Editorial changes suggested.	08/06/1971	05/08/1986		36069:127- 36069:146	PDR:PR-19- 50FR51992- 860506,PDR:P R//19 50FR51992 860506	Publicly Available	21
8606300178	MARTIN S E, BOSTON EDISON CO.	LER 75-004-00: on 750112 & 13, analysis of reactor bldg vent process radiation monitoring sys revealed release of radioactive effluents exceeding Tech Spec limit by 55%. Caused by high iodine activity in reactor coolant.	01/13/1975		AA38-2, LER-75-004, LER-75-4	36802:276- 36802:277	PDR:FOIA-BU RNSTE186-58- 860613,PDR:F OIA/BURNST E186-58 860613,NRC:L E/05000293/75 0113 750113	Publicly Available	2
8001230450	FRENDBERG R L, MORTON H W, RODGER W A, STANTON S S, NUCLEAR SAFETY ASSOCIATES	"Nat'l Environ Studies Project: de minimus Concentrations of Radionuclides in Solid Wastes."	04/30/1978		AA38-2-1079, AIF- NESP-016, AIF- NESP-16	38303:125- 38303:223	PDR:PR-19- 50FR51992- 861006,PDR:P R//19 50FR51992 861006	Publicly Available	93
8605230290	WALKER W J, NRC OFFICE OF NUCLEAR MATERIAL SAFETY & SAFEGUARDS (NMSS)	Forwards 790928 ltr & attachments re model program for maintaining occupational radiation exposures at medical institutions ALARA.	10/19/1979	05/08/1986		36069:147- 36069:233	PDR:PR-19- 50FR51992- 860506,PDR:P R//19 50FR51992 860506	Publicly Available	1

[illegible]

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610200310	BOOTH L F, BRONSON F L, GROTH D W, RADIATION MANAGEMENT CORP. (RMC)	"Dosimetry & Recordkeeping Implications of Proposed Revs to 10CFR20." Related documentation encl.	01/31/1985	10/07/1986	AA38-2-1077, AIF- NESP-030, AIF- NESP-30, AIF-SEDP- 30	38302:091- 38302:260	PDR:PR-19- 50FR51992- 861006,PDR:P R//19 50FR51992 861006	Publicly Available	160
8605230294	MILLS W A, OAK RIDGE ASSOCIATED UNIVERSITIES	Suggests ICRP reconsideration of ALARA concept & implementation by optimization,for inclusion in future rev to Publication 26.	01/06/1986	05/08/1986		36069:234- 36069:252	PDR:PR-19- 50FR51992- 860506,PDR:P R//19 50FR51992 860506	Publicly Available	19
8611130068	MEYERS S, ENVIRONMENTAL PROTECTION AGENCY	Responds to 851217 ltr transmitting advance copy of proposed revs to 10CFR20 & several related documents.Concurs w/ characterization of 40CFR190 as "ALARA std."	01/07/1986	11/04/1986	AA38-2, AA38-2- 1141	38566:079- 38566:080	PDR:PR-19- 50FR51992- 861031,PDR:P R//19 50FR51992 861031	Publicly Available	2
8601270257	BENEDETTO A R, TEXAS, UNIV. OF, GALVESTON, TX	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection.Rules supported.	01/17/1986	01/22/1986	AA38-2, AA38-2- 0908, AA38-2-908	34369:166- 34369:168	PDR:PR-19- 50FR51992- 860117,PDR:P R//19 50FR51992 860117,CF:SU BJ//L-4-1PT19 860117	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8602110080	VALENTIN J, AFFILIATION NOT ASSIGNED, NATIONAL INSTITUTE OF RADIATION PROTECTION, SWEDEN	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re ICRP 26 dose limitations.Collection of rules in one regulation supported.Proposal requested.Swedish draft regulations differ w/use of SI units to express doses.	01/24/1986	02/04/1986	AA38-2, AA38-2-0910, AA38-2-910	34544:177-34544:177	PDR:PR-19-50FR51992-860124,PDR:PR/19 50FR51992 860124,CF:SU BJ//L-4-1PT19 860124	Publicly Available	1
8602110032	GEIGER E L, THERMO ELECTRON CORP.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re low level radioactive solid waste.Paragraph 20.1005 should include exemption for low levels of waste from hosp or power plant.Change would simplify waste monitoring.	01/31/1986	02/04/1986	AA38-2-0909, AA38-2-909, EI-16019	34541:328-34541:328	PDR:PR-19-50FR51992-860131,PDR:PR/19 50FR51992 860131,CF:SU BJ//L-4-1PT19 860131	Publicly Available	1
8602110171	ROSSI H H, COLUMBIA UNIV., NEW YORK, NY	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re protecting workers & public from harmful effects of ionizing radiation.NRC should analyze cost-effectiveness balance between degree of death & suffering prevented.	01/31/1986	02/05/1986	AA38-2, AA38-2-0914, AA38-2-914	34546:053-34546:057	PDR:PR-19-50FR51992-860131,PDR:PR/19 50FR51992 860131,CF:SU BJ//L-4-1PT19 860131	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8602110137	DAHN R, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Opposes rules. Present stds adequate.	02/05/1986	02/07/1986		34546:051-34546:051	PDR:PR-19-50FR51992-860205,PDR:P R//19 50FR51992 860205,CF:SU BJ//L-4-1PT19 860205	Publicly Available	1
8602110054	RUBY L, CALIFORNIA, UNIV. OF, BERKELEY, CA	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection.Sievert (SV) not equal to joule/ kg.One sievert equal to 100 rems.	02/05/1986	02/10/1986	AA38-2, AA38-2-0913, AA38-2-913	34542:127-34542:129	PDR:PR-19-50FR51992-860205,PDR:P R//19 50FR51992 860205,CF:SU BJ//L-4-1PT19 860205	Publicly Available	3
8602180269	REIMER E T, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Recommen ds options allowing more accurate determination of assigned dose equivalents.	02/07/1986	02/12/1986	AA38-2, AA38-2-0915, AA38-2-915	34608:304-34608:330	PDR:PR-19-50FR51992-860207,PDR:P R//19 50FR51992 860207,CF:SU BJ//L-4-1PT19 860207	Publicly Available	27
8602180304	WILLIAMS L G, ALABAMA, UNIV. OF, UNIVERSITY, AL	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re nuclear fuel fabrication,reprocessi ng of spent fuel & nuclear weapons radwaste & formation of Southeast Interstate Low Level Radwaste Compact.	02/08/1986	02/12/1986	AA38-2, AA38-2-1149	34607:167-34607:198	PDR:PR-19-50FR51992-860208,PDR:P R//19 50FR51992 860208,CF:SU BJ//L-4-1PT19 860208	Publicly Available	32

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8602180300	METZGER R L, AFFILIATION NOT ASSIGNED, RADIATION SAFETY ENGINEERING, INC.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiological protection.Rules opposed since addl requirements may have negative impact on small users that outweigh technical improvements in regulations.	02/10/1986	02/13/1986	AA38-2, AA38-2-0916, AA38-2-916	34609:345-34609:347	PDR:PR-19-50FR51992-860210,PDR:P R//19 50FR51992 860210,CF:SU BJ//L-4-1PT19 860210	Publicly Available	3
8602140091	PHILIPS J, NRC OFFICE OF ADMINISTRATION (ADM)	Inform that rev to 10CFR20,published in FR on 851220,not distributed to all affected licensees because of 170 printing errors.Corrected proposed rule published on 860109.	02/12/1986			34604:289-34604:290	PDR:PR-19-50FR51992-860212,PDR:P R//19 50FR51992 860212	Publicly Available	2
8602260226	FOX M, METHODIST HOPS., ST. LOUIS PARK, MN	Requests extension of comment period ending on 860521 for proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70.Rev to 10CFR20 dtd 860109 deserves thorough review.	02/13/1986	02/18/1986		34698:173-34698:173	PDR:PR-19-50FR51992-860213,PDR:P R//19 50FR51992 860213,CF:SU BJ//L-4-1PT19 860213	Publicly Available	1
9204240298	FOWLER S L, W.R. GRACE & CO.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Supports rule.	02/14/1986		50FR51992-00309, 50FR51992-309, AA38-2, AA38-2-0431, AA38-2-431	61862:078-61862:087	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	8

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8602180258	REED R P, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re rev to 10CFR20, "Stds for Protection Against Radiation." Occupational limit w/aggressive ALARA program consistent w/risk-based sys recommended.	02/14/1986	02/14/1986	AA38-2, AA38-2-0917, AA38-2-917	34609:304-34609:308	PDR:PR-19-50FR51992-860214,PDR:PR//19 50FR51992 860214,CF:SU BJ//L-4-1PT19 860214	Publicly Available	5
8602260351	THORSTENSON J, INTERNATIONAL RESEARCH & DEVELOPMENT CORP.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Original exemptions in 20-205(b) should be retained in final version of 10CFR20.	02/14/1986	02/18/1986	AA38-2-0911, AA38-2-911	34700:361-34700:361,34700:360-34700:360	PDR:PR-19-50FR51992-860214,PDR:PR//19 50FR51992 860214,CF:SU BJ//L-4-1PT19 860214	Publicly Available	1
8604240038	FOWLER S L, W.R. GRACE & CO.	Comments on proposed changes to 10CFR19 re radiation safety. Supports changes.Most changes already in effect within internal radiation safety program.Concrete guidelines should be set for ALARA.	02/14/1986	07/09/1986		35690:031-35690:038	PDR:PR-19-50FR51992-860214,PDR:PR//19 50FR51992 860214,CF:SU BJ//L-4-1PT19 860214	Publicly Available	8

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8602260367	LIBERMAN A D, EMR PHOTOELECTRIC	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection.Elemental H-3 (tritium) gas should be added in App B,Tables I,II & III.	02/18/1986	02/21/1986	AA38-2, AA38-2-0912, AA38-2-912, ADL:38:86	34700:344-34700:345	PDR:PR-19-50FR51992-860218,PDR:P R//19 50FR51992 860218,CF:SU BJ//L-4-1PT19 860218	Publicly Available	2
8603060077	HENRY L W, AFFILIATION NOT ASSIGNED, OLYMPIA RADIOLOGICAL ASSOCIATES, LTD., P.S.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Changes will noticeably affect NRC monitoring of employees in radiation exposures & increase costs.	02/19/1986	02/25/1986	AA38-2, AA38-2-0918, AA38-2-918	34806:287-34806:288	PDR:PR-19-50FR51992-860219,PDR:P R//19 50FR51992 860219,CF:SU BJ//L-4-1PT19 860219	Publicly Available	2
8603060078	BROSS I D, BIOMEDICAL METATECHNOLOGY, INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection.Permitted exposure levels dangerous to human health & safety.Proposed rules should be withdrawn.	02/24/1986	02/26/1986	AA38-2, AA38-2-0919, AA38-2-919	34804:355-34804:356	PDR:PR-19-50FR51992-860224,PDR:P R//19 50FR51992 860224,CF:SU BJ//L-4-1PT19 860224	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8603060102	SCHIAGER K J, UTAH, UNIV. OF, SALT LAKE CITY, UT	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation & related parts. Rule supported since concept of stds based on calculated risk.	02/24/1986	02/28/1986	AA38-2, AA38-2-0921, AA38-2-921	34808:058-34808:065	PDR:PR-19-50FR51992-860224,PDR:PR/19 50FR51992 860224,CF:SU BJ//L-4-1PT19 860224	Publicly Available	8
8603280053	BROWNE S A, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection stds.Rule supported based on recommendations of Intl Commission on Radiation Protection & recent advances in radiation protection field.	02/24/1986	03/05/1986	AA38-2, AA38-2-0923, AA38-2-923	35291:024-35291:029	PDR:PR-19-50FR51992-860224,PDR:PR/19 50FR51992 860224,CF:SU BJ//L-4-1PT19 860224	Publicly Available	6
8604220183	BRIGGS H C, INDIANA UNIV., BLOOMINGTON, IN	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule supported based on use of ICRP risk model w/most recent biological data & dosimetry.	02/28/1986	04/17/1986	AA38-2, AA38-2-0920, AA38-2-920	35654:177-35654:180	PDR:PR-19-50FR51992-860228,PDR:PR/19 50FR51992 860228,CF:SU BJ//L-4-1PT19 860228	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8603280146	TUTTLE R J, ROCKWELL INTERNATIONAL CORP.	Requests that comment period for proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection be extended by 6 months to 861112,due to complexity of subj.	03/04/1986	03/10/1986	86RC-03266, 86RC-3266, AA38-2, AA38-2-0922, AA38-2-922	35292:129-35292:129	PDR:PR-19-50FR51992-860304,PDR:PR/19 50FR51992 860304	Publicly Available	1
8603280162	STOCKS H S, INDIANA, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.Complexity of regulations will result in confusion for small licensees that have radiation safety officer on part-time basis.	03/04/1986	03/10/1986	AA38-2, AA38-2-0925, AA38-2-925	35303:236-35303:237	PDR:PR-19-50FR51992-860304,PDR:PR/19 50FR51992 860304,CF:SU BJ/L-4-1PT19 860304	Publicly Available	2
9204280302	MEINHOLD C B, AFFILIATION NOT ASSIGNED, BROOKHAVEN NATIONAL LABORATORY	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	03/11/1986		50FR51992-00021, 50FR51992-21, AA38-2, AA38-2-0725, AA38-2-725	61863:190-61863:200	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	11
9204280325	VENEZIA C, AFFILIATION NOT ASSIGNED, GTE SYLVANIA, INC.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	03/12/1986		50FR51992-00020, 50FR51992-20, AA38-2, AA38-2-0727, AA38-2-727	61863:206-61863:206	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8603280178	MEINHOLD C B, VENEZIA C, BROOKHAVEN NATIONAL LABORATORY, GTE PRODUCTS CORP.	Package of two comments on proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re stds for protection against radiation.	03/17/1986	03/17/1986		35296:338- 35296:349	PDR:PR-19- 50FR51992- 860317,PDR:P R//19 50FR51992 860317,CF:SU BJ//L-4-1PT19 860317	Publicly Available	12
8603280112	CHARIG A, COLGATE- PALMOLIVE CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re protection against radiation.Error noted in Part 20, App B,Tables 1,2 & 3 under Atomic Number 1,H-3 re failure to specify limits for tritium in forms other than water.	03/19/1986	03/26/1986	AA38-2, AA38-2- 0925, AA38-2-925	35291:153- 35291:154	PDR:PR-19- 50FR51992- 860319,PDR:P R//19 50FR51992 860319,CF:SU BJ//L-4-1PT19 860319	Publicly Available	2
8603280161	HORINKA M S, COLT INDUSTRIES, INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re personnel exposure.Rules supported except for failure to address licensee personnel monitored for occupational purposes receiving exposures for medical purposes.	03/24/1986	03/26/1986	AA38-2, AA38-2- 0926, AA38-2-926	35303:234- 35303:235	PDR:PR-19- 50FR51992- 860324,PDR:P R//19 50FR51992 860324,CF:SU BJ//L-4-1PT19 860324	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604030254	EHRlich M, NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY (FORMERL	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Delicate balance required between need for guidance & giving licensee freedom to apply recent advances in biological knowledge.	03/25/1986	03/27/1986	AA38-2, AA38-2- 0927, AA38-2-927	35379:249- 35379:253	PDR:PR-19- 50FR51992- 860325,PDR:P R//19 50FR51992 860325,CF:SU BJ//L-4-1PT19 860325	Publicly Available	5
9204230187	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	03/27/1986		50FR51992-00202, 50FR51992-202, AA38-2, AA38-2- 0373, AA38-2-373	61861:069- 61861:074	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	6
8604070298	RACSTER C E, SCHLUMBERGER TECHNOLOGY CORP. (SUBS. OF SCHLUMBERGER,	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70.Objects totally to attempt to make ALARA into performance std,fearing simple license condition will weaken concept.	03/27/1986	04/03/1986	AA38-2, AA38-2- 0929, AA38-2-929	35420:133- 35420:135	PDR:PR-19- 50FR51992- 860327,PDR:P R//19 50FR51992 860327,CF:SU BJ//L-4-1PT19 860327	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230289	MORGAN K, AFFILIATION NOT ASSIGNED	Comments opposing proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re stds for protection against radiation. Handwritten chart encl showing occupational max permissible concentration for air & water & public.	03/27/1986	05/13/1986		36071:150-36071:155	PDR:PR-19-50FR51992-860327,PDR:PR//19 50FR51992 860327,CF:SU BJ//L-4-1PT19 860327	Publicly Available	6
8604180181	WHITE G A, ROCKY MOUNTAIN MEDICAL PHYSICS, INC.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection. Ionizing radiation introduces uncertainties by extrapolating from high doses to low doses. Effort to implement regulation seems excessive.	03/28/1986	04/10/1986	AA38-2, AA38-2-0907, AA38-2-907	35617:354-35617:356	PDR:PR-19-50FR51992-860328,PDR:PR//19 50FR51992 860328,CF:SU BJ//L-4-1PT19 860328	Publicly Available	3
8604030285	JONES C M, KATZ H A, SIMMONS M; AFFILIATION NOT ASSIGNED, EMDMDKHA	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection. Risk should not be increased by weakening already industry-friendly regulations & limits.	03/31/1986	03/31/1986	AA38-2, AA38-2-0928, AA38-2-928	35379:142-35379:144	PDR:PR-19-50FR51992-860331,PDR:PR//19 50FR51992 860331,CF:SU BJ//L-4-1PT19 860331	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604070287	KNAPP P E, AFFILIATION NOT ASSIGNED	Comments opposing proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70, "Stds for Protection Against Radiation." Methodology presented in rev exceptionally complicated & not significantly different from existing regulation.	03/31/1986	04/03/1986	AA38-2, AA38-2-0930, AA38-2-930	35420:355-35420:360	PDR:PR-19-50FR51992-860331,PDR:P R//19 50FR51992 860331,CF:SU BJ//L-4-1PT19 860331	Publicly Available	6
8604070296	SIEGEL B A, MALLINCKRODT INSTITUTE OF RADIOLOGY AT WASHINGTON	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation per 10CFR20.902. Requirements should distinguish between two categories of patients undergoing radiopharm therapy.	04/01/1986	04/04/1986	AA38-2, AA38-2-0931, AA38-2-931	35420:361-35420:362	PDR:PR-19-50FR51992-860401,PDR:P R//19 50FR51992 860401,CF:SU BJ//L-4-1PT19 860401	Publicly Available	2
9204280425	KOCHER D C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	04/02/1986		50FR51992-00029, 50FR51992-29, AA38-2, AA38-2-0730, AA38-2-730	61863:290-61863:299	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	11
8604180229	HAZLE A J, COLORADO, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection std.Complete revs,as proposed, highly questioned due to high cost of implementation on all entities impacted.	04/02/1986	04/11/1986	AA38-2, AA38-2-0899, AA38-2-899	35617:274-35617:275	PDR:PR-19-50FR51992-860402,PDR:P R//19 50FR51992 860402,CF:SU BJ//L-4-1PT19 860402	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280431	BERTELL R, INTERNATIONAL INSTITUTE OF CONCERN FOR PUBLIC HEALTH	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	04/07/1986		50FR51992-00030, 50FR51992-30, AA38-2, AA38-2- 0731, AA38-2-731	61863:300- 61863:311	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	12
8604180209	BERTELL R, KOCHER D C, AFFILIATION NOT ASSIGNED, INTERNATIONAL INSTITUTE OF CONCERN FOR PUBLIC HEALTH	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules would be outdated & ineffectual in present form.	04/07/1986	04/07/1986		35616:118- 35616:145	PDR:PR-19- 50FR51992- 860407,PDR:P R//19 50FR51992 860407,CF:SU BJ//L-4-1PT19 860407	Publicly Available	28
8604180248	ZECK O F, AFFILIATION NOT ASSIGNED, HERMANN HOSP., HOUSTON, TX	Requests 6-month extension of comment period on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70, "Stds for Protection Against Radiation."	04/08/1986	04/11/1986	AA38-2, AA38-2- 0898, AA38-2-898	35617:251- 35617:251	PDR:PR-19- 50FR51992- 860408,PDR:P R//19 50FR51992 860408,CF:SU BJ//L-4-1PT19 860408	Publicly Available	1
8604240224	DOMANGUE E J, DOMANQUE E J, NL CHEMICALS (USA), INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Rule supported except for listed sections,including ALARA,occupational dose limits for adults & dose to fetus/embryo.	04/08/1986	04/22/1986	AA38-2, AA38-2- 0964, AA38-2-964	35687:153- 35687:154	PDR:PR-19- 50FR51992- 860408,PDR:P R//19 50FR51992 860408,CF:SU BJ//L-4-1PT19 860408	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604180174	STABIN M, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation safety. Concern re pregnant women in nuclear industry expressed.	04/09/1986	04/11/1986	AA38-2, AA38-2-0900, AA38-2-900	35611:224-35611:225	PDR:PR-19-50FR51992-860409,PDR:P R//19 50FR51992 860409,CF:SU BJ//L-4-1PT19 860409	Publicly Available	2
9204280311	JOHNSON C J, SOUTH DAKOTA, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	04/10/1986		50FR51992-00034, 50FR51992-34, AA38-2, AA38-2-0726, AA38-2-726	61863:201-61863:205	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	4
9204280441	BAUM J W, AFFILIATION NOT ASSIGNED, ASSOCIATED UNIVERSITIES, INC., BROOKHAVEN NATIONAL LABORATORY	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	04/11/1986		50FR51992-00057, 50FR51992-57, AA38-2, AA38-2-0752, AA38-2-752	61863:357-61863:361	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	5
8605230277	ROE G B, BATTELLE MEMORIAL INSTITUTE, COLUMBUS LABORATORIES	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation. Implementin g ALARA as enforceably required program will mean revising & restructuring current program.	04/12/1986	05/12/1986	AA38-2, AA38-2-0975, AA38-2-975	36069:294-36069:296	PDR:PR-19-50FR51992-860412,PDR:P R//19 50FR51992 860412,CF:SU BJ//L-4-1PT19 860412	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604220229	HURWITZ H, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule nonsense due to use of 0.1 pCi/l as radon ref level in homes & ALARA of 1 mrem/yr.	04/13/1986	04/17/1986	AA38-2, AA38-2-0932, AA38-2-932	35654:252-35654:254	PDR:PR-19-50FR51992-860413,PDR:P R//19 50FR51992 860413,CF:SU BJ//L-4-1PT19 860413	Publicly Available	3
9204280339	TODD W E, AFFILIATION NOT ASSIGNED, SIEMENS GAMMASONICS, INC.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	04/14/1986		50FR51992-00037, 50FR51992-37, AA38-2, AA38-2-0728, AA38-2-728	61863:207-61863:211	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604180249	HAN P, JOHNSON C J, KARP H C, KELLY M, KNIGHT C, LARSEN K, MILLSPAUGH S, MUSE L, PAGEL K W, PERRY N, SMILEY D, SPRAY D D, VAN SWEARINGEN, WADSWORTH S, WEBB R, WILSON B, WISE J D, AFFILIATION NOT ASSIGNED, DUKE UNIV., DURHAM, NC, EAST CAROLINA UNIV., GREENVILLE, NC, EMORY UNIV., ATLANTA, GA, GEORGIA INSTITUTE OF TECHNOLOGY, ATLANTA, GA, GEORGIA, UNIV. OF, ATHENS, GA, INDIANA UNIV. SOUTHEAST, NEW ALBANY, IN, JOHNS HOPKINS UNIV., BALTIMORE, MD, LOUISVILLE, UNIV. OF, LOUISVILLE, KY, MEDICAL COLLEGE OF GEORGIA, AUGUSTA, GA, MEDICAL UNIV. OF SOUTH CAROLINA, CHARLESTON, SC, NORTH CAROLINA, UNIV. OF, CHAPEL HILL, NC, SOUTH ALABAMA, UNIV. OF, MOBILE, AL, SOUTH DAKOTA, STATE OF, VANDERBILT UNIV., NASHVILLE, TN,	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	04/14/1986	04/14/1986	860410	35618:027-35618:034	PDR:PR-19-50FR51992-860414,PDR:PR//19 50FR51992 860414,CF:SU BJ//L-4-1PT19 860414	Publicly Available	8

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604220225	SHENK K J, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Summation of committed effective dose equivalent & deep dose equivalent would be more conservative than ICRP recommendations.	04/14/1986	04/18/1986	AA38-2, AA38-2-0934, AA38-2-934	35654:309-35654:311	PDR:PR-19-50FR51992-860414,PDR:P R//19 50FR51992 860414,CF:SU BJ//L-4-1PT19 860414	Publicly Available	3
8604220237	LORIO P M, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection stds.Proposed rules will have negative impact on future of acceptability of radiation as reasonable alternative energy source.	04/14/1986	04/18/1986	AA38-2, AA38-2-0933, AA38-2-933	35658:264-35658:269	PDR:PR-19-50FR51992-860414,PDR:P R//19 50FR51992 860414,CF:SU BJ//L-4-1PT19 860414	Publicly Available	6
8604180193	TODD W E, SIEMENS GAMMASONICS, INC.	Package of two comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.	04/16/1986	04/16/1986		35617:154-35617:160	PDR:PR-19-50FR51992-860416,PDR:P R//19 50FR51992 860416,CF:SU BJ//L-4-1PT19 860416	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280344	SKRABLE K W, AFFILIATION NOT ASSIGNED, MASSACHUSETTS, UNIV. OF, LOWELL, MA (FORMERLY LOWELL,	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	04/17/1986		50FR51992-00043, 50FR51992-43, AA38-2, AA38-2- 0729, AA38-2-729	61863:212- 61863:289	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	92
9204080314	EDWARDS D C, OIL, CHEMICAL & ATOMIC WORKERS INTERNATIONAL UNION	Comments on proposed rule 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Requests that comment period be extended 90 days from current 860421 deadline.	04/18/1986		50FR51992, AA38-2- 0020, AA38-2-20	61843:029- 61843:084	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8604240217	WILSON B, NORTH CAROLINA, UNIV. OF, CHAPEL HILL, NC	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Ref levels & collective dose levels should be addressed in ALARA program.	04/18/1986	04/21/1986	AA38-2, AA38-2- 0935, AA38-2-935	35687:120- 35687:121	PDR:PR-19- 50FR51992- 860418,PDR:P R//19 50FR51992 860418,CF:SU BJ//L-4-1PT19 860418	Publicly Available	2
8604240233	KITCHENS J L, HEALTH PHYSICS SOCIETY	Comments in opposition to proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re radiation regulations.	04/18/1986	04/21/1986	AA38-2, AA38-2- 0965, AA38-2-965	35687:141- 35687:143	PDR:PR-19- 50FR51992- 860418,PDR:P R//19 50FR51992 860418,CF:SU BJ//L-4-1PT19 860418	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604300147	MOGHISSI A A, AFFILIATION NOT ASSIGNED, INSTITUTE FOR REGULATORY SCIENCE	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule supported.Adoption of NCRP recommendations re treatment of effective dose equivalent (H-50) recommended.	04/18/1986	04/25/1986	AA38-2, AA38-2-0941, AA38-2-941	35770:180-35770:182	PDR:PR-19-50FR51992-860418,PDR:PR/19 50FR51992 860418,CF:SU BJ//L-4-1PT19 860418	Publicly Available	3
8605120407	SMITH R F, AFFILIATION NOT ASSIGNED	Comments in opposition to proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re increasing allowable levels of radiation.EIS & public hearing requested.Increased protection urged.	04/19/1986	05/08/1986	AA38-2-0963	35919:360-35919:360	PDR:PR-19-50FR51992-860419,PDR:PR/19 50FR51992 860419,CF:SU BJ//L-4-1PT19 860419	Publicly Available	1
9204280395	MILLIS N L, REIMER E T, SMIALEK L J, BALTIMORE GAS & ELECTRIC CO.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Supports rule.	04/21/1986		50FR51992-00053, 50FR51992-53, AA38-2, AA38-2-0748, AA38-2-748	61863:332-61863:352	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	22
9204280450	MCCORMICK B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/21/1986		50FR51992-00059, 50FR51992-59, AA38-2, AA38-2-0753, AA38-2-753	61864:001-61864:001	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604220202	ALVAREZ R, BROWN E C, COCHRAN T, DAUM S M, EDWARDS D C, EPSTEIN S, FRANKE B, HOUFF W E, LEGATOR M, MANCUSO T F, NESBET I, OZONOFF D, SCHWARTZ J, SIDEL V, TUCKER K M, WRIGHT M, AFFILIATION NOT ASSIGNED, AMERICAN PUBLIC HEALTH ASSOCIATION, BOSTON UNIV., BOSTON, MA, ENVIRONMENTAL POLICY INSTITUTE, HEALTH & ENERGY INSTITUTE, ILLINOIS, UNIV. OF, URBANA, IL, MASSACHUSETTS, COMMONWEALTH OF, MT. SINAI SCHOOL OF MEDICINE, NEW YORK, NY, NATURAL RESOURCES DEFENSE COUNCIL, OIL, CHEMICAL & ATOMIC WORKERS INTERNATIONAL UNION, PITTSBURGH, UNIV. OF, PITTSBURGH, PA, TEXAS, UNIV. OF, AUSTIN, TX, UNITED STEELWORKERS OF AMERICA	Package of two comments requesting 90-day extension of comment period for proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re revs to public & occupational exposure stds for ionizing radiation.	04/21/1986	04/21/1986	AA38-2, AA38-2-1147	35654:300-35654:302	PDR:PR-19-50FR51992-860421,PDR:PR/19 50FR51992 860421,CF:SU BJ//L-4-1PT19 860421	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604300095	PRUSAK M A, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re new stds for radiation protection.Stds should not be lowered by increasing acceptable limits.Opposes rules.	04/21/1986	04/24/1986		35770:231-35770:231	PDR:PR-19-50FR51992-860421,PDR:PR/19 50FR51992 860421	Publicly Available	1
8604300122	ANDERSON V E, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule supported.Specification of release limits for trucks,tools, noncontaminated trash & individuals strongly recommended.	04/21/1986	04/25/1986	AA38-2, AA38-2-0940, AA38-2-940	35759:337-35759:339	PDR:PR-19-50FR51992-860421,PDR:PR/19 50FR51992 860421,CF:SU BJ//L-4-1PT19 860421	Publicly Available	3
9204280440	KAMEN S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	04/22/1986		50FR51992-00051, 50FR51992-51, AA38-2, AA38-2-0733, AA38-2-733	61863:313-61863:314	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2
9204280497	CHABOT G E, AFFILIATION NOT ASSIGNED, MASSACHUSETTS, UNIV. OF, LOWELL, MA (FORMERLY LOWELL,	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	04/22/1986		50FR51992-00067, 50FR51992-67, AA38-2, AA38-2-0756, AA38-2-756	61864:013-61864:018	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604300138	SHARP J, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule opposed since potential for public exposure to radiation hazards already too great.	04/22/1986	04/25/1986	AA38-2, AA38-2-0939, AA38-2-939	35770:184-35770:185	PDR:PR-19-50FR51992-860422,PDR:PR/19 50FR51992 860422,CF:SU BJ//L-4-1PT19 860422	Publicly Available	2
8604300112	MCGUIRE L, VETERANS ADMIN. MEDICAL CENTER, LITTLE ROCK, AR	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Large number of licensees will have to use exemption procedure in 10CFR20.303(c),rendering ref level useless.	04/22/1986	04/28/1986	AA38-2, AA38-2-0943, AA38-2-943	35759:347-35759:352	PDR:PR-19-50FR51992-860422,PDR:PR/19 50FR51992 860422,CF:SU BJ//L-4-1PT19 860422	Publicly Available	6
9204280415	MOTT M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/23/1986		50FR51992-00056, 50FR51992-56, AA38-2, AA38-2-0750, AA38-2-750	61863:355-61863:355	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280424	WARSH H E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/23/1986		50FR51992, AA38-2, AA38-2-0751, AA38-2-751	61863:356-61863:356	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280483	BUCHANAN S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/23/1986		50FR51992-00060, 50FR51992-60, AA38-2, AA38-2-0754, AA38-2-754	61864:002-61864:002	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8604240228	, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.Rules opposed.EIS should be prepared on subj.	04/23/1986	04/23/1986		35687:150-35687:150	PDR:PR-19-50FR51992-860423,PDR:PR/19 50FR51992 860423,CF:SU BJ//L-4-1PT19 860423	Publicly Available	1
8604300009	CURRAN D, HARMON & WEISS, HUNTON & WILLIAMS	Advises of UCS request for extension of comment period for proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re new stds for radiation protection until 60 days after issuance of NRC backfitting analysis of proposed rules.	04/23/1986	04/24/1986	AA38-2, AA38-2-0938, AA38-2-938	35770:208-35770:209	PDR:PR-19-50FR51992-860423,PDR:PR/19 50FR51992 860423,CF:SU BJ//L-4-1PT19 860423	Publicly Available	2
8605050177	CHONG L R, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Planned special exposures unacceptable.Worker is no drone bee & should not be considered version of disposable Bic lighter.	04/23/1986	04/26/1986	AA38-2, AA38-2-0944, AA38-2-944	35831:016-35831:017	PDR:PR-19-50FR51992-860423,PDR:PR/19 50FR51992 860423,CF:SU BJ//L-4-1PT19 860423	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8604300075	HUDSON S, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.Single set of units should be used throughout & technical bases for 10-cm(2) surface area for skin dose equivalent limits should be ref.	04/23/1986	04/28/1986	AA38-2, AA38-2-0966, AA38-2-966	35759:282-35759:284	PDR:PR-19-50FR51992-860423,PDR:PR/19 50FR51992 860423,CF:SU BJ//L-4-1PT19 860423	Publicly Available	3
8606120335	HALL G K, HALL V H, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Opposes rules since no new measures taken to reduce or eliminate exposure.	04/24/1986	05/19/1986	AA38-2, AA38-2-0942, AA38-2-942	36414:094-36414:094	PDR:PR-19-50FR51992-860514,PDR:PR/19 50FR51992 860514	Publicly Available	1
9204280506	BRANDT R J, BETHLEHEM STEEL CORP.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	04/25/1986		50FR51992-00068, 50FR51992-68, AA38-2, AA38-2-0758, AA38-2-758	61864:041-61864:047	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	7
9204240172	BYE M, CENTRAL BUCKS CLEAN ENERGY COLLECTIVE, DOYLESTOWN,	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/26/1986		50FR51992-00227, 50FR51992-227, AA38-2, AA38-2-0390, AA38-2-390	61861:251-61861:251	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230230	MACNULTY J J, CITIZENS ENERGY COUNCIL	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	04/28/1986		50FR51992-00122, 50FR51992-122, AA38-2-0347, AA38-2-347	61860:327-61860:327	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204230237	SKOLNICK F, SUSQUEHANNA VALLEY ALLIANCE, LANCASTER, PA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	04/28/1986		50FR51992-00168, 50FR51992-168, AA38-2, AA38-2-0359, AA38-2-359	61860:349-61860:350	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204280491	WALSH M J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	04/28/1986		50FR51992-00066, 50FR51992-66, AA38-2, AA38-2-0755, AA38-2-755	61864:003-61864:012	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	10
8604300065	BUCHANAN S, HALL G K, HALL V H, KOWEN S, MCCORMICK B, MOTT M, NEWMAN E, SINCLAIR M, WARSH H E, AFFILIATION NOT ASSIGNED	Package of seven comments opposing proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	04/28/1986	04/28/1986		35770:139-35770:150	PDR:PR-19-50FR51992-860428,PDR:P R/I/19 50FR51992 860428,CF:SU BJ/L-4-1PT19 860428	Publicly Available	11
8604300070	BAUM J W, MILLIS N L, REIMER E T, SMIALEK L J, WASTON B A, AFFILIATION NOT ASSIGNED, BALTIMORE GAS & ELECTRIC CO.	Package of two comments supporting proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re stds for protection against radiation.	04/28/1986	04/28/1986		35770:112-35770:137	PDR:PR-19-50FR51992-860428,PDR:P R/I/19 50FR51992 860428,CF:SU BJ/L-4-1PT19 860428	Publicly Available	26

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605050225	GOODMAN S J, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re proposed rev to radioactive exposure. Proposed rev would increase allowed internal radiation dose from most radioactive fission products inhaled or ingested.	04/28/1986	04/30/1986	AA38-2, AA38-2-0945, AA38-2-945	35819:231-35819:231	PDR:PR-19-50FR51992-860428,PDR:PR/19 50FR51992 860428,CF:SU BJ//L-4-1PT19 860428	Publicly Available	1
8605120431	BENSON E C, ISOTOPE PRODUCTS LABORATORIES	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection. Less restrictive limits requested for individuals over 45 yrs of age.	04/28/1986	05/05/1986	AA38-2, AA38-2-0954, AA38-2-954	35917:359-35917:360	PDR:PR-19-50FR51992-860428,PDR:PR/19 50FR51992 860428,CF:SU BJ//L-4-1PT19 860428	Publicly Available	2
9204280510	NEMETHY E, ECOLOGY/ALERT	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation. Opposes rule.	04/29/1986		50FR51992-00070, 50FR51992-70, AA38-2, AA38-2-0759, AA38-2-759	61864:048-61864:048	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290090	PATTON G A, AFFILIATION NOT ASSIGNED, SANTA CRUZ, CA	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation. Opposes rule.	04/29/1986		50FR51992-00086, 50FR51992-86, AA38-2, AA38-2-0765, AA38-2-765	61864:057-61864:058	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290098	WELCH M, REDWOOD ALLIANCE.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/29/1986		50FR51992-00091, 50FR51992-91, AA38-2, AA38-2-0766, AA38-2-766	61864:059-61864:064	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	6
8605050165	MUSE L A, GEORGIA, UNIV. OF, ATHENS, GA	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Recommends de minimis exposure level of 20 mrem/yr.	04/29/1986	05/02/1986	AA38-2, AA38-2-0948, AA38-2-948	35823:225-35823:227	PDR:PR-19-50FR51992-860429,PDR:PR/19 50FR51992 860429,CF:SU BJ//L-4-1PT19 860429	Publicly Available	3
8605050180	HOLEMAN G R, YALE UNIV., NEW HAVEN, CT	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Section on ALARA redundant as licensee radiation protection programs already committed to maintaining exposures at low level.	04/29/1986	05/02/1986	AA38-2, AA38-2-0947, AA38-2-947	35824:046-35824:047	PDR:PR-19-50FR51992-860429,PDR:PR/19 50FR51992 860429,CF:SU BJ//L-4-1PT19 860429	Publicly Available	2
8605050189	PAGEL J W, VANDERBILT UNIV., NASHVILLE, TN	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50, 61 & 70 re stds for protection against radiation.Requests extension of comment period beyond current 860512 deadline.	04/29/1986	05/02/1986	AA38-2, AA38-2-0946, AA38-2-946	35823:127-35823:130	PDR:PR-19-50FR51992-860429,PDR:PR/19 50FR51992 860429,CF:SU BJ//L-4-1PT19 860429	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120400	RYAN M T, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule opposed since sys of dose limitation proposed by ICRP in ICRP Publication 30,Part 2 does not fully embrace 10CFR20.	04/29/1986	05/05/1986	AA38-2, AA38-2-0956, AA38-2-956	35919:048-35919:054	PDR:PR-19-50FR51992-860429,PDR:PR/19 50FR51992 860429,CF:SU BJ//L-4-1PT19 860429	Publicly Available	7
8605120411	FANK HAUSER J, FANKHAUSER J, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation stds.Rule opposed.EIS & public hearing demanded.	04/29/1986	05/05/1986	AA38-2, AA38-2-0950, AA38-2-950	35920:259-35920:259	PDR:PR-19-50FR51992-860429,PDR:PR/19 50FR51992 860429,CF:SU BJ//L-4-1PT19 860429	Publicly Available	1
8605120452	MINGST B C, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules supported, since proposed mod of dose measurement sys for consistency w/intl methods reasonable & justifiable goal.	04/29/1986	05/05/1986	AA38-2, AA38-2-0958, AA38-2-958	35921:107-35921:113	PDR:PR-19-50FR51992-860429,PDR:PR/19 50FR51992 860429,CF:SU BJ//L-4-1PT19 860429	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8608130353	SACK M, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re increasing acceptable radiation exposure to public, workers & environ up to 10 times legal levels.Opposes rules.	04/29/1986	08/06/1986		37476:281-37476:281	PDR:PR-19-50FR51992-860731,PDR:PR//19 50FR51992 860731	Publicly Available	1
9204280436	LERNER M S, AFFILIATION NOT ASSIGNED, U.S. POSTAL SERVICE	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	04/30/1986		50FR51992-00064, 50FR51992-64, AA38-2, AA38-2-0732, AA38-2-732	61863:312-61863:312	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1
9204280522	DAY E B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/30/1986		50FR51992-00074, 50FR51992-74, AA38-2, AA38-2-0761, AA38-2-761	61864:051-61864:053	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	3
9204280523	GOLD L, GOLD W J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	04/30/1986		50FR51992-00076, 50FR51992-76, AA38-2, AA38-2-0762, AA38-2-762	61864:054-61864:054	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120313	REESE J, SACRAMENTO MUNICIPAL UTILITY DISTRICT	Comments in support of proposed rules 10CFR19,20,30,31,32, 34,40,50,61 & 70,incorporating recommendations in ICRP 26 & 30 re protection from ionizing radiation.Medical profession exemption questioned.	04/30/1986	05/05/1986	AA38-2, AA38-2-0957, AA38-2-957	35916:295-35916:297	PDR:PR-19-50FR51992-860430,PDR:PR/19 50FR51992 860430,CF:SU BJ//L-4-1PT19 860430	Publicly Available	3
8605120419	ODLAUG M, WASHINGTON, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.Increase in X-ray limits unacceptable	04/30/1986	05/05/1986	AA38-2, AA38-2-0949, AA38-2-949	35919:043-35919:043	PDR:PR-19-50FR51992-860430,PDR:PR/19 50FR51992 860430,CF:SU BJ//L-4-1PT19 860430	Publicly Available	1
8605120432	MATTMULLER S R, ST. JOHNS MERCY MEDICAL CENTER, ST. LOUIS, MO	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re monitoring radioactive packages.Rule opposed.Mandatory wipe sample unnecessary.Optional wipe sample when package appears compromised,more appropriate.	04/30/1986	05/05/1986	AA38-2, AA38-2-0951, AA38-2-951	35920:307-35920:307	PDR:PR-19-50FR51992-860430,PDR:PR/19 50FR51992 860430,CF:SU BJ//L-4-1PT19 860430	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030164	HOLT M G, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.Increase of acceptable exposure to public opposed.Hearing & preparation of EIS suggested.	04/30/1986	.05/12/1986	AA38-2, AA38-2-1000	36192:359-36192:360	PDR:PR-19-50FR51992-860430,PDR:PR/19 50FR51992 860430,CF:SU BJ//L-4-1PT19 860430	Publicly Available	2
9204240077	DARRIGO D, NUCLEAR INFORMATION & RESOURCE SERVICE	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/01/1986		50FR51992-00140, 50FR51992-140, AA38-2, AA38-2-0401, AA38-2-401	61861:274-61861:279	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	6
9204270185	WILSON T A, MOLYCORP, INC.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/01/1986		50FR51992-00310, 50FR51992-310, AA38-2, AA38-2-0569, AA38-2-569	61862:274-61862:287	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	14
9204280502	POLEHN J L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/01/1986		50FR51992-00069, 50FR51992-69, AA38-2, AA38-2-0757, AA38-2-757	61864:019-61864:040	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	23

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290053	KODNER J L, KODNER, J.L.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/01/1986		50FR51992-00078, 50FR51992-78, AA38-2, AA38-2-0763, AA38-2-763	61864:055- 61864:055	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290081	ERLANDER R H, AFFILIATION NOT ASSIGNED, GIBSON-ERLANDER, INC.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/01/1986		50FR51992-00082, 50FR51992-82, AA38-2, AA38-2-0764, AA38-2-764	61864:056- 61864:056	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8605050286	BRANDT R J, CHABOT G E, LERNER M S, POLEHN J L, SACK M, WALSH M J, AFFILIATION NOT ASSIGNED, BETHLEHEM STEEL CORP., MASSACHUSETTS, UNIV. OF, LOWELL, MA (FORMERLY LOWELL,	Package of six comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re rev to stds for protection against radiation.No justification exists for changing dose & release concentrations.	05/01/1986	05/01/1986		35819:148- 35819:193	PDR:PR-19-50FR51992-860501,PDR:P R//19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	46
8605120340	RICHARD M L, INDIANA UNIV. MEDICAL CENTER, INDIANAPOLIS, IN	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 updating regulations per ICRP recommendations & beginning transition to SI sys of units.Rule supported.Addl dose equivalent statement needs clarification.	05/01/1986	05/05/1986	AA38-2, AA38-2-0959, AA38-2-959	35916:233- 35916:239	PDR:PR-19-50FR51992-860501,PDR:P R//19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120390	TODD W E, SIEMENS GAMMASONICS, INC.	Suppls 860414 comments re proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70.NRC Forms 4 & 5 inconsistent.Form 5 should include provisions for calender yr totals for all types of exposure.	05/01/1986	05/05/1986	AA38-2, AA38-2-0955, AA38-2-955	35919:355-35919:356	PDR:PR-19-50FR51992-860501,PDR:PR//19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	2
8605120440	SHAW E I, KANSAS, UNIV. OF, LAWRENCE, KS	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re occupational exposures.Significant factor in estimation of risk neglected,resulting in overestimation of risk of cancer morbidity & mortality from exposure.	05/01/1986	05/05/1986	AA38-2, AA38-2-0952, AA38-2-952	35920:308-35920:308	PDR:PR-19-50FR51992-860501,PDR:PR//19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	1
8605120455	KENT C E, AMERICAN BOARD OF HEALTH PHYSICS	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70.Default parameters for chemical & physical forms of radionuclides in workplace should be provided.	05/01/1986	05/05/1986	(0449C), (449C), AA38-2, AA38-2-0960, AA38-2-960	35921:246-35921:269	PDR:PR-19-50FR51992-860501,PDR:PR//19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	24

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120422	TANASE J, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation safety stds.Rule opposed due to dangers to workers of relaxing min radiation safety stds & allowable radiation dosages.	05/01/1986	05/07/1986		35920:260-35920:260	PDR:PR-19-50FR51992-860501,PDR:PR/19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	1
8605120467	MOHLER D, AMERICAN BOARD OF HEALTH PHYSICS	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection programs.Expense to licensee would not be balanced against any significant decrease in dose to people.	05/01/1986	05/07/1986	AA38-2, AA38-2-0961, AA38-2-961	35921:234-35921:234	PDR:PR-19-50FR51992-860501,PDR:PR/19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	1
8605230242	FRACKE F, FRACKE S, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re proposal to raise radiation exposure rates for nuclear power plant workers & general public.Rule opposed, since incidence of cancer high.Hearings & EIS needed.	05/01/1986	05/13/1986	AA38-2-0983	36070:196-36070:196	PDR:PR-19-50FR51992-860501,PDR:PR/19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606060095	IRWIN D, TESTERMAN R, TOENJES C, DESERT/PASS ACTION GROUP	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re relaxed regulations for amount of allowable radiation to workers in nuclear facilities.Public hearing & EIS on rule requested.	05/01/1986	05/23/1986	AA38-2, AA38-2-0993, AA38-2-993	36349:169- 36349:169	PDR:PR-19-50FR51992-860501,PDR:P R//19 50FR51992 860501,CF:SU BJ//L-4-1PT19 860501	Publicly Available	1
9204240062	MCCLEARY K J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/02/1986		50FR51992-00190, 50FR51992-190, AA38-2, AA38-2-0413, AA38-2-413	61862:004- 61862:004	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280518	SALTZMAN D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/02/1986		50FR51992-00073, 50FR51992-73, AA38-2, AA38-2-0760, AA38-2-760	61864:049- 61864:050	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
8605050174	DAY E B, NEMETHY E, SALIZMAN D, SALIZMAN E, AFFILIATION NOT ASSIGNED, ECOLOGY/ALERT	Package of three comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	05/02/1986	05/02/1986		35824:048- 35824:052	PDR:PR-19-50FR51992-860502,PDR:P R//19 50FR51992 860502,CF:SU BJ//L-4-1PT19 860502	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120446	EVDOKIMOFF V, BOSTON UNIV. MEDICAL CENTER, BOSTON, MA	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Changes in right direction.Proposes de minimis level be 10 mrem per yr or less to any member of population.	05/02/1986	05/05/1986	AA38-2, AA38-2-0953, AA38-2-953	35919:041-35919:042	PDR:PR-19-50FR51992-860502,PDR:PR/19 50FR51992 860502,CF:SU BJ//L-4-1PT19 860502	Publicly Available	2
8605120302	MCGRAW J D, MARK IV INDUSTRIES, INC.	Requests extension of comment period of 90 days for proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70.	05/02/1986	05/07/1986		35916:355-35916:356	PDR:PR-19-50FR51992-860502,PDR:PR/19 50FR51992 860502,CF:SU BJ//L-4-1PT19 860502	Publicly Available	2
8605120361	STARJEY J E, STARKEY J E, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re change of traditional health physics units to SI radiological units.Major confusion evident.	05/02/1986	05/08/1986	AA38-2, AA38-2-0895, AA38-2-895	35921:194-35921:194	PDR:PR-19-50FR51992-860502,PDR:PR/19 50FR51992 860502,CF:SU BJ//L-4-1PT19 860502	Publicly Available	1
9204230185	SULIMA J K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/03/1986		50FR51992-00160, 50FR51992-160, AA38-2, AA38-2-0356, AA38-2-356	61860:342-61860:345	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290104	TANASE J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/03/1986		50FR51992-00094, 50FR51992-94, AA38-2, AA38-2-0767, AA38-2-767	61864:065-61864:065	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8605120371	BLEIDORN J, AFFILIATION NOT ASSIGNED	Comments in opposition to proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re raising acceptable amount of radiation exposure.EIS & public hearing requested.	05/03/1986	05/08/1986	AA38-2, AA38-2-0271, AA38-2-271	35921:171-35921:171	PDR:PR-19-50FR51992-860503,PDR:P R//19 50FR51992 860503,CF:SU BJ//L-4-1PT19 860503	Publicly Available	1
9204230326	PLATOV M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/04/1986		50FR51992-00107, 50FR51992-107, AA38-2, AA38-2-0380, AA38-2-380	61861:187-61861:187	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8605230233	PRESSLEY C, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for radiation protection.Public hearing requested before finalization of rule.EIS should be prepared now,as Hosgri earthquake fault does in fact exist near facility.	05/04/1986	05/09/1986	AA38-2-0991	36070:191-36070:191	PDR:PR-19-50FR51992-860504,PDR:P R//19 50FR51992 860504,CF:SU BJ//L-4-1PT19 860504	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230124	GREGORY R D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/05/1986		50FR51992-00108, 50FR51992-108, AA38-2-0339, AA38-2-339	61860:312-61860:312	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204230137	ROSINE D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/05/1986		50FR51992-00110, 50FR51992-110, AA38-2-0340, AA38-2-340	61860:313-61860:313	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204230162	CADENA D G, SOUTHWEST RESEARCH INSTITUTE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/05/1986		50FR51992-00113, 50FR51992-113, AA38-2-0342, AA38-2-342	61860:315-61860:317	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	3
9204240136	PITCHFORD T L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/05/1986		50FR51992-00154, 50FR51992-154, AA38-2, AA38-2-0409, AA38-2-409	61861:352-61861:356	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	5
9204270169	BARNUM E C, MOLYCORP, INC.	Forward comments submitted to Secretary of Commission re stated proposed rules.	05/05/1986		AA38-2, AA38-2-0568, AA38-2-568	61862:273-61862:273	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270200	WILLIAMS R, AFFILIATION NOT ASSIGNED, RICHARD WILLIAMS ARCHITECTURE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/05/1986		50FR51992-00311, 50FR51992-311, AA38-2, AA38-2- 0570, AA38-2-570	61862:288- 61862:288	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290109	SAEMANN J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/05/1986		50FR51992-00101, 50FR51992-101, AA38-2, AA38-2- 0768, AA38-2-768	61864:066- 61864:066	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8605120261	BRADLEY F J, NEW YORK, STATE OF	Requests extension of comment deadline for 30-60 days to allow more time for comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70.	05/05/1986	05/07/1986		35917:302- 35917:302	PDR:PR-19- 50FR51992- 860505,PDR:P R//19 50FR51992 860505,CF:SU BJ//L-4-1PT19 860505	Publicly Available	1
8605120267	BARBER R W, ENERGY, DEPT. OF	Requests extension of due date to 860530 for comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	05/05/1986	05/07/1986		35917:248- 35917:248	PDR:PR-19- 50FR51992- 860505,PDR:P R//19 50FR51992 860505,CF:SU BJ//L-4-1PT19 860505	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120339	SAEMAN J, SAESMAN J, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection stds.Existing rules should be modified by reducing or eliminating exposure w/o public hearings on EIR.	05/05/1986	05/08/1986		35916:292-35916:292	PDR:PR-19-50FR51992-860505,PDR:PR//19 50FR51992 860505,CF:SU BJ//L-4-1PT19 860505	Publicly Available	1
8605120375	ANDERSON K A, AFFILIATION NOT ASSIGNED	Comments in opposition to proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re raising level of radiation exposure considered acceptable.Public hearing & EIS requested.	05/05/1986	05/08/1986	AA38-2, AA38-2-0892, AA38-2-892	35921:165-35921:165	PDR:PR-19-50FR51992-860505,PDR:PR//19 50FR51992 860505,CF:SU BJ//L-4-1PT19 860505	Publicly Available	1
8605120439	QUILLAN R M, QUILLIN R M, OHIO, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re rev to radiation protection stds.Supports rules. Implementation of ref level may become new dose limit of 0.1 rem to general public.	05/05/1986	05/08/1986	AA38-2, AA38-2-0893, AA38-2-893	35919:271-35919:272	PDR:PR-19-50FR51992-860505,PDR:PR//19 50FR51992 860505,CF:SU BJ//L-4-1PT19 860505	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230240	MALODY C W, SIEMENS POWER CORP. (FORMERLY SIEMENS NUCLEAR POWER	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Some revs justifiable from standpoint of incorporating recent scientific info,but not from cost-benefit standpoint.	05/05/1986	05/12/1986	AA38-2, AA38-2-0976, AA38-2-976	36068:270-36068:272	PDR:PR-19-50FR51992-860505,PDR:P R//19 50FR51992 860505,CF:SU BJ//L-4-1PT19 860505	Publicly Available	3
8605230269	GRUNEWALD R, WISCONSIN, UNIV. OF, MILWAUKEE, WI	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re disposal of specific waste.Mod & expansion to facilitate disposal of specific waste,w/o compromising radiation protection or any ALARA consideration,urged.	05/05/1986	05/12/1986	AA38-2, AA38-2-0995, AA38-2-995	36070:161-36070:161	PDR:PR-19-50FR51992-860505,PDR:P R//19 50FR51992 860505,CF:SU BJ//L-4-1PT19 860505	Publicly Available	1
9204230234	SHOOP M, SIERRA CLUB	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/06/1986		50FR51992-00123, 50FR51992-123, AA38-2-0348, AA38-2-348	61860:328-61860:328	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204230282	FISCHER A M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/06/1986		50FR51992-00130, 50FR51992-130, AA38-2-0351, AA38-2-351	61860:331-61860:331	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120418	WILSON G, INS CORP.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Solids settling test,followed by decant of liquid & gross count of residue, would provide licensees w/easy,economical & meaningful test.	05/06/1986	05/08/1986	AA38-2, AA38-2-0967, AA38-2-967	35921:079-35921:081	PDR:PR-19-50FR51992-860506,PDR:P R//19 50FR51992 860506,CF:SU BJ//L-4-1PT19 860506	Publicly Available	3
8605120433	LADD E M, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re recommended limits of permissible exposure to radiation for workers & general public.EIS,NRC & congressional hearings & comment period extension demanded.	05/06/1986	05/08/1986		35920:359-35920:360	PDR:PR-19-50FR51992-860506,PDR:P R//19 50FR51992 860506,CF:SU BJ//L-4-1PT19 860506	Publicly Available	2
8605230280	TAYLOR L S, NATIONAL COUNCIL ON RADIATION PROTECTION & MEASUREMENT	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61, & 70 re ALARA.Opposes rulemaking.ALARA philosophy improperly used by NRC & EPA.Comments by NCRPM endorsed.	05/06/1986	05/08/1986	AA38-2, AA38-2-0894, AA38-2-894, DR-2C	36069:001-36069:252	PDR:PR-19-50FR51992-860506,PDR:P R//19 50FR51992 860506,CF:SU BJ//L-4-1PT19 860506	Publicly Available	126

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230251	BLACK R E, SINAI SAMARITAN MEDICAL CENTER, MILWAUKEE, WI (FORMER	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re exemption of voluntary participants in medical research programs.Change desirable & may contribute to advances in medical & health physics research.	05/06/1986	05/09/1986	AA38-2, AA38-2-0992, AA38-2-992	36069:307-36069:307	PDR:PR-19-50FR51992-860506,PDR:PR/19 50FR51992 860506,CF:SU BJ//L-4-1PT19 860506	Publicly Available	1
9204230149	ALKINS C L, AFFILIATION NOT ASSIGNED, PEACE EDUCATION CENTER	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/07/1986		50FR51992-00111, 50FR51992-111, AA38-2-0341, AA38-2-341	61860:314-61860:314	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204230171	, MIDDLE SOUTH SERVICES, INC.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/07/1986		50FR51992-00200, 50FR51992-200, AA38-2, AA38-2-0371, AA38-2-371	61861:058-61861:062	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	5
9204230190	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/07/1986		50FR51992-00163, 50FR51992-163, AA38-2, AA38-2-0357, AA38-2-357	61860:346-61860:346	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230214	RAO P S, AFFILIATION NOT ASSIGNED, RAO, P.S., MD, UNIVERSITY HOSPS. OF CLEVELAND, CLEVELAND, OH	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/07/1986		50FR51992-00114, 50FR51992-114, AA38-2-0343, AA38- 2-343	61860:318- 61860:319	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204230217	ABRAHAMSON S, WISCONSIN, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/07/1986		50FR51992-00115, 50FR51992-115, AA38-2-0344, AA38- 2-344	61860:320- 61860:321	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204230219	RADCLIFFE T J, AFFILIATION NOT ASSIGNED, RADCLIFFE TECHNICAL SERVICE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/07/1986		50FR51992-00117, 50FR51992-117, AA38-2-0345, AA38- 2-345	61860:322- 61860:323	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204230239	BREY H L, PUBLIC SERVICE CO. OF COLORADO	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/07/1986		50FR51992, AA38-2, AA38-2-0374, AA38- 2-374, GL-83-28, P- 86290	61861:075- 61861:085	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	11
9204230254	MADISON K, ORANGE COUNTY ALLIANCE FOR SURVIVAL	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/07/1986		50FR51992-00124, 50FR51992-124, AA38-2-0349, AA38- 2-349	61860:329- 61860:329	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230316	VETTER R J, MAYO CLINIC, ROCHESTER, MN	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/07/1986		50FR51992-00176, 50FR51992-176, AA38-2, AA38-2-0365, AA38-2-365	61861:006-61861:008	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	3
9204230322	WESCHER D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/07/1986		50FR51992-00106, 50FR51992-106, AA38-2, AA38-2-0379, AA38-2-379	61861:186-61861:186	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204240157	BIONDI G, LEAGUE OF WOMEN VOTERS, PALM SPRINGS, CA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/07/1986		50FR51992-00247, 50FR51992-247, AA38-2, AA38-2-0421, AA38-2-421	61862:034-61862:036	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	3
9204240296	MCNEES J L, HEALTH PHYSICS SOCIETY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/07/1986		50FR51992-00270, 50FR51992-270, AA38-2, AA38-2-0437, AA38-2-437	61862:101-61862:102	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605120453	CRANCE G, CRANE G, CRANE S, ERLANDER R H, GOLD L, GOLD W J, KODNER J L, PATTON G A, WELCH M, WILSON T A, AFFILIATION NOT ASSIGNED, KODNER, J.L., MOLYCORP, INC., REDWOOD ALLIANCE, SANTA CRUZ, CA	Package of seven comments opposing proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70, "Stds for Protection Against Radiation."	05/07/1986	05/07/1986		35921:138-35921:164	PDR:PR-19-50FR51992-860507,PDR:P R//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	26
8605230220	NORTON M E, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for radiation protection.Comment period should be extended again,as assessment & application of internal exposure stds & internal/external dose summation unclear.	05/07/1986	05/12/1986	AA38-2, AA38-2-0979, AA38-2-979	36069:353-36069:353	PDR:PR-19-50FR51992-860507,PDR:P R//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	1
8605230250	WHITTAKER M S, CHEM-NUCLEAR SYSTEMS, INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection from radiation.Application for summation of internal & external exposures inconsistent.	05/07/1986	05/12/1986	56FE23360, AA38-2, AA38-2-1003	36070:197-36070:199	PDR:PR-19-50FR51992-860507,PDR:P R//19 50FR51992 860507	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230271	BEVIS D A, AFFILIATION NOT ASSIGNED, DARELL BEVIS ASSOCIATES, INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation. Medical requirement should read 365 plus or minus 90 days, rather than 9-15 months. Protection factor of 100 more suitable.	05/07/1986	05/12/1986		36069:352- 36069:352	PDR:PR-19- 50FR51992- 860507,PDR:P R//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	1
8605230236	BEVIS D A, AFFILIATION NOT ASSIGNED, DARELL BEVIS ASSOCIATES, INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection. Medical requirement of 365 plus or minus 90 days rather than 9-15 months & raising particulate elements from 50 to 100 suggested.	05/07/1986	05/13/1986	AA38-2, AA38-2- 0977, AA38-2-977	36070:184- 36070:184	PDR:PR-19- 50FR51992- 860507,PDR:P R//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	1
8606030196	BIONDI G, AFFILIATION NOT ASSIGNED, LEAGUE OF WOMEN VOTERS, PALM SPRINGS, CA	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection stds. Public hearing & EIS requested prior to decision to revise regulations. Wall Street Journal article re nuclear safety perils encl.	05/07/1986	05/16/1986		36196:055- 36196:057	PDR:PR-19- 50FR51992- 860507,PDR:P R//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605130185	STERNGLOSS E J, PITTSBURGH, UNIV. OF, PITTSBURGH, PA	Comments on proposed rev to proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re radiation protection guidelines. Detailed EIS & public hearings required before existing regulations changed.	05/07/1986	05/16/1986	50CFR51992, 860507, AA38-2, AA38-2-1024	35928:131-35928:137	PDR:PR-19-50FR51992-860507,PDR:PR//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	7
8606060066	MUSOLF D, NORTHERN STATES POWER CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Favors ICRP value of 100 square centimeters for calculating recordable skin doses.	05/07/1986	05/19/1986	AA38-2, AA38-2-1031	36328:137-36328:139	PDR:PR-19-50FR51992-860507,PDR:PR//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	3
8606060081	MCNEES J L, HEALTH PHYSICS SOCIETY	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Recommen ds Commission clarify intent of ALARA & present examples of acceptable ALARA programs.	05/07/1986	05/19/1986		36349:013-36349:014	PDR:PR-19-50FR51992-860507,PDR:PR//19 50FR51992 860507,CF:SU BJ//L-4-1PT19 860507	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8608130336	KASTENMEIER R, HOUSE OF REP.	Forwards M Sack 860429 ltr re proposed rules 10CFR19,20,30, 31,32,34,40,50,61 & 70,increasing acceptable radiation exposure to public,workers & environ.Info needed to respond to constituent.	05/07/1986	08/06/1986		37476:280-37476:281	PDR:PR-19-50FR51992-860731,PDR:P R//19 50FR51992 860731	Publicly Available	1
9204230156	THOMPSON F C, NATIONAL ASSOCIATION OF RADIATION SURVIVORS	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00156, 50FR51992-156, AA38-2, AA38-2-0354, AA38-2-354	61860:337-61860:340	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	4
9204230180	FREY L, ZELLER T, SASSAFRAS AUDUBON SOCIETY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/08/1986		50FR51992-00159, 50FR51992-159, AA38-2, AA38-2-0355, AA38-2-355	61860:341-61860:341	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204230222	HOBBS T G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00118, 50FR51992-118, AA38-2-0346, AA38-2-346	61860:324-61860:326	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
9204230260	BLACK R E, CHRISTENSON R, AFFILIATION NOT ASSIGNED, SINAI SAMARITAN MEDICAL CENTER, MILWAUKEE, WI (FORMER	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00171, 50FR51992-171, AA38-2, AA38-2-0361, AA38-2-361	61860:353-61860:354	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230271	WRENN M E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00182, 50FR51992-182, AA38-2, AA38-2-0375, AA38-2-375	61861:086-61861:172	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	87
9204230280	ROHRIG N, AFFILIATION NOT ASSIGNED, BROOKHAVEN NATIONAL LABORATORY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00174, 50FR51992-174, AA38-2, AA38-2-0362, AA38-2-362	61860:355-61860:359	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	5
9204230292	JACOBSON N, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/08/1986		50FR51992, AA38-2, AA38-2-0363, AA38-2-363	61860:360-61860:362	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204230306	SPRINGER T J, MEDI-PHYSICS, INC.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00210, 50FR51992-210, AA38-2, AA38-2-0378, AA38-2-378	61861:184-61861:185	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204230324	KEISER H W, PENNSYLVANIA POWER & LIGHT CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00177, 50FR51992-177, AA38-2, AA38-2-0366, AA38-2-366, PLA-2640	61861:009-61861:012	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230331	FAY C W, WISCONSIN ELECTRIC POWER CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/08/1986		50FR51992-00180, 50FR51992-180, AA38-2, AA38-2-0368, AA38-2-368, VPMPD-86-206	61861:016- 61861:022	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	7
9204230337	EDELMAN M R, CLEVELAND ELECTRIC ILLUMINATING CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/08/1986		50FR51992-00181, 50FR51992-181, AA38-2, AA38-2-0369, AA38-2-369, PY-CEI-NRR-0459, PY-CEI-NRR-459	61861:023- 61861:029	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	7
9204240030	MILLER C P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00186, 50FR51992-186, AA38-2, AA38-2-0410, AA38-2-410	61862:001- 61862:001	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204240055	REISER N T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/08/1986		50FR51992-00187, 50FR51992-187, AA38-2, AA38-2-0411, AA38-2-411	61862:002- 61862:002	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204240069	DRAKE G A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/08/1986		50FR51992-00191, 50FR51992-191, AA38-2, AA38-2-0414, AA38-2-414	61862:005- 61862:005	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240110	STUCHINSKI V L, THREE MILE ISLAND ALERT	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/08/1986		50FR51992-00145, 50FR51992-145, AA38-2, AA38-2-0404, AA38-2-404	61861:298- 61861:300	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
9204270211	EDDINS G L, EDDINS R A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/08/1986		50FR51992-00312, 50FR51992-312, AA38-2, AA38-2-0571, AA38-2-571	61862:289- 61862:289	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8605230284	MCCULLOUGH E C, AMERICAN ASSOCIATION OF PHYSICISTS IN MEDICINE	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re revs to reflect most current dosimetry knowledge & techniques.Concept generally supported.Question exists re actual risk reduction to radiation workers.	05/08/1986	05/09/1986	AA38-2, AA38-2-0994, AA38-2-994	36079:145- 36079:147	PDR:PR-19- 50FR51992- 860508,PDR:P R//19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	3
8605230257	LAMBERT J P, KANSAS STATE UNIV., MANHATTAN, KS	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Proposed rules contain too much prof jargon for nonradiation worker.	05/08/1986	05/12/1986	AA38-2, AA38-2-0996, AA38-2-996	36069:306- 36069:306	PDR:PR-19- 50FR51992- 860508,PDR:P R//19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230259	KINNAMON K E, UNIFORMED SERVICES UNIV. OF HEALTH SCIENCES	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re storage of byproduct matl.Changes supported,especially deletion of certain reporting requirements & addition of definition of controlled areas.	05/08/1986	05/12/1986	AA38-2, AA38-2-1001	36069:304-36069:305	PDR:PR-19-50FR51992-860508,PDR:PR/19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	2
8605230261	PERRY N, SOUTH ALABAMA, UNIV. OF, MOBILE, AL	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rev to incorporate all sections re medical use of byproduct matl into 10CFR35 commended.	05/08/1986	05/12/1986	AA38-2, AA38-2-0998, AA38-2-998	36070:162-36070:162	PDR:PR-19-50FR51992-860508,PDR:PR/19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	1
8605230283	COOK H L, OHMART CORP.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule opposed. Clarifications of requirements for posting caution signs & parameters for measurement of external exposure requested.	05/08/1986	05/12/1986	AA38-2, AA38-2-0981, AA38-2-981	36072:360-36072:361	PDR:PR-19-50FR51992-860508,PDR:PR/19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230307	LANCOUR G W, UNITED TECHNOLOGIES CORP.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re natural thorium values.Inclusion of natural thorium value in App B & exemption of unfinished thoriated nickel engine parts from posting/labeling provisions requested.	05/08/1986	05/12/1986	AA38-2, AA38-2-0997, AA38-2-997	36072:091-36072:091	PDR:PR-19-50FR51992-860508,PDR:PR/19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	1
8606030214	SHABASON L, PENNSYLVANIA HOSP., PHILADELPHIA, PA	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection.Raising dose equivalent limit to 15 rem for eye praised,but logic for not raising limit to 30 rem as recommended by ICRP questioned.	05/08/1986	05/13/1986	AA38-2, AA38-2-1006	36195:119-36195:121	PDR:PR-19-50FR51992-860508,PDR:PR/19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	3
8605230223	GAUL W, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for radiation protection.Reg guides should be developed to describe manner in which legislation will be implemented for comment.	05/08/1986	05/13/1986	AA38-2, AA38-2-0984, AA38-2-984	36070:180-36070:183	PDR:PR-19-50FR51992-860508,PDR:PR/19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230254	DREY K, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds on radiation exposure for workers & general public.Licensee would have to make major changes to reduce potential external/deep dose rates.	05/08/1986	05/13/1986	AA38-2, AA38-2-1144	36069:341-36069:351	PDR:PR-19-50FR51992-860508,PDR:P R//19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	11
8605230276	WATSON I E, WATSON J E, HEALTH PHYSICS SOCIETY	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Supports proposed changes to have internal & external exposures summed.Mathematic al models should be revised.	05/08/1986	05/13/1986	AA38-2, AA38-2-0985, AA38-2-985	36069:271-36069:293	PDR:PR-19-50FR51992-860508,PDR:P R//19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	24
8606030102	SPRINGER T J, MEDI-PHYSICS, INC.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.ALARA concept supported,but financial & administrative burden not outweighed by derived benefit.	05/08/1986	05/14/1986		36192:284-36192:285	PDR:PR-19-50FR51992-860508,PDR:P R//19 50FR51992 860508,CF:SU BJ//L-4-1PT19 860508	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030180	MCLAUGHLIN J E, CALIFORNIA, UNIV. OF, LOS ANGELES, CA	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.Change would allow generation of more consistent exposure records.Combining external & internal exposure data improvement on present sys.	05/08/1986	05/16/1986	AA38-2, AA38-2-1023	36194:346-36194:348	PDR:PR-19-50FR51992-860508,PDR:PR/19 50FR51992 860508,CF:SU BJ/L-4-1PT19 860508	Publicly Available	3
8606120289	SOUTHARD M V, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Opposes proposed change in std for exposure of public & workers to 10 times amount of radiation currently legally allowable.	05/08/1986	05/30/1986	AA38-2, AA38-2-0999, AA38-2-999	36414:200-36414:201	PDR:PR-19-50FR51992-860529,PDR:PR/19 50FR51992 860529	Publicly Available	2
9204230130	SORENSEN G C, WASHINGTON PUBLIC POWER SUPPLY SYSTEM	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/09/1986		50FR51992-00155, 50FR51992-155, AA38-2, AA38-2-0353, AA38-2-353	61860:334-61860:336	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	3
9204230181	MASSE F, AFFILIATION NOT ASSIGNED, MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE,	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/09/1986		50FR51992-00201, 50FR51992-201, AA38-2, AA38-2-0372, AA38-2-372	61861:063-61861:068	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	6

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230199	SCOTT L M, AFFILIATION NOT ASSIGNED, LOUISIANA STATE UNIV., BATON ROUGE, LA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/09/1986		50FR51992-00166, 50FR51992-166, AA38-2, AA38-2-0358, AA38-2-358	61860:347-61860:348	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2
9204230245	NORTH D L, AFFILIATION NOT ASSIGNED, MIRIAM HOSP., PROVIDENCE, RI	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/09/1986		50FR51992-00169, 50FR51992-169, AA38-2, AA38-2-0360, AA38-2-360	61860:351-61860:352	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2
9204230283	FOX H E, FOX R H, FOX S H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/09/1986		50FR51992-00184, 50FR51992-184, AA38-2, AA38-2-0376, AA38-2-376	61861:173-61861:173	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204230295	QUIGG C, ILLINOIS SAFE ENERGY ALLIANCE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/09/1986		50FR51992-00175, 50FR51992-175, AA38-2, AA38-2-0364, AA38-2-364	61861:001-61861:005	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	5
9204230328	GEIGER W S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/09/1986		50FR51992-00178, 50FR51992-178, AA38-2, AA38-2-0367, AA38-2-367	61861:013-61861:015	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230330	MURPHY W P, VERMONT YANKEE NUCLEAR POWER CORP.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/09/1986		50FR51992-00212, 50FR51992-212, AA38-2, AA38-2- 0381, AA38-2-381	61861:188- 61861:189	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204240068	LEWIS M I, LEWIS, M.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/09/1986		50FR51992-00217, 50FR51992-217, AA38-2, AA38-2- 0384, AA38-2-384	61861:212- 61861:222	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	11
9204240080	WISSINK R G, AFFILIATION NOT ASSIGNED, MINNESOTA MINING & MANUFACTURING CO. (3M CO.)	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/09/1986		50FR51992-00141, 50FR51992-141, AA38-2, AA38-2- 0402, AA38-2-402	61861:280- 61861:291	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	12
9204240085	BOHLMAN J F, UNITED TRANSPORTATION UNION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/09/1986		50FR51992-00195, 50FR51992-195, AA38-2, AA38-2- 0416, AA38-2-416	61862:008- 61862:009	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204240128	MORRIS L, HEALTH PHYSICS SOCIETY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/09/1986		50FR51992-00198, 50FR51992-198, AA38-2, AA38-2- 0418, AA38-2-418	61862:012- 61862:016	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240129	BROWN R W, EMVMALCC	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/09/1986		50FR51992-00148, 50FR51992-148, AA38-2, AA38-2-0407, AA38-2-407	61861:315- 61861:323	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	9
9204240137	DOUGLAS M H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/09/1986		50FR51992-00221, 50FR51992-221, AA38-2, AA38-2-0387, AA38-2-387	61861:243- 61861:243	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204240195	CLARE W, WISCONSIN, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/09/1986		50FR51992-00230, 50FR51992-230, AA38-2, AA38-2-0393, AA38-2-393	61861:254- 61861:254	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204240224	HOCKER C L, HOCKER H M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/09/1986		50FR51992-00266, 50FR51992-266, AA38-2, AA38-2-0433, AA38-2-433	61862:089- 61862:090	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204240231	SIEBERT G W, DEFENSE, DEPT. OF	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/09/1986		50FR51992-00242, 50FR51992-242, AA38-2, AA38-2-0397, AA38-2-397	61861:259- 61861:266	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	8

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270041	GOLDEN R, LA FORCE N, EL CERRITO DEMOCRATIC CLUB, EL CERRITO, CA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	05/09/1986		50FR51992-00279, 50FR51992-279, AA38-2, AA38-2- 0474, AA38-2-474	61862:146- 61862:146	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270331	MILLER M J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	05/09/1986		50FR51992-00313, 50FR51992-313, AA38-2, AA38-2- 0572, AA38-2-572	61862:290- 61862:290	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8605230219	ABRAHAMSON S, HOBBS T G, RAO P S, AFFILIATION NOT ASSIGNED, UNIVERSITY HOSPS. OF CLEVELAND, CLEVELAND, OH, WISCONSIN, STATE OF	Package of three comments supporting proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70, "Stds for Protection Against Radiation."	05/09/1986	05/09/1986		36068:273- 36068:279	PDR:PR-19- 50FR51992- 860509,PDR:P R//19 50FR51992 860509	Publicly Available	7
8605230266	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	Notice of extension of time until 860912 for comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	05/09/1986	05/09/1986		36070:178- 36070:179	PDR:PR-19- 50FR51992- 860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230292	ATKINS C L, CADENA D G, GREGORY R D, IRWIN D, PLATOV M, RADCLIFFE T J, ROSINE D, TESTERMAN R, TOENJES C, WESCHER D, AFFILIATION NOT ASSIGNED, DESERT/PASS ACTION GROUP, PEACE EDUCATION CENTER, RADCLIFFE TECHNICAL SERVICE, SOUTHWEST RESEARCH INSTITUTE	Package of eight comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50,61 & 70 re increasing permissible levels of radiation for employees.	05/09/1986	05/09/1986		36072:079-36072:090	PDR:PR-19-50FR51992-860509,PDR:PR/19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	12
8605230227	KRAMER H H, ATOMIC INDUSTRIAL FORUM	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re std for protection against radiation.Some changes go beyond recommendations of ICRP 26 & ICRP 30 & may prove costly to implement.	05/09/1986	05/12/1986	AA38-2, AA38-2-0973, AA38-2-973	36068:227-36068:234	PDR:PR-19-50FR51992-860509,PDR:PR/19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	8

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230241	SINCLAIR W K, NATIONAL COUNCIL ON RADIATION PROTECTION & MEASUREMEN	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules opposed due to confusion in physical quantities on which regulations based & public limits being inconsistent w/recommendations.	05/09/1986	05/12/1986	AA38-2, AA38-2-0974, AA38-2-974	36072:237-36072:266	PDR:PR-19-50FR51992-860509,PDR:PR/19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	30
8605230258	THELIN L C, CINTICHEM, INC.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61, & 70. "Stds for Protection Against Radiation." Proposes that surface area for averaging skin dose be listed as 100 square centimeters.	05/09/1986	05/12/1986	AA38-2, AA38-2-0937, AA38-2-937	36069:354-36069:356	PDR:PR-19-50FR51992-860509,PDR:PR/19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	3
8605230265	BARETINCIC J M, INTERNATIONAL MINERALS & CHEMICAL CORP.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Expresses concern re proposal to reduce current MPC value for yellowcake.	05/09/1986	05/12/1986	AA38-2-0982, AA38-2-982	36069:357-36069:360	PDR:PR-19-50FR51992-860509,PDR:PR/19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230270	TSCHAECH A N, BENDIX FIELD ENGINEERING CORP.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70.Revs omit & address incompletely or unclearly listed items,including requirements for gamma irradiators & elimination of dose rate limits at restricted perimeters.	05/09/1986	05/12/1986	AA38-2, AA38-2-0936, AA38-2-936	36070:060-36070:071	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	12
8605230296	DUNFRUND F L, MCCAHILL J W, MCCHAHILL J W, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Agrees w/ background statement specifying when new regulations should be promulgated.	05/09/1986	05/12/1986	AA38-2, AA38-2-0972, AA38-2-972	36071:158-36071:174	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	17
8605230298	MALTER M M, MALTER, M.M.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re proposed rev to stds for protection against radiation.Permissible release levels should be based on radioactivity concentrations of each isotope.	05/09/1986	05/12/1986	AA38-2-1002	36071:156-36071:157	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230281	BERRY K W, CAROLINA POWER & LIGHT CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Costs of implementing proposed rule seriously underestimated by NRC.	05/09/1986	05/13/1986	AA38-2, AA38-2-1004	36079:148-36079:151	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	4
8606030086	LANGHORST S M, MISSOURI, UNIV. OF, COLUMBIA, MO	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re proposed changes to stds for protection against radiation.Favors updating regulations but requests extension of comment period.Questions re changes listed.	05/09/1986	05/14/1986		36184:359-36184:360	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	2
8606030133	DOUGLAS M H, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re rev to stds for protection against radiation.Opposes rules.	05/09/1986	05/14/1986		36194:075-36194:075	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030073	MCDONALD R P, ALABAMA POWER CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re incorporation of scientific info from ICRP 26 & ALARA program. Conditionally supports proposed rule. Emphasis on internal doses unwarranted.	05/09/1986	05/15/1986	AA38-2, AA38-2-1020, NT-86-0197, NT-86-197	36184:301-36184:306	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	6
8606030079	SIEBART G W, DEFENSE, DEPT. OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation. Proposed rule supported w/suggested clarifications.	05/09/1986	05/15/1986		36195:140-36195:147	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	8
8606030081	SMITH L R, E.I. DU PONT DE NEMOURS & CO., INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50, 61 & 70 re radiation protection stds. Page 1117, Paragraph 3 unnecessary. Proposal to base rule on recommendations expressed in ICRP Publications 26 & 30 endorsed.	05/09/1986	05/15/1986	AA38-2, AA38-2-1015	36195:128-36195:130	PDR:PR-19-50FR51992-860509,PDR:P R//19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030144	CLARE W, WISCONSIN, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.State requests 30-day extension for 860512 comment deadline.EIS should be prepared.	05/09/1986	05/15/1986		36194:008-36194:008	PDR:PR-19-50FR51992-860509,PDR:PR/1950FR51992860509,CF:SU BJ//L-4-1PT19860509	Publicly Available	1
8606030149	BRUNSON G W, SOUTH CAROLINA, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70, "Stds for Protection Against Radiation." Rules opposed, since proposed incorporation of broad changes not justified by cost benefit analysis.	05/09/1986	05/15/1986	AA38-2, AA38-2-1018	36193:289-36193:292	PDR:PR-19-50FR51992-860509,PDR:PR/1950FR51992860509,CF:SU BJ//L-4-1PT19860509	Publicly Available	4
8606030250	EISENHOWER E H, NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY (FORMERL	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re incorporation of ICRP 26 concepts,including dose equivalents.Recommendations from Scientific Committee 1 of NCRPM & EPA should be incorporated.	05/09/1986	05/15/1986	AA38-2, AA38-2-1019	36192:280-36192:283	PDR:PR-19-50FR51992-860509,PDR:PR/1950FR51992860509,CF:SU BJ//L-4-1PT19860509	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030229	BOOKER J E, GULF STATES UTILITIES CO.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules opposed due to lack of overall safety benefits to justify costs of implementing changes.	05/09/1986	05/16/1986	AA38-2, AA38-2-1021, RBG-23-679	36195:107-36195:108	PDR:PR-19-50FR51992-860509,PDR:PR/19 50FR51992 860509,CF:SU BJ//L-4-1PT19 860509	Publicly Available	2
9204240050	STROM D J, AFFILIATION NOT ASSIGNED, PITTSBURGH, UNIV. OF, PITTSBURGH, PA	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/10/1986		50FR51992-00135, 50FR51992-135, AA38-2, AA38-2-0399, AA38-2-399	61861:269-61861:271	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	3
9204240058	EDDLEMAN W, EDDLEMAN, W., NORTH CAROLINA CITIZENS RESEARCH GROUP	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/10/1986		50FR51992-00216, 50FR51992-216, AA38-2, AA38-2-0383, AA38-2-383	61861:196-61861:211	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	16
9204240160	BILLINGS J, DEMOCRATIC WOMEN'S ASSOCIATION OF THE DESERT	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/10/1986		50FR51992-00251, 50FR51992-251, AA38-2, AA38-2-0422, AA38-2-422	61862:037-61862:037	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030217	JOHNSON B, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70, "Stds for Protection Against Radiation." Rule opposed, since revised stds will result in increased exposure w/o requirements for direct measurement.	05/10/1986	05/15/1986	AA38-2-1010	36196:039-36196:042	PDR:PR-19-50FR51992-860510,PDR:PR//19 50FR51992 860510,CF:SU BJ//L-4-1PT19 860510	Publicly Available	4
8606030252	KENDALL W F, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re switching from dose-based to risk-based radiation stds.Recommendations listed.Comments NRC for implementation of 10CFR20 recommendations.	05/10/1986	05/15/1986		36196:033-36196:035	PDR:PR-19-50FR51992-860510,PDR:PR//19 50FR51992 860510,CF:SU BJ//L-4-1PT19 860510	Publicly Available	3
8606120294	WARNER J W, SENATE	Forwards comments on proposed rules 10CFR19,20,30,31,32,34, 40,50,61 & 70 re stds for protection against radiation. Assistance requested in review of correspondence & preparing rept on stated concerns.	05/10/1986	05/19/1986	22	36414:093-36414:094	PDR:PR-19-50FR51992-860514,PDR:PR//19 50FR51992 860514	Publicly Available	1
9204240152	COYLE D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/11/1986		50FR51992-00246, 50FR51992-246, AA38-2, AA38-2-0420, AA38-2-420	61862:032-61862:033	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240176	PLEASANTON A K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/11/1986		50FR51992-00228, 50FR51992-228, AA38-2, AA38-2-0391, AA38-2-391	61861:252-61861:252	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204240205	STEWART J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/11/1986		50FR51992-00231, 50FR51992-231, AA38-2, AA38-2-0394, AA38-2-394	61861:255-61861:255	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204240225	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/11/1986		50FR51992-00235, 50FR51992-235, AA38-2, AA38-2-0396, AA38-2-396	61861:257-61861:258	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2
8606030162	PLEASANTON A K, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re increase in acceptable level of radiation exposure to public & calculation of exposure factors.Proposed rules should be discussed in public hearings due to cancer risks.	05/11/1986	05/15/1986		36194:007-36194:007	PDR:PR-19-50FR51992-860511,PDR:PR/19 50FR51992 860511,CF:SU BJ//L-4-1PT19 860511	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204230148	BASKIN K P, SOUTHERN CALIFORNIA EDISON CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/12/1986		50FR51992-00199, 50FR51992-199, AA38-2, AA38-2-0370, AA38-2-370	61861:030-61861:057	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	28
9204230277	STRATTON K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00129, 50FR51992-129, AA38-2-0350, AA38-2-350	61860:330-61860:330	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204230293	BURNS L R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00133, 50FR51992-133, AA38-2-0352, AA38-2-352	61860:332-61860:333	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204230338	DRUM D E, BRIGHAM & WOMEN'S HOSP., BOSTON, MA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/12/1986		50FR51992-00215, 50FR51992-215, AA38-2, AA38-2-0382, AA38-2-382	61861:190-61861:195	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	6
9204240076	BEYEA J, AFFILIATION NOT ASSIGNED, NATIONAL AUDUBON SOCIETY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00192, 50FR51992-192, AA38-2, AA38-2-0415, AA38-2-415	61862:006-61862:007	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240078	SABO A T, WESTINGHOUSE ELECTRIC COMPANY, DIV OF CBS CORP.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/12/1986		50FR51992-00218, 50FR51992-218, AA38-2, AA38-2- 0385, AA38-2-385	61861:223- 61861:235	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	13
9204240096	KINGSLEY O D, MISSISSIPPI POWER & LIGHT CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/12/1986		50FR51992-00220, 50FR51992-220, AA38-2, AA38-2- 0386, AA38-2-386, AECM-86-0118, AECM-86-118	61861:236- 61861:242	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	7
9204240112	CAREY W E, AFFILIATION NOT ASSIGNED, OHIO STATE UNIV., COLUMBUS, OH	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00196, 50FR51992-196, AA38-2, AA38-2- 0417, AA38-2-417	61862:010- 61862:011	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204240120	ELDER J H, PLANK W, BEDFORD COUNTY ENVIRONMENTAL COMMITTEE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00146, 50FR51992-146, AA38-2, AA38-2- 0405, AA38-2-405	61861:301- 61861:304	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	4
9204240132	BASKIN K P, SOUTHERN CALIFORNIA EDISON CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/12/1986		50FR51992-00153, 50FR51992-153, AA38-2, AA38-2- 0408, AA38-2-408	61861:324- 61861:351	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	28

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240139	JOHNSON B J, MINNESOTA PUBLIC INTEREST RESEARCH GROUP	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00245, 50FR51992-245, AA38-2, AA38-2-0419, AA38-2-419	61862:017-61862:031	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	14
9204240147	KETCHUM W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00225, 50FR51992-225, AA38-2, AA38-2-0388, AA38-2-388	61861:244-61861:249	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	6
9204240164	WALHOUT J, AFFILIATION NOT ASSIGNED, ROCKFORD COLLEGE, ROCKFORD, IL	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00226, 50FR51992-226, AA38-2, AA38-2-0389, AA38-2-389	61861:250-61861:250	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204240174	KOESTER G L, KANSAS GAS & ELECTRIC CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/12/1986		50FR51992-00261, 50FR51992-261, AA38-2, AA38-2-0424, AA38-2-424, KMLNRC-86-088, KMLNRC-86-88	61862:044-61862:055	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	12
9204240184	LEESMAN S E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00229, 50FR51992-229, AA38-2, AA38-2-0392, AA38-2-392	61861:253-61861:253	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240237	FRISCO D C, AFFILIATION NOT ASSIGNED, COALITION FOR NUCLEAR POWER PLANT POSTPONEMENT	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/12/1986		50FR51992-00243, 50FR51992-243, AA38-2, AA38-2-0398, AA38-2-398	61861:267- 61861:268	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
9204240294	HARSHAW F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/12/1986		50FR51992-00269, 50FR51992-269, AA38-2, AA38-2-0436, AA38-2-436	61862:098- 61862:100	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
9204240303	SLATEN N G, AFFILIATION NOT ASSIGNED, UNION ELECTRIC CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/12/1986		50FR51992-00273, 50FR51992-273, AA38-2, AA38-2-0439, AA38-2-439	61862:106- 61862:107	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
9205110216	STRONG T R, WASHINGTON, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/12/1986		50FR51992-00259, 50FR51992-259, AA38-2-1096	61871:214- 61871:214	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8605230244	MASSE F, PITCHFORD T L, SORENSEN G C, AFFILIATION NOT ASSIGNED, MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE,, WASHINGTON PUBLIC POWER SUPPLY SYSTEM	Package of three comments on proposed rules 10CFR19,20,30, 31,32,34,40,50,61 & 70 re stds for protection against radiation.Significant extension of comment period recommended.	05/12/1986	05/12/1986		36072:223- 36072:236	PDR:PR-19- 50FR51992- 860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	14

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230248	DRAKE K D, PROFESSIONAL SERVICE INDUSTRIES, INC. (FORMERLY PTL-I	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection from radiation.Rev unnecessary & requirement for using radioactive matl costly.	05/12/1986	05/12/1986	AA38-2, AA38-2-0978, AA38-2-978	36070:195-36070:195	PDR:PR-19-50FR51992-860512,PDR:PR/1950FR51992860512,CF:SU BJ//L-4-1PT19860512	Publicly Available	1
8605230273	LINTON D W, LINTON O W, AMERICAN COLLEGE OF RADIOLOGY	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re exposure stds for individuals receiving ionizing radiation.Rules confusing,especially when alluding to ICRP 26 as basis for proposed changes.	05/12/1986	05/12/1986	AA38-2, AA38-2-0980, AA38-2-980	36069:297-36069:299	PDR:PR-19-50FR51992-860512,PDR:PR/1950FR51992860512,CF:SU BJ//L-4-1PT19860512	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230305	BASKIN K P, BURNS L R, DARRIGO D, ELDER J H, FAY C W, FISHER M, FREY L, FRIESEN B S, GEIGER W S, JACOBSON N, JOHNSON H S, LADD E M, MACNULTY J J, MADISON R, MCCRORY P H, NIEMAN D, PLANK W, QUIGG C, RIEDY R, SHOOP M, SKOLNICK F, SOUTHORD M V, STRATTON K, STUCHINSKI V L, SULIMA J K, THOMPSON F C, VANDERSEE U, WISSINK R G, WRENN M E, WRINKE M, ZELLER T, AFFILIATION NOT ASSIGNED, AUDUBON SOCIETY, BEDFORD, PA, CITIZENS ENERGY COUNCIL, CONCERNED CITIZENS FOR SNEC SAFETY, ILLINOIS SAFE ENERGY ALLIANCE, KANSAS, UNIV. OF, LAWRENCE, KS, LAND, INC., LOUISIANA, STATE OF, MINNESOTA MINING & MANUFACTURING CO. (3M CO.), NATIONAL ASSOCIATION OF	Package of 30 comments in opposition to proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re legalization of higher levels of exposure to ionizing radiation.Exam of evidence w/eye to shutting down entire technology suggested.	05/12/1986	05/12/1986		36071:193-36072:028	PDR:PR-19-50FR51992-860512,PDR:PR/19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	200

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230316	BLACK R E, BROWN R W, CHRISTENSON R, EDELMAN M R, KEISER H W, NORTH D L, ROHRIG N, SCOTT L, SCOTT L M, SLABACK L, STROM D J, VETTER R J, AFFILIATION NOT ASSIGNED, BROOKHAVEN NATIONAL LABORATORY, CLEVELAND ELECTRIC ILLUMINATING CO., LOUISIANA STATE UNIV., BATON ROUGE, LA, MALLINCKRODT, INC., MAYO CLINIC, ROCHESTER, MN, MIRIAM HOSP., PROVIDENCE, RI, PENNSYLVANIA POWER & LIGHT CO., PITTSBURGH, UNIV. OF, PITTSBURGH, PA, SINAI SAMARITAN MEDICAL CENTER, MILWAUKEE, WI (FORMER	Package of 10 comments supporting proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	05/12/1986	05/12/1986		36072:032-36072:078	PDR:PR-19-50FR51992-860512,PDR:PR/19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	47

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030031	KINGSLEY O D, MISSISSIPPI POWER & LIGHT CO.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.NRC should assist in developing training programs for licensees to understand & implement revised stds.	05/12/1986	05/14/1986	AECM-86-0118, AECM-86-118, AECM-86-1180	36183:232- 36183:238	PDR:PR-19- 50FR51992- 860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	7
8606030057	SABA A T, WESTINGHOUSE ELECTRIC COMPANY, DIV OF CBS CORP.	Comments in support of proposed rules 10CFR19,20,30,31,32, 34,40,50,61 & 70 re stds for protection against radiation.	05/12/1986	05/14/1986	LS&S-86-42	36183:202- 36183:214,14	PDR:PR-19- 50FR51992- 860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	13
8606030065	LEESMAN R E, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Public hearing & EIS requested before rule finalized.More stringent stds must be enforced.	05/12/1986	05/14/1986	AA38-2, AA38-2- 1007	36195:103- 36195:103	PDR:PR-19- 50FR51992- 860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030110	ZERR R M, NOTRE DAME, UNIV. OF, NOTRE DAME, IN	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Requiremen t that all packages containing radioactive matl be checked within 3 h of receipt unnecessary burden.	05/12/1986	05/14/1986	AA38-2, AA38-2-1008	36193:077-36193:078	PDR:PR-19-50FR51992-860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	2
8606030092	NAUMAN D A, SOUTH CAROLINA ELECTRIC & GAS CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for radiation protection.Supports rule w/reservations.Techn ical comments by EEI & AIF should be given serious consideration.	05/12/1986	05/15/1986	AA38-2, AA38-2-1012	36184:092-36184:092	PDR:PR-19-50FR51992-860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	1
8606030160	TOLAN J H, MISSOURI, UNIV. OF, COLUMBIA, MO	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Rules opposed. Proposed rev imposes undue economic burden on academic institution.	05/12/1986	05/15/1986	860509-1, AA38-2, AA38-2-1011	36195:105-36195:106	PDR:PR-19-50FR51992-860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030208	OTOOLE J D, CONSOLIDATED EDISON CO. OF NEW YORK, INC.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70, "Stds for Protection Against Radiation." Rule opposed. Focus on changes promoting consistency w/ICRP principles & cost benefit analysis for major revs recommended.	05/12/1986	05/15/1986	AA38-2, AA38-2-1016	36195:063- 36195:065	PDR:PR-19-50FR51992-860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	3
8606030228	SHIFFER J D, PACIFIC GAS & ELECTRIC CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Cost estimate validity questioned.Draft reg guides,technical positions & IE insp procedures should be provided.	05/12/1986	05/15/1986	AA38-2, AA38-2-1014, DCL-86-131	36195:034- 36195:041	PDR:PR-19-50FR51992-860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	8
8606030132	ENOS J T, ARKANSAS POWER & LIGHT CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection stds.Utilizing ICRP-2 methodology for calculating doses to general public while using ICRP-26 & 30 methodologies for worker doses creates double std.	05/12/1986	05/16/1986	OCAN058602, AA38-2, AA38-2-1022, CAN58602	36193:145- 36193:148	PDR:PR-19-50FR51992-860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030178	BATES A K, AFFILIATION NOT ASSIGNED, BATES, A.K.	Revises 860510 comments on proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re stds for protection against radiation.Rev corrects calculational errors in tables & figures.Stds should provide complete protection to public.	05/12/1986	05/16/1986	AA38-2, AA38-2- 1009	36193:308- 36193:337	PDR:PR-19- 50FR51992- 860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	29
8606030187	KOESTER G L, KANSAS GAS & ELECTRIC CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Complete set of reg guides should be developed & distributed for comment w/ proposed Part 20.	05/12/1986	05/19/1986	KMLNRC-86-088, KMLNRC-86-88	36195:334- 36195:345	PDR:PR-19- 50FR51992- 860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	12
8606030207	STRONG T R, WASHINGTON, STATE OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Recommen ds "de minimus" level for licensees possessing sealed sources.	05/12/1986	05/19/1986		36196:036- 36196:036	PDR:PR-19- 50FR51992- 860512,PDR:P R//19 50FR51992 860512,CF:SU BJ//L-4-1PT19 860512	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606120388	PELL C, SENATE	Requests response to encl comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re limits of permissible exposure of radiation for workers & public.EIS & public hearings should be required.	05/12/1986	05/19/1986		36415:201-36415:203	PDR:PR-19-50FR51992-860514,PDR:P R/19 50FR51992 860514	Publicly Available	3
9204230298	SALSBURY W C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/13/1986		50FR51992-00206, 50FR51992-206, AA38-2, AA38-2-0377, AA38-2-377	61861:174-61861:183	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	10
9204240093	FRIESEN B S, AFFILIATION NOT ASSIGNED, KANSAS, UNIV. OF, KANSAS CITY, KS	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/13/1986		50FR51992-00142, 50FR51992-142, AA38-2, AA38-2-0403, AA38-2-403	61861:292-61861:297	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	6
9204240208	MCKNIGHT J L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/13/1986		50FR51992-00265, 50FR51992-265, AA38-2, AA38-2-0426, AA38-2-426	61862:060-61862:060	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204240308	CHANDLER S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Supports rule.	05/13/1986		50FR51992-00296, 50FR51992-296, AA38-2, AA38-2-0432, AA38-2-432	61862:088-61862:088	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270057	BUSH T E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/13/1986		50FR51992-00281, 50FR51992-281, AA38-2, AA38-2-0476, AA38-2-476	61862:148-61862:148	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270063	SCOTT C M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/13/1986		50FR51992-00282, 50FR51992-282, AA38-2, AA38-2-0477, AA38-2-477	61862:149-61862:149	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270069	KHERA S S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports rule.	05/13/1986		50FR51992-00283, 50FR51992-283, AA38-2, AA38-2-0478, AA38-2-478	61862:153-61862:153	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9205110208	KOCHERY I A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/13/1986		50FR51992-00256, 50FR51992-256, AA38-2-1093	61871:211-61871:211	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9205110209	POTOCIK D P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Supports rules.	05/13/1986		50FR51992-00257, 50FR51992-257, AA38-2-1094	61871:212-61871:212	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8605230237	BASKIN K P, BEYEA J, BOHLMAN J F, CAREY W E, DRAKE G A, DURKIN M, FOX H E, FOX R H, FOX S H, MCCLEARY K J, MILLER C P, REISER N T, AFFILIATION NOT ASSIGNED, EMDDRAKE, NATIONAL AUDUBON SOCIETY, OHIO STATE UNIV., COLUMBUS, OH, SOUTHERN CALIFORNIA EDISON CO., UNITED TRANSPORTATION UNION	Package of 11 comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	05/13/1986	05/13/1986		36070:120-36070:160	PDR:PR-19-50FR51992-860513,PDR:PR/19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	41
8605230267	HAGER R, CHRISTIC INSTITUTE	Requests for formal on-the-record hearing & EIA on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	05/13/1986	05/13/1986	AA38-2, AA38-2-1005	36071:175-36071:192	PDR:PR-19-50FR51992-860513,PDR:PR/19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	11
8605230310	HAGER J, HAGGER J, MORRIS L, HEALTH PHYSICS SOCIETY, MIDDLE SOUTH SERVICES, INC.	Package of two comments supporting proposed revs to proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection.	05/13/1986	05/13/1986		36072:331-36072:340	PDR:PR-19-50FR51992-860513,PDR:PR/19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	10

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030189	FARRAR D, COMMONWEALTH EDISON CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Rule opposed, since major mods in dosimetry & recordkeeping programs required w/o corresponding improvements in health & safety.	05/13/1986	05/15/1986	1689K, AA38-2, AA38-2-1017	36195:298-36195:315	PDR:PR-19-50FR51992-860513,PDR:PR//19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	18
8606030170	NICHOLLS G P, NEW JERSEY, STATE OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70.Rule addresses general concerns of State of NJ Dept of Environ Protection petition (PRM-30-55).Petition withdrawn.	05/13/1986	05/16/1986	AA38-2, AA38-2-1025	36193:227-36193:227	PDR:PR-19-50FR51992-860513,PDR:PR//19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	1
8606030235	REECE W D, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61.& 70 re stds for radiation protection.Proposal to average skin dose over 10 square cm not in keeping w/recommendations of listed advisory groups.	05/13/1986	05/19/1986	AA38-2, AA38-2-1026	36194:106-36194:109	PDR:PR-19-50FR51992-860513,PDR:PR//19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606060101	ROE G B, BATTELLE MEMORIAL INSTITUTE, COLUMBUS LABORATORIES	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Addition of term, "very high radiation area," will require new postings in some segments of operation.	05/13/1986	05/19/1986	AA38-2, AA38-2-1030	36329:187-36329:189	PDR:PR-19-50FR51992-860513,PDR:PR//19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	3
8606060009	BIRON M A, AFFILIATION NOT ASSIGNED	Comments in support of proposed rules 10CFR19,20,30,31,32, 34,40,50,61 & 70 re stds for protection against radiation.	05/13/1986	05/22/1986	AA38-2, AA38-2-1034	36329:360-36329:360	PDR:PR-19-50FR51992-860513,PDR:PR//19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	1
8606060057	PICKETT R L, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules should be adopted as soon as possible.	05/13/1986	05/29/1986	AA38-2, AA38-2-1059	36329:246-36329:246	PDR:PR-19-50FR51992-860513,PDR:PR//19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	1
8606060055	CHANDLER S, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Adoption of proposed rev recommended.	05/13/1986	05/30/1986		36348:076-36348:076	PDR:PR-19-50FR51992-860513,PDR:PR//19 50FR51992 860513,CF:SU BJ//L-4-1PT19 860513	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240170	LANDRUM R E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/14/1986		50FR51992, AA38-2, AA38-2-0423, AA38-2-423	61862:038-61862:043	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	6
9204240327	CHEN S Y, AFFILIATION NOT ASSIGNED, CALSPAN CORP.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/14/1986		50FR51992-00274, 50FR51992-274, AA38-2, AA38-2-0440, AA38-2-440	61862:108-61862:109	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
9204240331	MARKOFF B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/14/1986		50FR51992-00275, 50FR51992-275, AA38-2, AA38-2-0441, AA38-2-441	61862:110-61862:110	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8606030236	BATES A, DRUM D E, EDDLEMAN W, LEWIS M I, MURPHY W P, RIEHM P F, AFFILIATION NOT ASSIGNED, BRIGHAM & WOMEN'S HOSP., BOSTON, MA, EDDLEMAN, W., KMC, INC., LEWIS, M., NATURAL RIGHTS CENTER, VERMONT YANKEE NUCLEAR POWER CORP.	Package of six comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	05/14/1986	05/14/1986		36193:001-36193:070	PDR:PR-19-50FR51992-860514,PDR:P R//19 50FR51992 860514,CF:SU BJ//L-4-1PT19 860514	Publicly Available	71

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606090255	BAXTER T A, SHAW, PITTMAN, POTTS & TROWBRIDGE	Comments on proposed rules 10CFR0 & 2 re rev to ex parte separation of functions rules applicable to formal adjudicatory proceedings. Extension of comment period to 860626 requested.	05/14/1986	05/15/1986	AA38-2, AA38-2-1013	36362:256-36362:257	PDR:PR-0-51FR10393-860514,PDR:PR/0 51FR10393 860514,CF:SU BJ//L-4-1PT0 860514	Publicly Available	2
8606060045	THRALL K M, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Reg guides should be developed describing manner in which NRC intends to implement proposed rules.	05/14/1986	05/19/1986	AA38-2, AA38-2-1029	36349:053-36349:063	PDR:PR-19-50FR51992-860514,PDR:PR/19 50FR51992 860514,CF:SU BJ//L-4-1PT19 860514	Publicly Available	11
8606120282	KAMMERER C, NRC OFFICE OF CONGRESSIONAL AFFAIRS (OCA)	Ack receipt of 860510 ltr forwarding V & G Hall comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection stds.Comments will be taken into account in preparation of final rule.	05/14/1986	05/19/1986		36414:092-36414:094	PDR:PR-19-50FR51992-860514,PDR:PR/19 50FR51992 860514,CF:SU BJ//L-4-1PT19 860514	Publicly Available	1
8606120348	KAMMERER C, NRC OFFICE OF CONGRESSIONAL AFFAIRS (OCA)	Ack receipt of 860512 ltr on behalf of constituent re proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 concerning limits of permissible exposure to radiation for workers & public.	05/14/1986	05/19/1986		36415:200-36415:203	PDR:PR-19-50FR51992-860514,PDR:PR/19 50FR51992 860514,CF:SU BJ//L-4-1PT19 860514	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606060015	KARPEN S M, ZACHAREK B S, NIAGARA MOHAWK POWER CORP.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.AIF comments endorsed.Little or no addl benefit of dose reduction provided to worker & excessive cost to implement cited.	05/14/1986	05/27/1986	AA38-2-1056	36349:067-36349:071	PDR:PR-19-50FR51992-860514,PDR:PR/19 50FR51992 860514,CF:SU BJ/L-4-1PT19 860514	Publicly Available	5
8608130285	KAMMERER C, NRC OFFICE OF CONGRESSIONAL AFFAIRS (OCA)	Ack receipt of 860507 ltr on behalf of constituent re proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re increase in radiation level to public,workers & environ. Constituent view will be considered in final rule.	05/14/1986	08/06/1986		37476:279-37476:279	PDR:PR-19-50FR51992-860731,PDR:PR/19 50FR51992 860731	Publicly Available	1
9204240214	SLAYMAKER J.P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	05/15/1986		50FR51992-00232, 50FR51992-232, AA38-2, AA38-2-0395, AA38-2-395	61861:256-61861:256	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204240270	BORCHERT H R, NEBRASKA, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/15/1986		50FR51992-00267, 50FR51992-267, AA38-2, AA38-2-0434, AA38-2-434	61862:092-61862:093	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240300	QUIGG C, ILLINOIS SAFE ENERGY ALLIANCE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/15/1986		50FR51992-00272, 50FR51992-272, AA38-2, AA38-2-0438, AA38-2-438	61862:103-61862:105	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
9204270111	STANSFIELD E, ECOLOGY CENTER OF SOUTHERN CALIFORNIA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/15/1986		50FR51992-00284, 50FR51992-284, AA38-2, AA38-2-0479, AA38-2-479	61862:154-61862:154	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9205110211	HERD E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/15/1986		50FR51992-00258, 50FR51992-258, AA38-2-1095	61871:213-61871:213	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9205110220	HORVATH K J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	05/15/1986		50FR51992-00260, 50FR51992-260, AA38-2-1097	61871:215-61871:215	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030191	BYE M, FRISCO D C, HIP D, KETCHUM W, LEESMAN S E, SLAYMAKER J P, STEWART J, WALHOUT J, AFFILIATION NOT ASSIGNED, CENTRAL BUCKS CLEAN ENERGY COLLECTIVE, DOYLESTOWN,, COALITION FOR NUCLEAR POWER PLANT POSTPONEMENT, ROCKFORD COLLEGE, ROCKFORD, IL	Package of eight comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re stds for protection against radiation.	05/15/1986	05/15/1986		36194:192- 36194:206	PDR:PR-19- 50FR51992- 860515,PDR:P R//19 50FR51992 860515,CF:SU BJ//L-4-1PT19 860515	Publicly Available	15
8606030190	MCGAUGHY R W, IES UTILITIES INC., (FORMERLY IOWA ELECTRIC LIGHT	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Entire rev to 10CFR20 major effort & unnecessary to provide adequate radiation protection.	05/15/1986	05/19/1986	AA38-2, AA38-2- 1027, NG-86-1618	36196:022- 36196:027	PDR:PR-19- 50FR51992- 860515,PDR:P R//19 50FR51992 860515,CF:SU BJ//L-4-1PT19 860515	Publicly Available	6
8606060085	RILEY R W, SOUTH CAROLINA, STATE OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Urges NRC to develop explanation of health physics calculations upon which proposed rules will be based.	05/15/1986	05/19/1986	AA38-2, AA38-2- 1028	36349:174- 36349:175	PDR:PR-19- 50FR51992- 860515,PDR:P R//19 50FR51992 860515,CF:SU BJ//L-4-1PT19 860515	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240284	WISENBURG M R, HOUSTON LIGHTING & POWER CO.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	05/16/1986		50FR51992-00268, 50FR51992-268, AA38-2, AA38-2-0435, AA38-2-435, ST-HL-AE-1669	61862:094- 61862:097	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	4
8606030223	BILLINGS J, COYLE D, JOHNSON B J, AFFILIATION NOT ASSIGNED, DEMOCRATIC WOMEN'S ASSOCIATION OF THE DESERT, MINNESOTA PUBLIC INTEREST RESEARCH GROUP	Package of three comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70, "Stds for Protection Against Radiation."	05/16/1986	05/16/1986		36195:001- 36195:017	PDR:PR-19- 50FR51992- 860516,PDR:P R//19 50FR51992 860516,CF:SU BJ//L-4-1PT19 860516	Publicly Available	17
8606060075	COOK K W, LOUISIANA POWER & LIGHT CO.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re protection against radiation.Use of ICRP-2 re calculating doses to general public & ICRP-26,30 re calculating doses to workers deemed double std.	05/16/1986	05/22/1986	AA38-2, AA38-2-1037	36348:049- 36348:053	PDR:PR-19- 50FR51992- 860516,PDR:P R//19 50FR51992 860516,CF:SU BJ//L-4-1PT19 860516	Publicly Available	5
8606060096	RAINS G C, AFFILIATION NOT ASSIGNED, MANASOTA-88	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re proposed revs to stds for protection against radiation.Revs unconscionable.EIS should be prepared & Congress should hold hearings to review stds.	05/18/1986	05/22/1986	AA38-2, AA38-2-1035	36349:077- 36349:077	PDR:PR-19- 50FR51992- 860518,PDR:P R//19 50FR51992 860518,CF:SU BJ//L-4-1PT19 860518	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240188	VILLA R, GENERAL ELECTRIC CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40; 50,61 & 70 re stds for protection against radiation.	05/19/1986		50FR51992, AA38-2, AA38-2-0425, AA38-2-425	61862:057-61862:059	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
9204270048	RANDIS M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	05/19/1986		50FR51992-00280, 50FR51992-280, AA38-2, AA38-2-0475, AA38-2-475	61862:147-61862:147	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8606030218	HERD E, HORVATH K J, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	05/19/1986	05/19/1986		36195:268-36195:270	PDR:PR-19-50FR51992-860519,PDR:P R//19 50FR51992 860519,CF:SU BJ//L-4-1PT19 860519	Publicly Available	3
8606030227	VILLA R, GENERAL ELECTRIC CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re loss of all ac power.Draft reg guide should be clarified to recognize availability & positive impact of BWR high pressure core spray sys.	05/19/1986	05/19/1986	MFN#038-86, MFN#38-86	36195:031-36195:033	PDR:PR-19-50FR51992-860519,PDR:P R//19 50FR51992 860519,CF:SU BJ//L-4-1PT19 860519	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606030242	KOCHERY I A, POTOCIK D P, AFFILIATION NOT ASSIGNED	Package of two comments supporting proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	05/19/1986	05/19/1986		36195:061-36195:062	PDR:PR-19-50FR51992-860519,PDR:PR/19 50FR51992 860519,CF:SU BJ//L-4-1PT19 860519	Publicly Available	2
8606060061	BORCHERT H R, HOCKER C L, HOCKER H M, MARKOFF B, QUIGG C, SLATEN N G, AFFILIATION NOT ASSIGNED, ILLINOIS SAFE ENERGY ALLIANCE, NEBRASKA, STATE OF, UNION ELECTRIC CO.	Package of five comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50,61 & 70 re proposed std for protection against radiation.	05/19/1986	05/19/1986		36329:236-36329:245	PDR:PR-19-50FR51992-860519,PDR:PR/19 50FR51992 860519	Publicly Available	10
8606060071	CHEN S, HARSHAW F, MCKNIGHT J L, WISENBURG M R, AFFILIATION NOT ASSIGNED, CALSPAN CORP., HOUSTON LIGHTING & POWER CO.	Package of four comments supporting proposed rules 10CFR19, 20,30,31,32,34,40,50,61 & 70 re std for protection against radiation.	05/19/1986	05/19/1986		36328:190-36328:199	PDR:PR-19-50FR51992-860519,PDR:PR/19 50FR51992 860519,CF:SU BJ//L-4-1PT19 860519	Publicly Available	10
8606060002	SMIALEK L J, AFFILIATION NOT ASSIGNED	Comments in support of proposed rules 10CFR19,20,30,31,32, 34,40,50,61 & 70 re stds for protection against radiation.	05/19/1986	05/22/1986	AA38-2, AA38-2-1036	36329:337-36329:358	PDR:PR-19-50FR51992-860519,PDR:PR/19 50FR51992 860519,CF:SU BJ//L-4-1PT19 860519	Publicly Available	22

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606060025	BUSH T E, KHERA S S, SCOTT C M, AFFILIATION NOT ASSIGNED	Package of three comments supporting proposed rules 10CFR19, 20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules should be adopted as written as soon as possible.	05/21/1986	05/21/1986		36349:001-36349:003	PDR:PR-19-50FR51992-860521,PDR:PR//19 50FR51992 860521,CF:SU BJ//L-4-1PT19 860521	Publicly Available	3
8606060103	GOLDEN R, LA FORCE N, RANDIS M, STANDSFIELD E, AFFILIATION NOT ASSIGNED, ECOLOGY CENTER OF SOUTHERN CALIFORNIA, EL CERRITO DEMOCRATIC CLUB, EL CERRITO, CA	Package of three comments opposing proposed rules 10CFR19, 20,30,31,32,40,50,61 & 70 re stds for protection against radiation.Public hearing should be held & EIS prepared before rules finalized.	05/21/1986	05/21/1986	8620521	36349:149-36349:151	PDR:PR-19-50FR51992-860521,PDR:PR//19 50FR51992 860521,CF:SU BJ//L-4-1PT19 860521	Publicly Available	6
8606060022	JACOBI L R, POLLARD C G, TEXAS, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radioactive matl monitoring.Recommen dations listed, including 3-yr implementation plan,amend to last sentence in Section 20.703(a)(1) & relaxation of 10CFR20,App C.	05/22/1986	05/28/1986	AA38-2, AA38-2-1057	36349:007-36349:009	PDR:PR-19-50FR51992-860522,PDR:PR//19 50FR51992 860522,CF:SU BJ//L-4-1PT19 860522	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606060054	SAMMONS J H, AMERICAN MEDICAL ASSOCIATION	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Adoption of rules urged w/listed revs to Subsections 20.1005(a) & (b) re disposal of specific wastes.	05/22/1986	05/29/1986	AA38-2, AA38-2-1058	36349:072-36349:075	PDR:PR-19-50FR51992-860522,PDR:PR/19 50FR51992 860522,CF:SU BJ//L-4-1PT19 860522	Publicly Available	4
8606060007	COHEN A G, AFFILIATION NOT ASSIGNED	Comments in opposition to proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Nuclear power unsafe at any speed.	05/23/1986	05/27/1986	AA38-2, AA38-2-1038	36329:335-36329:336	PDR:PR-19-50FR51992-860523,PDR:PR/19 50FR51992 860523,CF:SU BJ//L-4-1PT19 860523	Publicly Available	2
9204240158	GEIGER E L, AFFILIATION NOT ASSIGNED, THERMO ELECTRON CORP.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Supports rule.	05/29/1986		50FR51992-00298, 50FR51992-298, AA38-2, AA38-2-0427, AA38-2-427	61862:062-61862:063	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606120273	PALLADINO N J, NRC COMMISSION (OCM)	Expresses appreciation for handwritten note expanding on formal comments on proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re stds for protection against radiation. Handwritten comments & reply placed into public docket.	05/29/1986	05/30/1986		36414:199-36414:201	PDR:PR-19-50FR51992-860529,PDR:PR/19 50FR51992 860529,CF:SU BJ/L-4-1PT19 860529	Publicly Available	1
8610200312	CHAN D W, DANNA R, DAVIS J P, DONOVAN M, OZTUNALI O I, PALMER J A, PALMER J V, PARRISH B R, EBASCO SERVICES, INC., GENERAL PHYSICS CORP.	"Evaluation of Potential for Deregulated Disposal of Very Low Wastes From Nuclear Power Plants."	05/31/1986	10/07/1986	AA38-2-1078, AIF-NESP-035, AIF-NESP-35	38302:261-38303:124	PDR:PR-19-50FR51992-861006,PDR:PR/19 50FR51992 861006	Publicly Available	200
9204240175	MUSOLINO S V, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	06/02/1986		50FR51992-00299, 50FR51992-299, AA38-2, AA38-2-0428, AA38-2-428	61862:064-61862:065	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606060129	BOICE J D, GEIGER E L, HEALTH & HUMAN SERVICES, DEPT. OF, U.S. PUBLIC HEALTH, THERMO ELECTRON CORP.	Package of two comments on proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re stds for protection against radiation.HEW proposes licensees rept individual doses.Mfg endorses procedures limiting dose to embryo/fetus.	06/02/1986	06/02/1986	AA38-2, AA38-2-1060	36349:090-36349:093	PDR:PR-19-50FR51992-860602,PDR:PR//19 50FR51992 860602,CF:SU BJ//L-4-1PT19 860602	Publicly Available	4
8606120060	MUSOLINO S V, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Max permissible body burden should never be related to corresponding annual dose equivalent limit.	06/02/1986	06/05/1986		36414:195-36414:196	PDR:PR-19-50FR51992-860602,PDR:PR//19 50FR51992 860602,CF:SU BJ//L-4-1PT19 860602	Publicly Available	2
8606120306	BARBER R W, ENERGY, DEPT. OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Supports effort to revise basic stds.Consistency in terminology of NRC regulations recommended.	06/03/1986	06/05/1986	AA38-2, AA38-2-0987, AA38-2-987	36413:132-36413:141	PDR:PR-19-50FR51992-860603,PDR:PR//19 50FR51992 860603,CF:SU BJ//L-4-1PT19 860603	Publicly Available	10

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606190384	BROWN D, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation. Justification for reduction in dose not provided & cost effective means of implementation not apparent.	06/03/1986	06/13/1986	AA38-2, AA38-2-1041	36608:187-36608:199	PDR:PR-19-50FR51992-860603,PDR:PR/19 50FR51992 860603,CF:SU BJ//L-4-1PT19 860603	Publicly Available	13
9204240201	ZIMMERMAN S R, CAROLINA POWER & LIGHT CO.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	06/06/1986		50FR51992-00303, 50FR51992-303, AA38-2, AA38-2-0429, AA38-2-429, NLS-86-169	61862:066-61862:074	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	9
8606090353	, NRC OFFICE OF THE SECRETARY (SECY)	Advises recipients of comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 that Comments 205,234,253 & 264 miscoded. Numbers will not be used again.	06/06/1986	06/06/1986		36372:355-36372:355	PDR:PR-19-50FR51992-860606,PDR:PR/19 50FR51992 860606,CF:SU BJ//L-4-1PT19 860606	Publicly Available	1
8606120188	SMITH C W, SOUTH DAKOTA, STATE OF	Comments in opposition to proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiology machine operator training. Nonqualified individuals operate machines & over radiate thousands of people on daily basis.	06/06/1986	06/09/1986	AA38-2, AA38-2-1039	36414:255-36414:255	PDR:PR-19-50FR51992-860606,PDR:PR/19 50FR51992 860606,CF:SU BJ//L-4-1PT19 860606	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606190322	ZIMMERMAN S R, ZIMMERSON S R, CAROLINA POWER & LIGHT CO.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection.Benefit not justified by cost of implementation of proposed rule.Revs would benefit society.	06/06/1986	06/12/1986	NLS-86-169	36608:086-36608:094	PDR:PR-19-50FR51992-860606,PDR:PR/19 50FR51992 860606,CF:SU BJ//L-4-1PT19 860606	Publicly Available	9
8606120369	, NRC OFFICE OF THE SECRETARY (SECY)	Advises that Comment 285 on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 incorrectly coded & will not be used again.	06/09/1986	06/09/1986		36415:046-36415:046	PDR:PR-19-50FR51992-860609,PDR:PR/19 50FR51992 860609,CF:SU BJ//L-4-1PT19 860609	Publicly Available	1
8606190137	TIERNAN J A, BALTIMORE GAS & ELECTRIC CO.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Opposes rules. Present regulations provide adequate protection for health & safety of workers & public.	06/09/1986	06/11/1986	AA38-2, AA38-2-1040	36610:103-36610:114	PDR:PR-19-50FR51992-860609,PDR:PR/19 50FR51992 860609,CF:SU BJ//L-4-1PT19 860609	Publicly Available	12

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8606190244.	GOLDSMITH R, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rule opposed, since reporting requirements facilitating epidemiologic study of commercial power plant workers not included.	06/10/1986	06/16/1986	AA38-2-1043	36610:178-36610:179	PDR:PR-19-50FR51992-860610,PDR:PR/19 50FR51992 860610,CF:SU. BJ//L-4-1PT19 860610	Publicly Available	2
8606190314	LOUX R R, NEVADA, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70, "Stds for Protection Against Radiation." Rule supported. Concept of limiting exposures to summation of risk estimates consistent w/recommendations of ICRP.	06/11/1986	06/16/1986	AA38-2, AA38-2-1042	36608:172-36608:176	PDR:PR-19-50FR51992-860611,PDR:PR/19 50FR51992 860611,CF:SU BJ//L-4-1PT19 860611	Publicly Available	5
8607090059	JENKINS E J, AFFILIATION NOT ASSIGNED	Comments on proposed rules,10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection.Rule opposed.Concern expressed re biological effects of ionizing radiation. Religious objections also cited.	06/17/1986	06/23/1986		36924:220-36924:222	PDR:PR-19-50FR51992-860617,PDR:PR/19 50FR51992 860617,CF:SU BJ//L-4-1PT19 860617	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8607010297	PALLADINO N J, NRC COMMISSION (OCM)	Responds to 860515 ltr re suggestion for improving public understanding of proposed rev to 10CFR20. Suggestion for expanded explanation of health physics calculations will be considered in preparation of final rule.	06/19/1986			36837:254-36837:256	PDR:COMMS-NRCC-CORRESPONDENCE860619 ,PDR:COMMS/NRCC/CORRESPONDENCE860619	Publicly Available	3
8608010253	GIBSON J A, AERE HARWELL	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation limits allowed from plants. Mixture of old & new units confusing. Complete version suggested.	06/27/1986	07/25/1986	AA38-2, AA38-2-0988, AA38-2-988	37339:183-37339:183	PDR:PR-19-50FR51992-860627,PDR:PR/19 50FR51992 860627,CF:SU BJ/L-4-1PT19 860627	Publicly Available	1
8607090313	FLOOD J R, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70. Regulation does not contain limits for contamination on items or property released for unrestricted use. Issue needs to be resolved.	07/02/1986	07/07/1986	AA38-2, AA38-2-1044	36925:215-36925:227	PDR:PR-19-50FR51992-860702,PDR:PR/19 50FR51992 860702,CF:SU BJ/L-4-1PT19 860702	Publicly Available	13

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8607140138	BARNUM E C, EDDINS G L, EDDINS R A, MILLER M J, WILLIAMS R, AFFILIATION NOT ASSIGNED, UNION OIL CO. OF CALIFORNIA (DBA UNOCAL)	Package of four comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re relaxing requirements for protection of individuals exposed to ionizing radiation.	07/09/1986	07/09/1986		36989:189-36989:206	PDR:PR-19-50FR51992-860709,PDR:PR//19 50FR51992 860709,CF:SU BJ//L-4-1PT19 860709	Publicly Available	17
8607140234	BALASHAS M, DEWEY H S, GORDON F, GRAZIA B, GREY J, HALE G, HARRIS F, NELSON B, REYNOLDS H, REYNOLDS T, THOMAS T, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules opposed. Public understanding of dosage guidelines would be complicated & permissible concentration levels increased.	07/10/1986	07/10/1986	AA38-2-0968	36990:039-36990:039	PDR:PR-19-50FR51992-860710,PDR:PR//19 50FR51992 860710,CF:SU BJ//L-4-1PT19 860710	Publicly Available	1
9204270440	RUTTER V B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	07/18/1986		50FR51992-00332, 50FR51992-332, AA38-2, AA38-2-0584, AA38-2-584	61862:302-61862:302	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1
8607240251	FARNSWORTH J K, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation exposure.Radiation levels should be lowered due to cumulative effects of radiation.	07/18/1986	07/21/1986	AA38-2, AA38-2-0969, AA38-2-969	37226:032-37226:032	PDR:PR-19-50FR51992-860718,PDR:PR//19 50FR51992 860718,CF:SU BJ//L-4-1PT19 860718	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8607250088	MORIN C J, AFFILIATION NOT ASSIGNED, INDUSTRIAL SAFETY EQUIPMENT ASSOCIATION	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation. Clarification of requirement for testing respirators for operability prior to each use needed.	07/21/1986	07/23/1986	AA38-2, AA38-2-0970, AA38-2-970	37241:118-37241:124	PDR:PR-19-50FR51992-860721,PDR:PR/19 50FR51992 860721,CF:SU BJ//L-4-1PT19 860721	Publicly Available	7
8608010195	BAUMAN M, AFFILIATION NOT ASSIGNED	Comments opposing proposed rules 10CFR19,20,30,31,32, 34,40,50,61 & 70 re raising limits for acceptable level of radiation exposure. Risk too great.	07/21/1986	07/24/1986	AA38-2, AA38-2-0971, AA38-2-971	37335:159-37335:159	PDR:PR-19-50FR51992-860721,PDR:PR/19 50FR51992 860721,CF:SU BJ//L-4-1PT19 860721	Publicly Available	1
9204270366	EDWARDS C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	07/23/1986		50FR51992-00324, 50FR51992-324, AA38-2, AA38-2-0577, AA38-2-577	61862:295-61862:295	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8608010254	POST D, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re allowable radiation limits from plants. Lower limits urged.	07/23/1986	07/25/1986		37339:199-37339:202	PDR:PR-19-50FR51992-860723,PDR:PR/19 50FR51992 860723,CF:SU BJ//L-4-1PT19 860723	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270334	COTE N, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	07/24/1986		50FR51992-00317, 50FR51992-317, AA38-2, AA38-2-0573, AA38-2-573	61862:291-61862:291	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270423	BROERSMA D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	07/24/1986		50FR51992-00330, 50FR51992-330, AA38-2, AA38-2-0582, AA38-2-582	61862:300-61862:300	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8607250113	COTE N, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Low level radiation should be less than 10.Continued use & development of nuclear industry short-sighted.	07/24/1986	07/24/1986		37239:243-37239:243	PDR:PR-19-50FR51992-860724,PDR:P R//19 50FR51992 860724,CF:SU BJ//L-4-1PT19 860724	Publicly Available	1
8608010239	DARRIGO D, NUCLEAR INFORMATION & RESOURCE SERVICE	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Public hearings should be held & EIS should be issued.	07/25/1986	07/28/1986	AA38-2, AA38-2-0989, AA38-2-989	37339:167-37339:168	PDR:PR-19-50FR51992-860725,PDR:P R//19 50FR51992 860725,CF:SU BJ//L-4-1PT19 860725	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270351	GREENFIELD M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	07/26/1986		50FR51992-00322, 50FR51992-322, AA38-2, AA38-2-0575, AA38-2-575	61862:293-61862:293	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270342	YOUNG A E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	07/28/1986		50FR51992-00320, 50FR51992-320, AA38-2, AA38-2-0574, AA38-2-574	61862:292-61862:292	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270357	JOYCE K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	07/28/1986		50FR51992-00323, 50FR51992-323, AA38-2, AA38-2-0576, AA38-2-576	61862:294-61862:294	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270373	TRACOKAS M G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	07/28/1986		50FR51992-00325, 50FR51992-325, AA38-2, AA38-2-0578, AA38-2-578	61862:296-61862:296	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270378	SHELTON P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	07/28/1986		50FR51992-00326, 50FR51992-326, AA38-2, AA38-2-0579, AA38-2-579	61862:297-61862:297	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8608010233	EDWARDS C, GREENFIELD M, JOYCE K, TEACOKAS M G, TRACOKAS M G, YOUNG A E, AFFILIATION NOT ASSIGNED	Package of five comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	07/28/1986	07/28/1986		37339:277-37339:281	PDR:PR-19-50FR51992-860728,PDR:P R//19 50FR51992 860728,CF:SU BJ//L-4-1PT19 860728	Publicly Available	5
9204270444	OLANDER R E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	07/30/1986		50FR51992-00333, 50FR51992-333, AA38-2-0585, AA38-2-585	61862:303-61862:303	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280182	HIMMELFARB J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	07/30/1986		50FR51992-00334, 50FR51992-334, AA38-2, AA38-2-0693, AA38-2-693	61863:153-61863:153	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8608130261	KLINE J R, NRC ATOMIC SAFETY & LICENSING BOARD PANEL (ASLBP)	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re special radiation dose limit to protect embryo/fetus. Proposed rule may cause unwarranted intrusion on private rights of women & conflict w/Roe v Wade re abortion.	07/30/1986	08/01/1986	AA38-2, AA38-2-0990, AA38-2-990	37479:106-37479:113	PDR:PR-19-50FR51992-860730,PDR:P R//19 50FR51992 860730,CF:SU BJ//L-4-1PT19 860730	Publicly Available	8

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270387	LEONARD A J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	07/31/1986		50FR51992-00327, 50FR51992-327, AA38-2, AA38-2-0580, AA38-2-580	61862:298- 61862:298	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270402	BLOOM P, CALDERON C, CONLY L, NUCLEAR-FREE BERKELEY COMMITTEE	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	07/31/1986		50FR51992-00328, 50FR51992-328, AA38-2, AA38-2-0581, AA38-2-581	61862:299- 61862:299	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280195	THOMAS J A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	07/31/1986		50FR51992-00335, 50FR51992-335, AA38-2, AA38-2-0694, AA38-2-694	61863:154- 61863:154	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8608040094	LEONARD A J, SHELTON P, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re effects of low level exposure to nuclear radiation.Changes would allow up to tenfold greater exposure in some instances.	07/31/1986	07/31/1986		37352:081- 37352:083	PDR:PR-19-50FR51992-860731,PDR:P R//19 50FR51992 860731,CF:SU BJ//L-4-1PT19 860731	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8608130273	KASTENMEIER R, HOUSE OF REP.	Requests response to 860507 ltr re request for info concerning proposed rules 10CFR19,20,30,31,32,34,40,50,61, & 70,increasing acceptable radiation exposure to public, workers & environ.	07/31/1986	08/06/1986		37476:278-37476:281	PDR:PR-19-50FR51992-860731,PDR:PR/19 50FR51992 860731,CF:SU BJ//L-4-1PT19 860731	Publicly Available	1
9204270431	DAY M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/01/1986		50FR51992-00331, 50FR51992-331, AA38-2, AA38-2-0583, AA38-2-583	61862:301-61862:301	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8608130231	BROERSMA D, DAY M, HIMMELFARB J, OLANDER R E, RUTTER V B, AFFILIATION NOT ASSIGNED	Package of five comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation exposure levels.	08/01/1986	08/01/1986		37479:250-37479:254	PDR:PR-19-50FR51992-860801,PDR:PR/19 50FR51992 860801,CF:SU BJ//L-4-1PT19 860801	Publicly Available	5
9204280201	EVINGER L K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/04/1986		50FR51992-00336, 50FR51992-336, AA38-2, AA38-2-0695, AA38-2-695	61863:155-61863:156	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280204	FRANK J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/05/1986		50FR51992-00338, 50FR51992-338, AA38-2, AA38-2-0696, AA38-2-696	61863:157-61863:157	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8608130283	NORMAN B K, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection.Changes in stds should be considered to reduce & eliminate radiation emissions from nuclear sources.	08/05/1986	08/08/1986	AA38-2, AA38-2-0903, AA38-2-903	37479:129-37479:129	PDR:PR-19-50FR51992-860805,PDR:P R//19 50FR51992 860805,CF:SU BJ//L-4-1PT19 860805	Publicly Available	1
8608130236	EVINGER L K, THOMAS J, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 allowing nuclear plants to increase level of radiation exposure to public,workers & environ.	08/06/1986	08/06/1986		37479:255-37479:257	PDR:PR-19-50FR51992-860806,PDR:P R//19 50FR51992 860806,CF:SU BJ//L-4-1PT19 860806	Publicly Available	3
9204280220	ESSERMAN R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/07/1986		50FR51992-00342, 50FR51992-342, AA38-2, AA38-2-0700, AA38-2-700	61863:161-61863:161	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280205	GUENTHER R, SIERRA CLUB	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/08/1986		50FR51992-00339, 50FR51992-339, AA38-2, AA38-2-0697, AA38-2-697	61863:158-61863:158	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280279	CLARKE R, AFFILIATION NOT ASSIGNED, ALBERT EINSTEIN MEDICAL CENTER, PHILADELPHIA, PA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/08/1986		50FR51992-00351, 50FR51992-351, AA38-2, AA38-2-0708, AA38-2-708	61863:170-61863:170	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8609030122	CLAH R, AFFILIATION NOT ASSIGNED	Comments in opposition to proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re stds for public exposure to radiation.	08/08/1986	08/21/1986		37701:005-37701:005	PDR:PR-19-50FR51992-860808,PDR:PR/19 50FR51992 860808,CF:SU BJ//L-4-1PT19 860808	Publicly Available	1
9204280225	SCHRADER D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/10/1986		50FR51992-00343, 50FR51992-343, AA38-2, AA38-2-0701, AA38-2-701	61863:162-61863:162	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280212	DAVIS J, AFFILIATION NOT ASSIGNED, EARTH FIRST!	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/11/1986		50FR51992-00340, 50FR51992-340, AA38-2, AA38-2-0698, AA38-2-698	61863:159-61863:159	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280232	CHAPLICK J M, AFFILIATION NOT ASSIGNED, SIERRA CLUB	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	08/11/1986		50FR51992-00344, 50FR51992-344, AA38-2, AA38-2- 0702, AA38-2-702	61863:163- 61863:164	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
9204280235	HUDSON S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/11/1986		50FR51992-00345, 50FR51992-345, AA38-2, AA38-2- 0703, AA38-2-703	61863:165- 61863:165	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8608140317	DAVIS J, FRANK J, GUENTHER R, AFFILIATION NOT ASSIGNED, EARTH FIRST!, SIERRA CLUB	Package of three comments opposing proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re increased levels of low level radiation to public,workers & environ.	08/11/1986	08/11/1986		37490:330- 37490:332	PDR:PR-19- 50FR51992- 860811,PDR:P R//19 50FR51992 860811,CF:SU BJ//L-4-1PT19 860811	Publicly Available	3
8608220178	CHAPLICK J M, SIERRA CLUB	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Public hearing & environ interest statement requested before regulation finalized.	08/11/1986	08/14/1986		37611:067- 37611:068	PDR:PR-19- 50FR51992- 860811,PDR:P R//19 50FR51992 860811,CF:SU BJ//L-4-1PT19 860811	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280215	DOYE S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/12/1986		50FR51992-00340, 50FR51992-340, AA38-2, AA38-2-0699, AA38-2-699	61863:160-61863:160	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280246	SCHWARTZ R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/12/1986		50FR51992-00347, 50FR51992-347, AA38-2, AA38-2-0705, AA38-2-705	61863:167-61863:167	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8608140287	DAYE S, ESSERMAN R, SCHRADER D, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed changes to 10CFR19,20,30,31,32,34,40,50,61 & 70 to raise level of acceptable exposure to low level radiation.EPA rule should be adopted for all radiation licenses.	08/12/1986	08/12/1986		37490:333-37490:335	PDR:PR-19-50FR51992-860812,PDR:PR/19 50FR51992 860812,CF:SU BJ//L-4-1PT19 860812	Publicly Available	3
9204280251	PALLEY M K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/14/1986		50FR51992-00348, 50FR51992-348, AA38-2, AA38-2-0706, AA38-2-706	61863:168-61863:168	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280256	JAMES R F, JAMES Y S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/14/1986		50FR51992-00349, 50FR51992-349, AA38-2, AA38-2-0707, AA38-2-707	61863:169-61863:169	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280243	MOSTEK I L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/15/1986		50FR51992-00346, 50FR51992-346, AA38-2, AA38-2-0704, AA38-2-704	61863:166-61863:166	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8608220095	HUDSON S, MOSTEK I L, SCHWARTZ R, AFFILIATION NOT ASSIGNED	Package of three comments in opposition to proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	08/15/1986	08/15/1986		37612:121-37612:123,37612:133-37612:134	PDR:PR-19-50FR51992-860815,PDR:PR/19 50FR51992 860815,CF:SU BJ//L-4-1PT19 860815	Publicly Available	3
9204280351	REID D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/16/1986		50FR51992-00352, 50FR51992-352, AA38-2, AA38-2-0709, AA38-2-709	61863:171-61863:172	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8608220103	SALNIKER A R, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re changes in allowable radiation exposure limits for workers & public.Opposes change.Requests public hearing & EIS before any action taken.	08/16/1986	08/19/1986	AA38-2, AA38-2-0904, AA38-2-904	37612:073-37612:073	PDR:PR-19-50FR51992-860816,PDR:PR//19 50FR51992 860816,CF:SU BJ//L-4-1PT19 860816	Publicly Available	1
8609030119	BYRNES M C, AFFILIATION NOT ASSIGNED	Requests text of proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re restrictions on radiation exposure from nuclear plants.	08/16/1986	08/21/1986		37700:275-37700:275	PDR:PR-19-50FR51992-860816,PDR:PR//19 50FR51992 860816,CF:SU BJ//L-4-1PT19 860816	Publicly Available	1
9204280353	STAFFORD D B, STAFFORD M P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/18/1986		50FR51992-00353, 50FR51992-353, AA38-2, AA38-2-0710, AA38-2-710	61863:173-61863:173	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1
9204280361	HIFT H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/18/1986		50FR51992-00355, 50FR51992-355, AA38-2, AA38-2-0712, AA38-2-712	61863:175-61863:175	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280372	WILLIFORD C C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/18/1986		50FR51992-00358, 50FR51992-358, AA38-2, AA38-2-0715, AA38-2-715	61863:178-61863:178	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280376	SALACH T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/18/1986		50FR51992-00361, 50FR51992-361, AA38-2, AA38-2-0718, AA38-2-718	61863:181-61863:181	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8608220138	JAMES R F, JAMES Y S, PALLEY M K, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 increasing acceptable levels of radiation exposure for public & plant workers.	08/18/1986	08/18/1986		37611:122-37611:123	PDR:PR-19-50FR51992-860818,PDR:P R/19 50FR51992 860818,CF:SU BJ//L-4-1PT19 860818	Publicly Available	2
9204280366	CHISHOLM T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/19/1986		50FR51992-00356, 50FR51992-356, AA38-2, AA38-2-0713, AA38-2-713	61863:176-61863:176	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290352	SCHNEIDER C, AFFILIATION NOT ASSIGNED, HOUSE OF REP.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/19/1986		50FR51992-00372, 50FR51992-372, AA38-2, AA38-2-0858, AA38-2-858	61864:171-61864:171	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290393	WILLIAMS M.C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/19/1986		50FR51992-00378, 50FR51992-378, AA38-2, AA38-2-0862, AA38-2-862	61864:176-61864:193	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	18
9204280369	PITKAT J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/20/1986		50FR51992-00357, 50FR51992-357, AA38-2, AA38-2-0714, AA38-2-714	61863:177-61863:177	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280384	ERICKSEN D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/20/1986		50FR51992-00363, 50FR51992-363, AA38-2, AA38-2-0720, AA38-2-720	61863:184-61863:185	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204280388	HELLMAN J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	08/20/1986		50FR51992-00367, 50FR51992-367, AA38-2, AA38-2-0722, AA38-2-722	61863:187-61863:187	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280374	REINER L E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/21/1986		50FR51992-00359, 50FR51992-359, AA38-2, AA38-2-0716, AA38-2-716	61863:179-61863:179	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280375	JONES A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/21/1986		50FR51992-00360, 50FR51992-360, AA38-2, AA38-2-0717, AA38-2-717	61863:180-61863:180	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280386	MASSINO W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/21/1986		50FR51992-00366, 50FR51992-366, AA38-2, AA38-2-0721, AA38-2-721	61863:186-61863:186	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290316	COULIADES J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/21/1986		50FR51992-00368, 50FR51992-368, AA38-2, AA38-2-0854, AA38-2-854	61864:167-61864:167	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280357	WATERS M A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/22/1986		50FR51992-00354, 50FR51992-354, AA38-2, AA38-2-0711, AA38-2-711	61863:174-61863:174	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280380	YEAST C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/22/1986		50FR51992-00362, 50FR51992-362, AA38-2, AA38-2-0719, AA38-2-719	61863:182-61863:183	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609030206	HIFT H, REID D, STAFFORD D B, STAFFORD M P, WATERS M A, AFFILIATION NOT ASSIGNED	Package of four comments in opposition to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	08/22/1986	08/22/1986		37709:074- 37709:078	PDR:PR-19- 50FR51992- 860822,PDR:P R//19 50FR51992 860822,CF:SU BJ//L-4-1PT19 860822	Publicly Available	5
8609030141	COKER D E, ARMY, DEPT. OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.NRC should set particular ALARA limits through rulemaking procedures.	08/22/1986	08/25/1986	AA38-2, AA38-2- 0905, AA38-2-905	37701:330- 37701:332	PDR:PR-19- 50FR51992- 860822,PDR:P R//19 50FR51992 860822,CF:SU BJ//L-4-1PT19 860822	Publicly Available	3
8609030216	MERCADANTE L, AFFILIATION NOT ASSIGNED	Comments in opposition to proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re stds for protection against radiation.	08/22/1986	08/27/1986	AA38-2, AA38-2- 0106, AA38-2-106	37708:210- 37708:210	PDR:PR-19- 50FR51992- 860822,PDR:P R//19 50FR51992 860822,CF:SU BJ//L-4-1PT19 860822	Publicly Available	1
9204270219	BARTON C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/23/1986		50FR51992-00418, 50FR51992-418, AA38-2, AA38-2- 0473, AA38-2-473	61862:145- 61862:145	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609080049	BEAR B, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re relaxing of restrictions on radiation exposure.Opposes rules.	08/24/1986	08/29/1986	AA38-2, AA38-2-0107, AA38-2-107	37751:141-37751:141	PDR:PR-19-50FR51992-860824,PDR:PR/19 50FR51992 860824,CF:SU BJ/L-4-1PT19 860824	Publicly Available	1
9204290323	DARLING D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/25/1986		50FR51992-00370, 50FR51992-370, AA38-2, AA38-2-0856, AA38-2-856	61864:169-61864:169	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290341	LOHR L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/25/1986		50FR51992-00371, 50FR51992-371, AA38-2, AA38-2-0857, AA38-2-857	61864:170-61864:170	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290350	GOLDBERG M C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/25/1986		50FR51992-00381, 50FR51992-381, AA38-2, AA38-2-0849, AA38-2-849	61864:161-61864:161	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1.
9204290361	HALVORSON A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/25/1986		50FR51992-00374, 50FR51992-374, AA38-2, AA38-2-0859, AA38-2-859	61864:173-61864:173	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609030150	CHISHOLM T, CHISOLM T, CODIEWILLIFORD, ERICKSEN D, JONES A, PITKAT J, REINER L E, SALACH T, YEAST C, AFFILIATION NOT ASSIGNED	Package of eight comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re relaxation of radiation stds.	08/25/1986	08/25/1986		37701:320- 37701:329	PDR:PR-19- 50FR51992- 860825,PDR:P R//19 50FR51992 860825,CF:SU BJ//L-4-1PT19 860825	Publicly Available	10
8609100441	SCHNELL D F, UNION ELECTRIC CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Portions of 10CFR20 should be updated to reflect current knowledge,such as App B & limits for pregnant women.	08/25/1986	09/04/1986	AA38-2, AA38-2- 1045, ULNRC-1367	37789:328- 37789:346	PDR:PR-19- 50FR51992- 860825,PDR:P R//19 50FR51992 860825,CF:SU BJ//L-4-1PT19 860825	Publicly Available	19
9204290364	DAVIS, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/26/1986		50FR51992-00375, 50FR51992-375, AA38-2, AA38-2- 0860, AA38-2-860	61864:174- 61864:174	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290378	BERNSTEIN R, MACLEAN R A, MILLER H L, TEXAS, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	08/26/1986		50FR51992-00377, 50FR51992-377, AA38-2, AA38-2- 0861, AA38-2-861	61864:175- 61864:175	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609030274	COULIADES J, HELLMAN J, MASSIWO W, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	08/26/1986	08/26/1986		37708:274- 37708:276	PDR:PR-19- 50FR51992- 860826,PDR:P R//19 50FR51992 860826,CF:SU BJ//L-4-1PT19 860826	Publicly Available	3
8609030160	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	Notice of extension of comment period for proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 from 860912 to 861031 in order to be coincident w/comment period for draft backfit analysis.	08/26/1986	08/27/1986		37701:275- 37701:276	PDR:PR-19- 50FR51992- 860826,PDR:P R//19 50FR51992 860826,CF:SU BJ//L-4-1PT19 860826	Publicly Available	2
8609080067	LACKER D K, TEXAS, STATE OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re relaxing of restrictions on radiation exposure. Weighting factors should be included within definition or ref made for term in App B.	08/26/1986	08/29/1986		37751:142- 37751:143	PDR:PR-19- 50FR51992- 860826,PDR:P R//19 50FR51992 860826,CF:SU BJ//L-4-1PT19 860826	Publicly Available	2
9204240278	ARNSBERGER M M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/27/1986		50FR51992-00386, 50FR51992-386, AA38-2, AA38-2- 0442, AA38-2-442	61862:111- 61862:111	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290319	BRADLEY M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/27/1986		50FR51992-00369, 50FR51992-369, AA38-2, AA38-2-0855, AA38-2-855	61864:168- 61864:168	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8609030111	BRADLEY M, DARLING D, LOHR L, SCHNIEDER C, AFFILIATION NOT ASSIGNED, HOUSE OF REP.	Package of four comments in opposition to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	08/27/1986	08/27/1986		37701:059- 37701:062	PDR:PR-19- 50FR51992- 860827,PDR:P R//19 50FR51992 860827,CF:SU BJ//L-4-1PT19 860827	Publicly Available	4
9204270027	GILBERT W V, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/28/1986		50FR51992-00392, 50FR51992-392, AA38-2, AA38-2-0448, AA38-2-448	61862:118- 61862:118	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270038	VERPLANKE Y, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/28/1986		50FR51992-00394, 50FR51992-394, AA38-2, AA38-2-0450, AA38-2-450	61862:120- 61862:120	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8609030112	DAVIS, HALUASSON A, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re relaxation of restrictions on radiation exposure to employees & public.	08/28/1986	08/28/1986		37701:057- 37701:058	PDR:PR-19- 50FR51992- 860828,PDR:P R//19 50FR51992 860828,CF:SU BJ//L-4-1PT19 860828	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270068	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	08/29/1986		50FR51992-00399, 50FR51992-399, AA38-2, AA38-2-0454, AA38-2-454	61862:124-61862:124	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270079	HAMILTON L E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/29/1986		50FR51992-00401, 50FR51992-401, AA38-2, AA38-2-0456, AA38-2-456	61862:126-61862:126	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290373	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	08/29/1986		50FR51992-00385, 50FR51992-385, AA38-2, AA38-2-0853, AA38-2-853	61864:166-61864:166	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204240287	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/30/1986		50FR51992-00387, 50FR51992-387, AA38-2, AA38-2-0443, AA38-2-443	61862:112-61862:112	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204240292	SCHRADER D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/30/1986		50FR51992-00388, 50FR51992-388, AA38-2, AA38-2-0444, AA38-2-444	61862:113-61862:114	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204240323	OSULLIVAN E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/30/1986		50FR51992-00391, 50FR51992-391, AA38-2, AA38-2-0447, AA38-2-447	61862:117-61862:117	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204270114	PAIS G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/30/1986		50FR51992-00404, 50FR51992-404, AA38-2, AA38-2-0459, AA38-2-459	61862:129-61862:131	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	3
9204270168	BROWN N G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/30/1986		50FR51992-00411, 50FR51992-411, AA38-2, AA38-2-0466, AA38-2-466	61862:138-61862:138	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204270204	SMITH T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	08/30/1986		50FR51992-00416, 50FR51992-416, AA38-2, AA38-2-0471, AA38-2-471	61862:143-61862:143	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204290365	FLECK M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	08/30/1986		50FR51992-00384, 50FR51992-384, AA38-2, AA38-2-0852, AA38-2-852	61864:164-61864:165	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270073	MOTTOLA P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/31/1986		50FR51992-00400, 50FR51992-400, AA38-2, AA38-2-0455, AA38-2-455	61862:125- 61862:125	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280285	EDSON D V, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	08/31/1986		50FR51992-00511, 50FR51992-511, AA38-2, AA38-2-0562, AA38-2-562	61862:266- 61862:266	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270033	LIENS H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/01/1986		50FR51992-00393, 50FR51992-393, AA38-2, AA38-2-0449, AA38-2-449	61862:119- 61862:119	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270044	MCLEOD R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/01/1986		50FR51992-00395, 50FR51992-395, AA38-2, AA38-2-0451, AA38-2-451	61862:121- 61862:121	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270060	COLEMAN A D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/01/1986		50FR51992-00398, 50FR51992-398, AA38-2, AA38-2-0453, AA38-2-453	61862:123- 61862:123	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270145	DALAND M E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/01/1986		50FR51992-00407, 50FR51992-407, AA38-2, AA38-2-0462, AA38-2-462	61862:134-61862:134	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290362	PULS M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/01/1986		50FR51992-00383, 50FR51992-383, AA38-2, AA38-2-0851, AA38-2-851	61864:163-61864:163	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204240311	HARMON B, ANTI-VIVISECTION SOCIETY OF AMERICA, INC.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/02/1986		50FR51992-00389, 50FR51992-389, AA38-2, AA38-2-0445, AA38-2-445	61862:115-61862:115	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204240319	MCGUIRE C B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/02/1986		50FR51992-00390, 50FR51992-390, AA38-2, AA38-2-0446, AA38-2-446	61862:116-61862:116	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270084	REICHARD T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/02/1986		50FR51992-00402, 50FR51992-402, AA38-2, AA38-2-0457, AA38-2-457	61862:127-61862:127	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270132	MAYFIELD M L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/02/1986		50FR51992-00405, 50FR51992-405, AA38-2, AA38-2-0460, AA38-2-460	61862:132-61862:132	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270174	MORSE S, STEORTS T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/02/1986		50FR51992-00412, 50FR51992-412, AA38-2, AA38-2-0467, AA38-2-467	61862:139-61862:139	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290257	STRAW J B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rules.	09/02/1986		50FR51992-00521, 50FR51992-521, AA38-2-0625, AA38-2-625	61863:008-61863:008	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290347	PIEPER C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/02/1986		50FR51992-00380, 50FR51992-380, AA38-2, AA38-2-0848, AA38-2-848	61864:160-61864:160	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290357	SCHROEDER H A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/02/1986		50FR51992-00382, 50FR51992-382, AA38-2, AA38-2-0850, AA38-2-850	61864:162-61864:162	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609080026	GOLDBERG M C, PIEPER C, PULS M, SCHROEDER H A, WESTFALL R G, WILLIAMS M C, AFFILIATION NOT ASSIGNED	Package of six comments opposing revs to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Rules will greatly limit role of public in licensing proceedings for nuclear power plants.	09/02/1986	09/02/1986		37745:306- 37745:328	PDR:PR-19- 50FR51992- 860902,PDR:P R//19 50FR51992 860902,CF:SU BJ//L-4-1PT19 860902	Publicly Available	23
9204270138	GRIFFIN E, GRIFFIN R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/03/1986		50FR51992-00406, 50FR51992-406, AA38-2, AA38-2- 0461, AA38-2-461	61862:133- 61862:133	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270192	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/03/1986		50FR51992-00415, 50FR51992-415, AA38-2, AA38-2- 0470, AA38-2-470	61862:142- 61862:142	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270272	ENDRUSICK T L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/03/1986		50FR51992-00442, 50FR51992-442, AA38-2, AA38-2- 0501, AA38-2-501	61862:177- 61862:177	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609100363	ARUSBERGER M, BOWLERS, FLECK M, SCHRADER, AFFILIATION NOT ASSIGNED	Package of five comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re relaxing stds for protection against radiation.	09/03/1986	09/03/1986		37789:287-37789:293	PDR:PR-19-50FR51992-860903,PDR:PR/19 50FR51992 860903,CF:SU BJ//L-4-1PT19 860903	Publicly Available	7
9204270053	NELKENS S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/04/1986		50FR51992-00396, 50FR51992-396, AA38-2, AA38-2-0452, AA38-2-452	61862:122-61862:122	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270149	SWANSON E E, SWANSON P A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/04/1986		50FR51992-00408, 50FR51992-408, AA38-2, AA38-2-0463, AA38-2-463	61862:135-61862:135	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270181	CROSSLEY N A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/04/1986		50FR51992-00413, 50FR51992-413, AA38-2, AA38-2-0468, AA38-2-468	61862:140-61862:140	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270297	DRADE J L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/04/1986		50FR51992-00445, 50FR51992-445, AA38-2, AA38-2-0504, AA38-2-504	61862:180-61862:181	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609100395	GILBERT W V, HARMON B, LIENS H, MCGUIRE C B, MCLEOD R, NELKENS S, OSULLIVAN E, VERPLANKE Y, AFFILIATION NOT ASSIGNED	Package of eight comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50,61 & 70 re protection against radiation.	09/04/1986	09/04/1986		37789:320-37789:327	PDR:PR-19-50FR51992-860904,PDR:PR/19 50FR51992 860904,CF:SU BJ//L-4-1PT19 860904	Publicly Available	8
8609100531	CHARLESWORTH B, CHARLESWORTH J, AFFILIATION NOT ASSIGNED	Forwards petition from 22 citizens protesting NRC proposal to relax proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re exposure from nuclear plants.	09/04/1986	09/08/1986	AA38-2, AA38-2-1046	37784:354-37784:356	PDR:PR-19-50FR51992-860904,PDR:PR/19 50FR51992 860904,CF:SU BJ//L-4-1PT19 860904	Publicly Available	1
8609100557	BURKHEAD M M, CASADY J B, CHARLESWORTH B, CHARLESWORTH J, CLOU F, COLEMAN T J, DEMAREST C, EBERT M, GOODLAND A, GOODLAND F C, HARTMAN E F, HENDERSON M, KELLY C, KELLY K, KIRSHBAUM K, MADESAN K, STEDMAN A E, WILLIAM I, AFFILIATION NOT ASSIGNED	Opposes proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re relaxing of rules on exposure from nuclear plants.	09/04/1986	09/08/1986		37784:355-37784:356	PDR:PR-19-50FR51992-860904,PDR:PR/19 50FR51992 860904	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609120384	KEARNEY J J, EDISON ELECTRIC INSTITUTE	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules opposed due to costs of changes greatly exceeding any dose savings to plant workers.	09/04/1986	09/08/1986	AA38-2, AA38-2-1047	37824:340-37825:233	PDR:PR-19-50FR51992-860904,PDR:PR/19 50FR51992 860904,CF:SU BJ//L-4-1PT19 860904	Publicly Available	33
8609180091	KAUFMAN G, AFFILIATION NOT ASSIGNED, INDIANA UNIV. AT SOUTH BEND, SOUTH BEND, IN	Comments opposing proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re stds on radiation emission levels.Radiation exposure levels should be lowered,not raised,for public protection.	09/04/1986	09/11/1986	AA38-2, AA38-2-1052	37889:131-37889:131	PDR:PR-19-50FR51992-860904,PDR:PR/19 50FR51992 860904,CF:SU BJ//L-4-1PT19 860904	Publicly Available	1
9204270107	ORRIS E F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/05/1986		50FR51992-00403, 50FR51992-403, AA38-2, AA38-2-0458, AA38-2-458	61862:128-61862:128	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270135	WEBER N A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/05/1986		50FR51992-00423, 50FR51992-423, AA38-2, AA38-2-0481, AA38-2-481	61862:156-61862:156	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270150	DAUBITZ P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/05/1986		50FR51992-00425, 50FR51992-425, AA38-2, AA38-2-0484, AA38-2-484	61862:160- 61862:160	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8609100336	COLEMAN A D, DALAND M E, ELIZABETH M, GRIFFIN E, GRIFFIN R, HAMILTON L, MAYFIELD M, MAYFIELD M L, MOTTOLA P, ORRIS E F, PAIS G, REICHARD T, AFFILIATION NOT ASSIGNED	Package of eight comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 relaxing stds for protection against radiation.	09/05/1986	09/05/1986		37777:032- 37777:043	PDR:PR-19- 50FR51992- 860905,PDR:P R//19 50FR51992 860905,CF:SU BJ//L-4-1PT19 860905	Publicly Available	12
8610100723	ISHII K, TORCH D, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70.Dismayed that NRC proposing changes in acceptable exposure levels which will increase exposure of some workers.	09/05/1986	09/08/1986	AA38-2, AA38-2-1061, AB70-2-62	38201:050- 38201:051	PDR:PR-19- 50FR51992- 860905,PDR:P R//19 50FR51992 860905,CF:SU BJ//L-4-1PT19 860905	Publicly Available	2
8609180095	OPEKA J F, SEARS C F, CONNECTICUT YANKEE ATOMIC POWER CO., NORTHEAST NUCLEAR ENERGY CO., NORTHEAST UTILITIES	Comments supporting proposed rules 10CFR19,20,30,31,32,34, 40,50,61 & 70 re improving NRC radiation protection stds. Utils should benefit due to potential reduction in liability risk.	09/05/1986	09/11/1986	AA38-2, AA38-2-1054, B10895	37891:018- 37891:024	PDR:PR-19- 50FR51992- 860905,PDR:P R//19 50FR51992 860905,CF:SU BJ//L-4-1PT19 860905	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270147	MORSE M I, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/06/1986		50FR51992-00424, 50FR51992-424, AA38-2, AA38-2-0483, AA38-2-483	61862:159-61862:159	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270155	RANSOM R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/06/1986		50FR51992-00426, 50FR51992-426, AA38-2, AA38-2-0485, AA38-2-485	61862:161-61862:161	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270354	PETTEY L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/06/1986		50FR51992-00461, 50FR51992-461, AA38-2, AA38-2-0517, AA38-2-517	61862:197-61862:197	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270410	SLECHTA A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/06/1986		50FR51992-00469, 50FR51992-469, AA38-2, AA38-2-0523, AA38-2-523	61862:204-61862:204	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270419	WARSHAW D A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/06/1986		50FR51992-00470, 50FR51992-470, AA38-2, AA38-2-0524, AA38-2-524	61862:205-61862:205	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280096	SULLIVAN M R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/06/1986		50FR51992-00491, 50FR51992-491, AA38-2, AA38-2-0542, AA38-2-542	61862:245-61862:245	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280489	SULLIVAN M R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/06/1986		50FR51992-00519, 50FR51992-519, AA38-2, AA38-2-0622, AA38-2-622	61863:005-61863:005	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290411	BRENNER R A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/06/1986		50FR51992-00592, 50FR51992-592, AA38-2, AA38-2-0872, AA38-2-872	61864:204-61864:204	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8609180337	HAYES L, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Dept of Health & Human Resources should establish radiation protection stds,monitor compliance & set evacuation periphery.	09/06/1986	09/15/1986	AA38-2, AA38-2-1057, AA38-2-1089	37901:116-37901:129	PDR:PR-19-50FR51992-860906,PDR:P R/19 50FR51992 860906,CF:SU BJ/L-4-1PT19 860906	Publicly Available	14

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270170	CRAIB E, CRAIB J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/07/1986		50FR51992-00428, 50FR51992-428, AA38-2, AA38-2-0487, AA38-2-487	61862:163-61862:163	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270235	OBRIEN A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re-stds for protection against radiation.	09/07/1986		50FR51992-00436, 50FR51992-436, AA38-2, AA38-2-0495, AA38-2-495	61862:171-61862:171	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270243	RILLY M E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/07/1986		50FR51992-00438, 50FR51992-438, AA38-2, AA38-2-0497, AA38-2-497	61862:173-61862:173	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270294	REILLY B W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/07/1986		50FR51992-00444, 50FR51992-444, AA38-2, AA38-2-0503, AA38-2-503	61862:179-61862:179	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270304	NELSON D R, AFFILIATION NOT ASSIGNED, ILLINOIS SAFE ENERGY ALLIANCE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/07/1986		50FR51992-00447, 50FR51992-447, AA38-2, AA38-2-0506, AA38-2-506	61862:184-61862:185	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270403	SANBORN I M, SANBORN W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/07/1986		50FR51992-00467, 50FR51992-467, AA38-2, AA38-2-0522, AA38-2-522	61862:202- 61862:203	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
9204270152	DOUGHERTY S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00409, 50FR51992-409, AA38-2, AA38-2-0464, AA38-2-464	61862:136- 61862:136	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270163	BACHRACH D, GIBB W, HERRING N, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00410, 50FR51992-410, AA38-2, AA38-2-0465, AA38-2-465	61862:137- 61862:137	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270166	KOON K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00427, 50FR51992-427, AA38-2, AA38-2-0486, AA38-2-486	61862:162- 61862:162	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270186	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00414, 50FR51992-414, AA38-2, AA38-2-0469, AA38-2-469	61862:141- 61862:141	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270207	SKIBBEL P L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00430, 50FR51992-430, AA38-2, AA38-2-0489, AA38-2-489	61862:165-61862:165	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204270213	LOWEN S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00417, 50FR51992-417, AA38-2, AA38-2-0472, AA38-2-472	61862:144-61862:144	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204270291	WHIPPLE J A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00457, 50FR51992-457, AA38-2, AA38-2-0513, AA38-2-513	61862:193-61862:193	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204270295	DIERAUER C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00458, 50FR51992-458, AA38-2, AA38-2-0514, AA38-2-514	61862:194-61862:194	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204270369	LAFFELY R N, LAFFELY S A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00462, 50FR51992-462, AA38-2, AA38-2-0518, AA38-2-518	61862:198-61862:198	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270437	DONOVAN M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00471, 50FR51992-471, AA38-2, AA38-2-0525, AA38-2-525	61862:206- 61862:206	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270501	EHMI R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00481, 50FR51992-481, AA38-2, AA38-2-0533, AA38-2-533	61862:234- 61862:234	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270503	MCINTOSH C M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00482, 50FR51992-482, AA38-2, AA38-2-0534, AA38-2-534	61862:235- 61862:236	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204270522	FOX M F, PERRAULT R, THAYER D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00487, 50FR51992-487, AA38-2, AA38-2-0538, AA38-2-538	61862:240- 61862:240	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270527	BOZARTH R, CUNNINGHAM L, HASLEY P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00488, 50FR51992-488, AA38-2, AA38-2-0539, AA38-2-539	61862:241- 61862:241	PDR:PR-2-56FR23360-920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280185	BROWN B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00519, 50FR51992-519, AA38-2, AA38-2-0666, AA38-2-666	61863:125- 61863:125	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280234	MACDONALD B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/08/1986		50FR51992-00506, 50FR51992-506, AA38-2, AA38-2-0557, AA38-2-557	61862:261- 61862:261	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8609100300	BACHRACH D, BARTON C, BROWN N G, CLEARLESWORTH, CROSSLEY E, DEGRUY F, DEGRUY G, DOUGHERTY S, GIBB W, GRUY F, GRUY G, HELTERINGTOS, HERRING N, HETHERINGTON D, LOWEN S, MORSE S, RUBIN L, SMITH T, STEORTS T, SWANSON E E, SWANSON P A, AFFILIATION NOT ASSIGNED	Package of 11 comments opposing proposed rules 10CRF19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	09/08/1986	09/08/1986		37789:217- 37789:227	PDR:PR-19- 50FR51992- 860908,PDR:P R//19 50FR51992 860908,CF:SU BJ//L-4-1PT19 860908	Publicly Available	12

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610090262	KRZCUIK K, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR2,19,20,30,31, 32,34,40,50,61 & 70 re increasing limits of radiation levels.Rule opposed due to conflict changes would have on safety of plant workers & general public.	09/08/1986	09/11/1986	AA38-2, AA38-2-1062	38145:360-38145:360	PDR:PR-19-50FR51992-860908,PDR:PR/19 50FR51992 860908,CF:SU BJ//L-4-1PT2 860908	Publicly Available	1
8609170420	SPINAR L H, SOUTH DAKOTA STATE UNIV., BROOKINGS, SD	Comments in opposition to proposed rules 10CFR19,20,30,31, 32,34,40,50,61 & 70 re establishment of radiation safety program.Proposed monitoring & associated recordkeeping requirements would be expensive & time consuming.	09/08/1986	09/12/1986	AA38-2, AA38-2-1055	37877:348-37877:350	PDR:PR-19-50FR51992-860908,PDR:PR/19 50FR51992 860908,CF:SU BJ//L-4-1PT19 860908	Publicly Available	3
9204270120	DOUGHERTY J C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00421, 50FR51992-421, AA38-2, AA38-2-0480, AA38-2-480	61862:155-61862:155	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270142	BYRUE E G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00422, 50FR51992-422, AA38-2, AA38-2-0482, AA38-2-482	61862:157-61862:157	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270266	ZAFRIS J L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/09/1986		50FR51992-00441, 50FR51992-441, AA38-2, AA38-2-0500, AA38-2-500	61862:176-61862:176	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270280	HAZARD R L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00456, 50FR51992-456, AA38-2, AA38-2-0512, AA38-2-512	61862:192-61862:192	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270484	ESHOM M J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00477, 50FR51992-477, AA38-2, AA38-2-1135	61862:230-61862:230	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270488	GOSSOM M B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00478, 50FR51992-478, AA38-2, AA38-2-0530, AA38-2-530	61862:231-61862:231	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280132	DRURY K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00493, 50FR51992-493, AA38-2, AA38-2-0544, AA38-2-544	61862:247-61862:247	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280260	EVLETH R M, NUCLEAR PRODUCTS CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00509, 50FR51992-509, AA38-2, AA38-2-0560, AA38-2-560	61862:264- 61862:264	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280303	JOHNSON M R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00514, 50FR51992-514, AA38-2, AA38-2-0565, AA38-2-565	61862:269- 61862:269	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280308	NESEWICH N L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/09/1986		50FR51992-00515, 50FR51992-515, AA38-2, AA38-2-0566, AA38-2-566	61862:270- 61862:270	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290073	MARTINIAK A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/09/1986		50FR51992-00552, 50FR51992-552, AA38-2, AA38-2-0779, AA38-2-779	61864:082- 61864:082	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290240	RICHARDSON P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rules.	09/09/1986		50FR51992-00520, 50FR51992-520, AA38-2-0623, AA38-2-623	61863:006- 61863:006	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290297	BISHOP D A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	09/09/1986		50FR51992-00522, 50FR51992-522, AA38-2-0627, AA38-2-627	61863:010- 61863:011	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
8609150094	DAUBITZ P, MORSE M I, RANSOM R, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed rules 10CFR2,19,20,30,31,32,34,40,50,61 & 70 re reduction in public participation in licensing hearings & increasing radiation exposure limits.	09/09/1986	09/09/1986		37827:282- 37827:284	PDR:PR-19- 50FR51992- 860909,PDR:P R//19 50FR51992 860909,CF:SU BJ//L-4-1PT2 860909	Publicly Available	3
8609150139	BYRNE E C, DOUGHERTY J C, WEBER N, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	09/09/1986	09/09/1986		37828:297- 37828:299	PDR:PR-19- 50FR51992- 860909,PDR:P R//19 50FR51992 860909,CF:SU BJ//L-4-1PT19 860909	Publicly Available	3
8609180219	SASTRY K S, TOCCI J, AMHERST COLLEGE, AMHERST, MA	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re control of radioactive matl commonly used in biological/chemical academic research labs.Rules opposed. Less stringent controls supported.	09/09/1986	09/11/1986	AA38-2-1053	37897:167- 37897:168	PDR:PR-19- 50FR51992- 860909,PDR:P R//19 50FR51992 860909,CF:SU BJ//L-4-1PT19 860909	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609170424	ADELL E P, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Rules opposed. ICRP stds five times lower than current NRC stds.	09/09/1986	09/11/1986	AA38-2, AA38-2-1050	37877:128-37877:128	PDR:PR-19-50FR51992-860909,PDR:P R//19 50FR51992 860909,CF:SU BJ//L-4-1PT19 860909	Publicly Available	1
8609180348	BECKMAN W L, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re limits for exposure levels to radiation.Projected costs too large & implementation of changes would create confusion.	09/09/1986	09/15/1986	AA38-2, AA38-2-1056, AA38-2-1088	37901:095-37901:096	PDR:PR-19-50FR51992-860909,PDR:P R//19 50FR51992 860909,CF:SU BJ//L-4-1PT19 860909	Publicly Available	2
9204270201	FOSTER R C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00429, 50FR51992-429, AA38-2, AA38-2-0488, AA38-2-488	61862:164-61862:164	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270210	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00431, 50FR51992-431, AA38-2, AA38-2-0490, AA38-2-490	61862:166-61862:166	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270215	RANDALL M A, RANDALL R D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule	09/10/1986		50FR51992-00432, 50FR51992-432, AA38-2, AA38-2-0491, AA38-2-491	61862:167- 61862:167	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270221	LUKE L L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00433, 50FR51992-433, AA38-2, AA38-2-0492, AA38-2-492	61862:168- 61862:168	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270227	SBAR C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00434, 50FR51992-434, AA38-2, AA38-2-0493, AA38-2-493	61862:169- 61862:169	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270232	DUBOIS T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule,	09/10/1986		50FR51992-00435, 50FR51992-435, AA38-2, AA38-2-0494, AA38-2-494	61862:170- 61862:170	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270239	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00437, 50FR51992-437, AA38-2, AA38-2-0496, AA38-2-496	61862:172- 61862:172	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270250	SHITBEE J R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00439, 50FR51992-439, AA38-2, AA38-2-0498, AA38-2-498	61862:174-61862:174	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270259	BRIAN L O, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00440, 50FR51992-440, AA38-2, AA38-2-0499, AA38-2-499	61862:175-61862:175	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270284	JACOBS R, WEGENER C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00443, 50FR51992-443, AA38-2, AA38-2-0502, AA38-2-502	61862:178-61862:178	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270300	TRUSSELL R R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00446, 50FR51992-446, AA38-2, AA38-2-0505, AA38-2-505	61862:182-61862:183	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204270509	WILSON M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00484, 50FR51992-484, AA38-2, AA38-2-0535, AA38-2-535	61862:237-61862:237	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280109	ABUSAMRA L E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00492, 50FR51992-492, AA38-2, AA38-2-0543, AA38-2-543	61862:246-61862:246	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280161	KOONTZ S E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00496, 50FR51992-496, AA38-2, AA38-2-0547, AA38-2-547	61862:250-61862:250	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280240	PATTERSON C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00507, 50FR51992-507, AA38-2, AA38-2-0558, AA38-2-558	61862:262-61862:262	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280281	CINQUEMANI D K, N.J. S*E*A ALLIANCE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00510, 50FR51992-510, AA38-2, AA38-2-0561, AA38-2-561	61862:265-61862:265	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280298	BREUER T, GULASCH C, ROSSER F W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00513, 50FR51992-513, AA38-2, AA38-2-0564, AA38-2-564	61862:268-61862:268	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280321	BECK J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/10/1986		50FR51992-00516, 50FR51992-516, AA38-2, AA38-2-0567, AA38-2-567	61862:271-61862:272	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2
9204290301	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose rules.	09/10/1986		50FR51992-03, 50FR51992-3, AA38-2-0628, AA38-2-628	61863:013-61863:013	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290327	KLUGE H, AFFILIATION NOT ASSIGNED, LAKELAND AUDUBON SOCIETY, INC.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/10/1986		50FR51992-00526, 50FR51992-526, AA38-2-0632, AA38-2-632	61863:017-61863:020	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609170464	CRAIB E, CRAIB J, DRADE J L, DUBOIS T E, ENDRUSICK T L, FOSBURG R M, FOSTER R C, GELUSIK B P, JACOBS R, KOON K, LUKE L L, NELSON D R, OBRIEN A O, OBRIEN L O, RANDALL M A, RANDALL R D, REILLY B W, REILLY M E, SHAR C, SHIBLEE J R, SHITBEE J R, TRUSSELL R R, WEGENER C, ZAFRIS J L, AFFILIATION NOT ASSIGNED, ILLINOIS SAFE ENERGY ALLIANCE	Package of 24 comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Increase of up to 10 times present limit for exposure is blatant disregard of humanity.	09/10/1986	09/10/1986		37878:001-37878:024	PDR:PR-19-50FR51992-860910,PDR:P R//19 50FR51992 860910,CF:SU BJ//L-4-1PT19 860910	Publicly Available	24
9204270251	GANGI B F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00451, 50FR51992-451, AA38-2, AA38-2-0508, AA38-2-508	61862:188-61862:188	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270260	GANGI V A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00452, 50FR51992-452, AA38-2, AA38-2-0509, AA38-2-509	61862:189-61862:189	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270265	OBRIEN T F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00454, 50FR51992-454, AA38-2, AA38-2-0510, AA38-2-510	61862:190- 61862:190	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270271	WALSH H N, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00455, 50FR51992-455, AA38-2, AA38-2-0511, AA38-2-511	61862:191- 61862:191	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270307	DIPUTRO G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00448, 50FR51992-448, AA38-2, AA38-2-0507, AA38-2-507	61862:186- 61862:186	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270338	HAZARD J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00459, 50FR51992-459, AA38-2, AA38-2-0515, AA38-2-515	61862:195- 61862:195	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270348	HAMILTON R B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00460, 50FR51992-460, AA38-2, AA38-2-0516, AA38-2-516	61862:196- 61862:196	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270376	PERHING C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00463, 50FR51992-463, AA38-2, AA38-2-0519, AA38-2-519	61862:199- 61862:199	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270377	GANGI L E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule	09/11/1986		40FR51992-00449, 40FR51992-449, AA38-2, AA38-2-0586, AA38-2-586	61862:304- 61862:304	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270386	CODY P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00464, 50FR51992-464, AA38-2, AA38-2-0520, AA38-2-520	61862:200- 61862:200	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270389	GANGI D S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00450, 50FR51992-450, AA38-2, AA38-2-0587, AA38-2-587	61862:305- 61862:305	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204270393	OSNER J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00466, 50FR51992-466, AA38-2, AA38-2-0521, AA38-2-521	61862:201- 61862:201	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270452	SHAW A B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00472, 50FR51992-472, AA38-2, AA38-2-0526, AA38-2-526	61862:207-61862:207	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270459	BATEHOLDER P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00473, 50FR51992-473, AA38-2, AA38-2-0527, AA38-2-527	61862:208-61862:208	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270479	, ABALONE ALLIANCE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00476, 50FR51992-476, AA38-2, AA38-2-0528, AA38-2-528	61862:209-61862:229	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	21
9204270529	ONEILL D L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00489, 50FR51992-489, AA38-2, AA38-2-0540, AA38-2-540	61862:243-61862:243	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280217	KROLL C, KROLL J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/11/1986		50FR51992-00502, 50FR51992-502, AA38-2, AA38-2-0553, AA38-2-553	61862:257-61862:257	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280250	ZAFRIS J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/11/1986		50FR51992-00508, 50FR51992-508, AA38-2, AA38-2-0559, AA38-2-559	61862:263-61862:263	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290312	SMITH S J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose rules.	09/11/1986		50FR51992-00525, 50FR51992-525, AA38-2-0631, AA38-2-631	61863:016-61863:016	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8609180186	FAULKNER V, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Rules opposed. Legal radiation dosages should not be increased w/o public hearing & EIS.	09/11/1986	09/11/1986	AA38-2, AA38-2-1051	37897:169-37897:169	PDR:PR-19-50FR51992-860911,PDR:P R//19 50FR51992 860911,CF:SU BJ//L-4-1PT19 860911	Publicly Available	1
8610080394	OAKES J, AFFILIATION NOT ASSIGNED, COMMON SENSE	Requests extension of deadline for commenting on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	09/11/1986	09/11/1986	AA38-2, AA38-2-1063	38165:271-38165:272	PDR:PR-19-50FR51992-860911,PDR:P R//19 50FR51992 860911,CF:SU BJ//L-4-1PT19 860911	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609170373	BATEHOLDER P, CODY P, DIERAUER C, DIPIETRO G, DONOVAN M, GANGI B F, GANGI D S, GANGI L E, GANGI V A, HAMILTON R B, HAZARD J, HAZARD R L, HERRIED R, LAFFELY R N, LAFFELY S A, OBRIEN T F, OSNER J, PERKINS C, PETTEY L, SANBORN I M, SANBORN W, SHAW A B, SLECHTA A, WALSH H N, WARSHAW D A, WHIPPLE J A, ABALONE ALLIANCE, AFFILIATION NOT ASSIGNED	Package of 24 comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70, "Stds for Protection Against Radiation."	09/11/1986	09/11/1986		37879:314-37879:358	PDR:PR-19-50FR51992-860911,PDR:PR//19 50FR51992 860911,CF:SU BJ//L-4-1PT19 860911	Publicly Available	46
8610010035	BOWHERS J V, AFFILIATION NOT ASSIGNED	Requests correction to spelling of author name on NRC ack of comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70.	09/11/1986	09/16/1986		38059:329-38059:329	PDR:PR-19-50FR51992-860911,PDR:PR//19 50FR51992 860911,CF:SU BJ//L-4-1PT19 860911	Publicly Available	1
9204270493	MOBERGER A F, MOBERGER M R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/12/1986		50FR51992-00479, 50FR51992-479, AA38-2, AA38-2-0531, AA38-2-531	61862:232-61862:232	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270496	HIRBAUR K A, MOBERGER J C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/12/1986		50FR51992-00480, 50FR51992-480, AA38-2, AA38-2-0532, AA38-2-532	61862:233- 61862:233	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280484	QUINN S M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/12/1986		50FR51992-00533, 50FR51992-533, AA38-2, AA38-2-0738, AA38-2-738	61863:319- 61863:319	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280520	QUINN S M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/12/1986		50FR51992-00538, 50FR51992-538, AA38-2, AA38-2-0744, AA38-2-744	61863:325- 61863:325	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280524	SARBANES P S, AFFILIATION NOT ASSIGNED, SENATE, BANKING, HOUSING & URBAN AFFAIRS	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/12/1986		50FR51992-00062, 50FR51992-62, AA38-2, AA38-2-0745, AA38-2-745	61863:326- 61863:328	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
9204290047	MORRIS J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/12/1986		50FR51992-00543, 50FR51992-543, AA38-2, AA38-2-0772, AA38-2-772	61864:071- 61864:071,62139:00 2-62139:121	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290307	PECK H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose rules.	09/12/1986		50FR51992-00524, 50FR51992-524, AA38-2-0630, AA38-2-630	61863:015-61863:015	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8609180117	EHNI R, ESHOM A J, ESHOM M J, GOSSOM M B, HIRHAUR K A, MCINTOSH C, MCINTOSH M, MOBERGER A, MOBERGER J C, MOBERGER M R, WILSON M, AFFILIATION NOT ASSIGNED	Package of seven comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re stds for protection against radiation.Radiation exposure levels should be reduced rather than increased.	09/12/1986	09/12/1986		37889:123-37889:130	PDR:PR-19-50FR51992-860912,PDR:P R/19 50FR51992 860912,CF:SU BJ//L-4-1PT19 860912	Publicly Available	8
8610010269	STAUTER J C, KERR- MCGEE CORP.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Proposed changes would result in increased personnel & resource requirements w/o improving public health & safety.	09/12/1986	09/16/1986	AA38-2, AA38-2-1058, AA38-2-1090	38058:151-38058:156	PDR:PR-19-50FR51992-860912,PDR:P R/19 50FR51992 860912,CF:SU BJ//L-4-1PT19 860912	Publicly Available	6

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610090204	SARBANES P S, SENATE, BANKING, HOUSING & URBAN AFFAIRS	Forwards C Yeast comment opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re changes in regulations concerning radiation exposure. Requests appropriate response be provided.	09/12/1986	09/22/1986		38182:001- 38182:003	PDR:PR-19- 50FR51992- 860912,PDR:P R//19 50FR51992 860912,CF:SU BJ//L-4-1PT19 860912	Publicly Available	1
9204280486	CHAPLICK J M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/13/1986		50FR51992-00534, 50FR51992-534, AA38-2, AA38-2- 0739, AA38-2-739	61863:320- 61863:320	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8609260040	CHAPLICK J M, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR2,19,20,30,31, 32,34,40,50, 61 & 70 re level of exposure to radioactivity.	09/13/1986	09/19/1986		37995:050- 37995:050	PDR:PR-2- 50FR51992- 860913,PDR:P R//2 50FR51992 860913,CF:SU BJ//L-4-1PT2 860913	Publicly Available	1
9204270512	LIBBY M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	09/15/1986		50FR51992-00485, 50FR51992-485, AA38-2, AA38-2- 0536, AA38-2-536	61862:238- 61862:238	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270515	MURPHY G, MURPHY J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00486, 50FR51992-486, AA38-2, AA38-2-0537, AA38-2-537	61862:239- 61862:239	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270532	GLOWIK D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00490, 50FR51992-490, AA38-2, AA38-2-0541, AA38-2-541	61862:244- 61862:244	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280139	KRAMER F E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00494, 50FR51992-494, AA38-2, AA38-2-0545, AA38-2-545	61862:248- 61862:248	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280151	SCHOEPFLIN A E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00495, 50FR51992-495, AA38-2, AA38-2-0546, AA38-2-546	61862:249- 61862:249	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280169	MARRO M H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00497, 50FR51992-497, AA38-2, AA38-2-0548, AA38-2-548	61862:251- 61862:251	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280176	HAMILTON B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00498, 50FR51992-498, AA38-2, AA38-2-0549, AA38-2-549	61862:253-61862:253	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280190	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00499, 50FR51992-499, AA38-2, AA38-2-0550, AA38-2-550	61862:254-61862:254	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280196	BECKER E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00500, 50FR51992-500, AA38-2, AA38-2-0551, AA38-2-551	61862:255-61862:255	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280202	FULLER E, FULLER K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00501, 50FR51992-501, AA38-2, AA38-2-0552, AA38-2-552	61862:256-61862:256	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280221	FENTON R T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00503, 50FR51992-503, AA38-2, AA38-2-0554, AA38-2-554	61862:258-61862:258	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280224	PETTY E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00504, 50FR51992-504, AA38-2, AA38-2-0555, AA38-2-555	61862:259- 61862:259	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280292	STUTSMAN A E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/15/1986		50FR51992-00512, 50FR51992-512, AA38-2, AA38-2-0563, AA38-2-563	61862:267- 61862:267	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8609180315	BECK J, BREUER T, CINQUEMANI D K, EDSON D V, GULASCH C, JONSON M R, NESEWICH N L, ROSSER F W, STUTSMAN A E, AFFILIATION NOT ASSIGNED, N.J. S*E*A ALLIANCE	Package of seven comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re acceptable levels of exposure to low level radiation.	09/15/1986	09/15/1986		37901:133- 37901:140	PDR:PR-19-50FR51992-860915,PDR:P R//19 50FR51992 860915,CF:SU BJ//L-4-1PT19 860915	Publicly Available	8
8609180319	BISHOP D A, BROWN B, RICHARDSON P, STRAW J B, AFFILIATION NOT ASSIGNED	Package of four comments opposing proposed rules 10CFR2,19,20,30,31,32,34,40,50,61 & 70 re public participation in licensing hearings & limits for radiation exposure to workers.	09/15/1986	09/15/1986		37901:090- 37901:094	PDR:PR-19-50FR51992-860915,PDR:P R//19 50FR51992 860915,CF:SU BJ//L-4-1PT2 860915	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609220079	ABUSAMRA L E, BECKER E, BOZARTH R, CUNNINGHAM L, DRURY K, EVLETH R M, FENTON R T, FOX M F, FULLER E, FULLER K, GLOWIK D, HANLEY P, HANULTIS R B, KOONTZ S E, KRAMER F, KROLL C, KROLL J, LIBBY M, MACDONALD B, MAJAUCKAS B, MAJAUCKAS G, MARRO M H, MASON L, MURPHY G, MURPHY J, ONEILL D L, PATTERSON C, PERRAULT R, PETTY E, REILLYSULLIVAN, SCHOEPFLIN A E, THAYER D, ZAFRIS J, AFFILIATION NOT ASSIGNED, NUCLEAR PRODUCTS CO.	Package of 25 comments in opposition to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	09/15/1986	09/15/1986		37919:065- 37919:089	PDR:PR-19- 50FR51992- 860915,PDR:P R//19 50FR51992 860915,CF:SU BJ//L-4-1PT19 860915	Publicly Available	25
9204280465	MELILLO D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/16/1986		50FR51992-00530, 50FR51992-530, AA38-2, AA38-2- 0735, AA38-2-735	61863:316- 61863:316	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290024	CLAGETT K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/16/1986		50FR51992-00541, 50FR51992-541, AA38-2, AA38-2- 0770, AA38-2-770	61864:069- 61864:069	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290249	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose rules.	09/16/1986		50FR51992-01, 50FR51992-1, AA38-2-0624, AA38-2-624	61863:007-61863:007	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290296	MELILLO D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose rules.	09/16/1986		50FR51992-02, 50FR51992-2, AA38-2-0626, AA38-2-626	61863:009-61863:009	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290303	CUNNINGHAM V, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose rules.	09/16/1986		50FR51992-00523, 50FR51992-523, AA38-2-0629, AA38-2-629	61863:014-61863:014	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8610010015	CUNNINGHAM V, KLUGE H, MCNOVY J, MELILLO D, PECK H, SMITH S J, SULLIVAN M R, WHITE A, AFFILIATION NOT ASSIGNED, LAKELAND AUDUBON SOCIETY, INC.	Package of eight comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re relaxation of stds for measuring exposures to public & workers.	09/16/1986	09/16/1986		38059:293-38059:303	PDR:PR-19-50FR51992-860916,PDR:P R//19 50FR51992 860916,CF:SU BJ//L-4-1PT19 860916	Publicly Available	11

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8701270132	DEVITA V T, NATIONAL CANCER INSTITUTE	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re low dose exposure to ionizing radiation.Registry of radiation workers should be established as potential tool of research on low dose effects.	09/17/1986	01/16/1987	AA38-2, AA38-2-1140	39368:227-39368:228	PDR:PR-19-50FR51992-860917,PDR:PR/19 50FR51992 860917,CF:SU BJ/L-4-1PT19 860917	Publicly Available	2
9204280447	DUBOIS M, HANSEN C, KENNY J, MICHAEL B, REYNOLDS H, REYNOLDS T E, SMITH B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/18/1986		50FR51992-00530, 50FR51992-530, AA38-2, AA38-2-0734, AA38-2-734	61863:315-61863:315	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280517	DUBOIS M, MICHAEL B, SMITH B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	09/18/1986		50FR51992-00534, 50FR51992-534, AA38-2, AA38-2-0742, AA38-2-742	61863:323-61863:323	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280525	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	09/18/1986		50FR51992-00539, 50FR51992-539, AA38-2, AA38-2-0746, AA38-2-746	61863:329-61863:329	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290061	REED R P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	09/18/1986		50FR51992-00547, 50FR51992-547, AA38-2, AA38-2-0775, AA38-2-775	61864:074-61864:078	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290155	SALITAN L F, CENTER FOR FARM & FOOD RESEARCH, INC.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/18/1986		50FR51992-00562, 50FR51992-562, AA38-2, AA38-2- 0789, AA38-2-789	61864:093- 61864:093	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290329	ZWIN P W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose rules.	09/18/1986		50FR51992-00528, 50FR51992-528, AA38-2-0633, AA38- 2-633	61863:021- 61863:021	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290332	ZWIN P T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	09/18/1986		50FR51992-00529, 50FR51992-529, AA38-2-0634, AA38- 2-634	61863:022- 61863:022	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8610010428	DUBOIS M, MICHAEL B, SMITH B, ZURIN P T, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re stds for protection against radiation.	09/18/1986	09/18/1986		38058:185- 38058:187	PDR:PR-19- 50FR51992- 860918,PDR:P R//19 50FR51992 860918,CF:SU BJ//L-4-1PT19 860918	Publicly Available	3
9204280468	DIEDRICH C J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	09/19/1986		50FR51992-00531, 50FR51992-531, AA38-2, AA38-2- 0736, AA38-2-736	61863:317- 61863:317	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280477	COHEN D J, COHEN V G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/19/1986		50FR51992-00532, 50FR51992-532, AA38-2, AA38-2-0737, AA38-2-737	61863:318-61863:318	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280498	BRAGDON P W, GOVERNOR DUMMER ACADEMY, BYFIELD, MA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/19/1986		50FR51992-00535, 50FR51992-535, AA38-2, AA38-2-0740, AA38-2-740	61863:321-61863:321	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280511	DIEDRICH C J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/19/1986		50FR51992-00536, 50FR51992-536, AA38-2, AA38-2-0741, AA38-2-741	61863:322-61863:322	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280519	COHEN D J, COHEN V G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	09/19/1986		50FR51992-00537, 50FR51992-537, AA38-2, AA38-2-0743, AA38-2-743	61863:324-61863:324	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8610030279	BRAGDON P W, COHEN D J, COHEN V G, DIEDRICH C J, QUINN S M, AFFILIATION NOT ASSIGNED	Package of four comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	09/19/1986	09/19/1986		38083:351-38083:354	PDR:PR-19-50FR51992-860919,PDR:P R//19 50FR51992 860919,CF:SU BJ//L-4-1PT19 860919	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8609300595	TUCKER H B, DUKE POWER CO.	Comments opposing proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re stds for protection against radiation & availability of suppl info. Rules will result in no dose benefits to facility workers.	09/19/1986	09/22/1986	AA38-2, AA38-2-1059, AA38-2-1091	38046:190-38046:192	PDR:PR-19-50FR51992-860919,PDR:PR/19 50FR51992 860919,CF:SU BJ/L-4-1PT19 860919	Publicly Available	3
8610010465	ESPINOSA C, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation. Opposes rule on grounds that raising legal limits for exposure would threaten public safety.	09/20/1986	09/24/1986	AA38-2, AA38-2-1060, AA38-2-1092	38058:195-38058:195	PDR:PR-19-50FR51992-860920,PDR:PR/19 50FR51992 860920,CF:SU BJ/L-4-1PT19 860920	Publicly Available	1
9204280526	HARLAN P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	09/22/1986		50FR51992-00540, 50FR51992-540, AA38-2, AA38-2-0747, AA38-2-747	61863:330-61863:331	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290028	CARY M L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/22/1986		50FR51992-00542, 50FR51992-542, AA38-2, AA38-2-0771, AA38-2-771	61864:070-61864:070	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290069	NEWELL P R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/22/1986		50FR51992-00551, 50FR51992-551, AA38-2, AA38-2-0778, AA38-2-778	61864:081-61864:081	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8610010066	CARY M L, CLAGETT K, HARLAN P, KUSH S B, MORRIS J, AFFILIATION NOT ASSIGNED	Package of five comments in opposition to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	09/22/1986	09/22/1986		38059:324-38059:328	PDR:PR-19-50FR51992-860922,PDR:P R/19 50FR51992 860922,CF:SU BJ/L-4-1PT19 860922	Publicly Available	5
9204290052	MOORE I, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/23/1986		50FR51992-00545, 50FR51992-545, AA38-2, AA38-2-0773, AA38-2-773	61864:072-61864:072	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290095	HOLLAND M F, HOLLAND R T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/23/1986		50FR51992-00557, 50FR51992-557, AA38-2, AA38-2-0784, AA38-2-784	61864:088-61864:088	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8610010322	ALISON L, MOORE F S, REED R P, AFFILIATION NOT ASSIGNED	Package of three comments in opposition to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	09/23/1986	09/23/1986		38053:325-38053:331	PDR:PR-19-50FR51992-860923,PDR:P R/19 50FR51992 860923,CF:SU BJ/L-4-1PT19 860923	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290075	REILLY E H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/24/1986		50FR51992-00553, 50FR51992-553, AA38-2, AA38-2-0780, AA38-2-780	61864:083- 61864:084	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2
9204290099	GIORGI F J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/24/1986		50FR51992-00558, 50FR51992-558, AA38-2, AA38-2-0785, AA38-2-785	61864:089- 61864:089	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290165	GITCHEL B A, GITCHEL M L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/24/1986		50FR51992-00565, 50FR51992-565, AA38-2, AA38-2-0792, AA38-2-792	61864:096- 61864:096	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290065	HILLWHILTON N, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/25/1986		50FR51992-00549, 50FR51992-549, AA38-2, AA38-2-0776, AA38-2-776	61864:079- 61864:079	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
8610010144	BROWN W M, HILLWHILTON N, MARTINIAK A, NEWELL P R, AFFILIATION NOT ASSIGNED	Package of four comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.ICRP limits five times lower than present NRC levels.	09/25/1986	09/25/1986		38059:197- 38059:200	PDR:PR-19- 50FR51992- 860925,PDR:P R/I/19 50FR51992 860925,CF:SU BJ/L-4-1PT19 860925	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290067	BROWN C M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/26/1986		50FR51992-00550, 50FR51992-550, AA38-2, AA38-2-0777, AA38-2-777	61864:080- 61864:080	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290080	BURKE S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/26/1986		50FR51992-00554, 50FR51992-554, AA38-2, AA38-2-0781, AA38-2-781	61864:085- 61864:085	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290102	KARPEN L R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/26/1986		50FR51992-00559, 50FR51992-559, AA38-2, AA38-2-0786, AA38-2-786	61864:090- 61864:090	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290157	ROBERTSON E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/26/1986		50FR51992-00563, 50FR51992-563, AA38-2, AA38-2-0790, AA38-2-790	61864:094- 61864:094	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8610030262	BURKE S, OREILLY E H, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	09/26/1986	09/26/1986		38081:330- 38081:332	PDR:PR-19-50FR51992-860926,PDR:PR/19 50FR51992 860926,CF:SU BJ//L-4-1PT19 860926	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290215	PASFIELD F M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/28/1986		50FR51992-00573, 50FR51992-573, AA38-2, AA38-2-0800, AA38-2-800	61864:109- 61864:110	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290344	WESTFALL R G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/28/1986		50FR51992-00379, 50FR51992-379, AA38-2, AA38-2-0847, AA38-2-847	61864:159- 61864:159	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290083	PRIMO J P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/29/1986		50FR51992-00555, 50FR51992-555, AA38-2, AA38-2-0782, AA38-2-782	61864:086- 61864:086	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290087	PRINCE A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/29/1986		50FR51992-00556, 50FR51992-556, AA38-2, AA38-2-0783, AA38-2-783	61864:087- 61864:087	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290144	SEPULVEDA M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/29/1986		50FR51992-00560, 50FR51992-560, AA38-2, AA38-2-0787, AA38-2-787	61864:091- 61864:091	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290160	GUNSELMAN D J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/29/1986		50FR51992-00564, 50FR51992-564, AA38-2, AA38-2-0791, AA38-2-791	61864:095-61864:095	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290200	VALDINI M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/29/1986		50FR51992-00570, 50FR51992-570, AA38-2, AA38-2-0797, AA38-2-797	61864:103-61864:106	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	4
9204290211	MCKENNEY L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/29/1986		50FR51992-00572, 50FR51992-572, AA38-2, AA38-2-0799, AA38-2-799	61864:108-61864:108	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8610070194	GIORGI F, HOLLAND M F, HOLLAND R T, KARPEN L R, PRIMO J P, PRINCE A, RANYNIS S, RAYNIS P, RAYNIS S, SEPULVEDA M, AFFILIATION NOT ASSIGNED	Package of seven comments in opposition to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	09/29/1986	09/29/1986		38126:113-38126:119	PDR:PR-19-50FR51992-860929,PDR:P R/19 50FR51992 860929,CF:SU BJ//L-4-1PT19 860929	Publicly Available	7
8610080254	MEYER K D, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Public hearing & EIS & study recommended.	09/29/1986	10/03/1986	AA38-2, AA38-2-0801, AA38-2-801	38134:360-38134:360	PDR:PR-19-50FR51992-860929,PDR:P R/19 50FR51992 860929,CF:SU BJ//L-4-1PT19 860929	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290169	SMITHTOWN M W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/30/1986		50FR51992-00566, 50FR51992-566, AA38-2-0793, AA38-2-793	61864:097- 61864:097	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290172	LADRADOR T E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/30/1986		50FR51992-00567, 50FR51992-567, AA38-2, AA38-2- 0794, AA38-2-794	61864:098- 61864:098	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
8610060538	ROBERTSON E, SALITAN L F, AFFILIATION NOT ASSIGNED, CENTER FOR FARM & FOOD RESEARCH, INC.	Package of two comments in opposition to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds of acceptable levels of radiation exposure to workers & public.	09/30/1986	09/30/1986		38098:172- 38098:173	PDR:PR-19- 50FR51992- 860930,PDR:P R/I/19 50FR51992 860930,CF:SU BJ//L-4-1PT19 860930	Publicly Available	2
9204290328	LAFORGE J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/01/1986		50FR51992-00581, 50FR51992-581, AA38-2, AA38-2- 0805, AA38-2-805	61864:114- 61864:114	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290342	ADAMS M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/01/1986		50FR51992-00585, 50FR51992-585, AA38-2-0808, AA38-2-808	61864:117- 61864:118	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610090259	GITCHEL B A, GITCHEL M L, GUNSELMAN D J, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increase to existing stds of exposure.Rule adverse to trend among govt agencies to seek to diminish threat of health-destroying substances.	10/01/1986	10/01/1986	860929-1	38146:248- 38146:249	PDR:PR-19- 50FR51992- 861001,PDR:P R//19 50FR51992 861001,CF:SU BJ//L-4-1PT19 861001	Publicly Available	2
9204290175	EDWARDS F H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/02/1986		50FR51992-00568, 50FR51992-568, AA38-2, AA38-2- 0795, AA38-2-795	61864:099- 61864:099	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8610080028	SAMUELS S W, AFFILIATION NOT ASSIGNED, AFL-CIO	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re extension of mid-Oct deadline to file comments on Part II issues until 861115,concerning proposed stds for protection against radiation.	10/02/1986	10/02/1986		38132:237- 38132:237	PDR:PR-19- 50FR51992- 861002,PDR:P R//19 50FR51992 861002,CF:SU BJ//L-4-1PT19 861002	Publicly Available	1
8610080044	HARMON B, KENNEDY E M, AFFILIATION NOT ASSIGNED, SENATE	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increased exposure limits to nuclear radiation.	10/02/1986	10/02/1986		38132:247- 38132:249	PDR:PR-19- 50FR51992- 861002,PDR:P R//19 50FR51992 861002,CF:SU BJ//L-4-1PT19 861002	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610080153	COCHRAN H, EDWARDS F W, LABRADORE T E, VALDINI M, WIENER M, AFFILIATION NOT ASSIGNED	Package of four comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re changes to radiation protection requirements.	10/02/1986	10/02/1986		38136:250-38136:259	PDR:PR-19-50FR51992-861002,PDR:PR//19 50FR51992 861002,CF:SU BJ//L-4-1PT19 861002	Publicly Available	10
9204290078	SAMUELS S W, AFL-CIO	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/03/1986		50FR51992-00603, 50FR51992-603, AA38-2, AA38-2-0813, AA38-2-813	61864:123-61864:124	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	2
9204290206	YOUNGER P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/03/1986		50FR51992-00571, 50FR51992-571, AA38-2, AA38-2-0798, AA38-2-798	61864:107-61864:107	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1
9204290223	BLACKBERRY B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/03/1986		50FR51992-00575, 50FR51992-575, AA38-2-0802, AA38-2-802	61864:111-61864:111	PDR:PR-2-56FR23360-920225,PDR:PR//2 56FR23360 920225	Publicly Available	1
8610080448	MCKENNEY L, MCKENNY L, PASFIELD F, YOUNGER P, AFFILIATION NOT ASSIGNED	Package of five comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	10/03/1986	10/03/1986		38166:081-38166:085	PDR:PR-19-50FR51992-861003,PDR:PR//19 50FR51992 861003,CF:SU BJ//L-4-1PT19 861003	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280316	MINNIOH N R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/05/1986		50FR51992-00623, 50FR51992-623, AA38-2, AA38-2-0682, AA38-2-682	61863:142- 61863:142	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204280306	POTTS T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/06/1986		50FR51992-00621, 50FR51992-621, AA38-2, AA38-2-0680, AA38-2-680	61863:140- 61863:140	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204280319	RUSSEL S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/06/1986		50FR51992-00624, 50FR51992-624, AA38-2, AA38-2-0683, AA38-2-683	61863:143- 61863:143	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290331	STONE C E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/06/1986		50FR51992-00582, 50FR51992-582, AA38-2-0806, AA38-2-806	61864:115- 61864:115	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204290387	MAIO K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes rule.	10/06/1986		50FR51992-00588, 50FR51992-588, AA38-2, AA38-2-0869, AA38-2-869	61864:201- 61864:201	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290401	GOODE M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Oppose rule.	10/06/1986		50FR51992-00591, 50FR51992-591, AA38-2, AA38-2-0871, AA38-2-871	61864:203-61864:203	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290414	MARTIN C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/06/1986		50FR51992-00593, 50FR51992-593, AA38-2, AA38-2-0873, AA38-2-873	61864:205-61864:205	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290418	HICKMAN J B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/06/1986		50FR51992-00594, 50FR51992-594, AA38-2, AA38-2-0874, AA38-2-874	61864:206-61864:245	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8610100670	HOYT P A, LAFARGE J, STONE C E, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re increase in permissible annual intake of radiation.Proposal cynical reaction to large-scale radiation releases in US & throughout world.	10/06/1986	10/06/1986		38200:204-38200:206	PDR:PR-19-50FR51992-861006,PDR:P R/19 50FR51992 861006,CF:SU BJ//L-4-1PT19 861006	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610100744	OWENS M, AFFILIATION NOT ASSIGNED	Comments approving proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re increase in permissible level of radiation exposure of workers.Issue misrepresented by opponents as means to criticize nuclear energy.	10/06/1986	10/06/1986		38201:074-38201:074	PDR:PR-19-50FR51992-861006,PDR:PR/1950FR51992861006,CF:SU BJ//L-4-1PT19861006	Publicly Available	1
8610100288	, NRC OFFICE OF THE SECRETARY (SECY)	Notifies recipients of proposed rules 10CFR19,20,30,31,32, 34,40,50,61 & 70 of listed corrections to miscoded comments. M Bauman Comment 317 should be Comment 317A.Comment Numbers 255,365 & 508 miscoded & not reusable.	10/06/1986	10/07/1986		38189:100-38189:100	PDR:PR-19-50FR51992-861006,PDR:PR/1950FR51992861006,CF:SU BJ//L-4-1PT19861006	Publicly Available	1
8610200292	KENNEDY W J, ATOMIC INDUSTRIAL FORUM	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Proposed rules not cost-beneficial in terms of dose reduction.Several specific new provisions in proposed rules supported.	10/06/1986	10/07/1986	AA38-2, AA38-2-1064	38302:025-38303:228,38302:025-38303:124	PDR:PR-19-50FR51992-861006,PDR:PR/1950FR51992861006,CF:SU BJ//L-4-1PT19861006	Publicly Available	32

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610150510	GIFT J S, AFFILIATION NOT ASSIGNED	Requests public hearings be held on proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re rev to existing stds of radiation exposure.Issuance of EIS also requested.	10/06/1986	10/09/1986	AA38-2, AA38-2-0902, AA38-2-902	38252:074-38252:074	PDR:PR-19-50FR51992-861006,PDR:P R/19 50FR51992 861006,CF:SU BJ//L-4-1PT19 861006	Publicly Available	1
9204290093	GERBER J, SCHULTZ L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/07/1986		50FR51992-00604, 50FR51992-604, AA38-2, AA38-2-0814, AA38-2-814	61864:125-61864:125	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290202	STAPLETON J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/07/1986		50FR51992-00645, 50FR51992-645, AA38-2, AA38-2-0836, AA38-2-836	61864:148-61864:148	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290225	STAPLETON S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/07/1986		50FR51992-00657, 50FR51992-657, AA38-2, AA38-2-0840, AA38-2-840	61864:152-61864:152	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290230	STAPLETON J T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/07/1986		50FR51992-00658, 50FR51992-658, AA38-2, AA38-2-0841, AA38-2-841	61864:153-61864:153	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290237	OWENS M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/07/1986		50FR51992-00580, 50FR51992-580, AA38-2, AA38-2-0804, AA38-2-804	61864:113-61864:113	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8610160036	SNIECKI J, SUIECKI J, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70.Public hearing & environ impact study requested.	10/07/1986	10/09/1986		38271:123-38271:123	PDR:PR-19-50FR51992-861007,PDR:PR/19 50FR51992 861007,CF:SU BJ//L-4-1PT19 861007	Publicly Available	1
9204290375	BERG W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/08/1986		50FR51992-00586, 50FR51992-586, AA38-2, AA38-2-0809, AA38-2-809	61864:119-61864:119	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8610100523	ADAMS M, BERG R, BERG W, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds of radiation exposure allowed for workers & general public.	10/08/1986	10/08/1986		38198:286-38198:288	PDR:PR-19-50FR51992-861008,PDR:PR/19 50FR51992 861008,CF:SU BJ//L-4-1PT19 861008	Publicly Available	3
9204270404	VERMONT K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/09/1986		50FR51992-00666, 50FR51992-666, AA38-2, AA38-2-0589, AA38-2-589	61862:307-61862:310	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280309	YOUNG F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/09/1986		50FR51992-00622, 50FR51992-622, AA38-2, AA38-2-0681, AA38-2-681	61863:141-61863:141	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290380	SUIECKI J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/09/1986		50FR51992-00587, 50FR51992-587, AA38-2, AA38-2-0810, AA38-2-810	61864:120-61864:120	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290395	PEDERSEN A, PEDERSEN G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/09/1986		50FR51992-00590, 50FR51992-590, AA38-2, AA38-2-0870, AA38-2-870	61864:202-61864:202	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290409	OWEN B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/09/1986		50FR51992-00596, 50FR51992-596, AA38-2, AA38-2-0864, AA38-2-864	61864:195-61864:195	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290420	JOHNSON E, JOHNSON R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/09/1986		50FR51992-00598, 50FR51992-598, AA38-2, AA38-2-0866, AA38-2-866	61864:197-61864:197	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610150501	BRENNER R A, GOODE M S, MAIO K, PEDERSEN A, PEDERSEN G, AFFILIATION NOT ASSIGNED	Package of four comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re proposed rev to existing stds of radiation exposure allowable for workers & general public.	10/09/1986	10/09/1986		38252:077- 38252:080	PDR:PR-19-50FR51992-861009,PDR:PR/19 50FR51992-861009,CF:SU BJ/L-4-1PT19 861009	Publicly Available	4
9204150206	LOSKE K R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation. Opposes rule change & NRC attitude to public & urges NRC to withdraw proposed radiation stds.	10/09/1986	11/10/1986	50FR51992-00778, 50FR51992-778, AA38-2-0303, AA38-2-303	61860:135- 61860:135	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360-920225	Publicly Available	1
9204280241	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation. Opposes rule.	10/10/1986		50FR51992-00610, 50FR51992-610, AA38-2, AA38-2-0669, AA38-2-669	61863:129- 61863:129	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360-920225	Publicly Available	1
9204290273	ROSE W T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/10/1986		50FR51992-00663, 50FR51992-663, AA38-2, AA38-2-0845, AA38-2-845	61864:157- 61864:157	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360-920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290405	SKIBBEE J R, SKIBBEE P L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/10/1986		50FR51992-00595, 50FR51992-595, AA38-2, AA38-2-0863, AA38-2-863	61864:194- 61864:194	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8610150362	HICKMAN J B, MARTIN C, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increasing permissible intake of radiation.Requests that public hearings be held prior to any change in existing stds.	10/10/1986	10/10/1986		38251:137- 38251:138	PDR:PR-19- 50FR51992- 861010,PDR:P R/19 50FR51992 861010,CF:SU BJ/L-4-1PT19 861010	Publicly Available	2
9204280301	WILL R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/11/1986		50FR51992-00620, 50FR51992-620, AA38-2, AA38-2-0679, AA38-2-679	61863:139- 61863:139	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290209	HORNUNG T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/11/1986		50FR51992-00646, 50FR51992-646, AA38-2, AA38-2-0837, AA38-2-837	61864:149- 61864:149	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610210100	NEMETHY E, ECOLOGY/ALERT	Corrects figures on deaths from heart disease re 860429 comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 on stds for protection against radiation.	10/11/1986	10/14/1986		38306:036-38306:036	PDR:PR-19-50FR51992-861011,PDR:PR/19 50FR51992 861011,CF:SU BJ/L-4-1PT19 861011	Publicly Available	1
9204280248	BRODY M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/12/1986		50FR51992-00611, 50FR51992-611, AA38-2-0670, AA38-2-670	61863:130-61863:130	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280280	SHUKLA S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/12/1986		50FR51992-00616, 50FR51992-616, AA38-2, AA38-2-0675, AA38-2-675	61863:135-61863:135	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280289	GIBBS V, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/12/1986		50FR51992-00618, 50FR51992-618, AA38-2, AA38-2-0677, AA38-2-677	61863:137-61863:137	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280293	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/12/1986		50FR51992-00619, 50FR51992-619, AA38-2, AA38-2-0678, AA38-2-678	61863:138-61863:138	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290096	WILL D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/12/1986		50FR51992-00605, 50FR51992-605, AA38-2, AA38-2-0815, AA38-2-815	61864:126-61864:126	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204290101	HALBERG G P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/12/1986		50FR51992-00606, 50FR51992-606, AA38-2, AA38-2-0816, AA38-2-816	61864:127-61864:127	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204270398	COLLINS L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/13/1986		50FR51992-00665, 50FR51992-665, AA38-2, AA38-2-0588, AA38-2-588	61862:306-61862:306	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204280460	WILLIAMS T P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/13/1986		50FR51992-00629, 50FR51992-629, AA38-2, AA38-2-0688, AA38-2-688	61863:148-61863:148	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1
9204280466	SEAGRAVES S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/13/1986		50FR51992-00630, 50FR51992-630, AA38-2, AA38-2-0689, AA38-2-689	61863:149-61863:149	PDR:PR-2-56FR23360-920225,PDR:P R/I2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610270173	GOOLD A, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re revs in existing stds of radiation exposure for workers & general public.Public hearings essential for health issue.	10/13/1986	10/17/1986	AA38-2, AA38-2-0901, AA38-2-901	38360:214-38360:214	PDR:PR-19-50FR51992-861013,PDR:P R//19 50FR51992 861013,CF:SU BJ//L-4-1PT19 861013	Publicly Available	1
8610300268	MOTTS F C, AMERICAN INDUSTRIAL HYGIENE ASSOCIATION	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	10/13/1986	10/24/1986		38404:348-38404:356	PDR:PR-19-50FR51992-861013,PDR:P R//19 50FR51992 861013,CF:SU BJ//L-4-1PT19 861013	Publicly Available	9
9204270409	GREGG D R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00667, 50FR51992-667, AA38-2, AA38-2-0590, AA38-2-590	61862:311-61862:311	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280142	BATTUNG M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/14/1986		50FR51992-00740, 50FR51992-740, AA38-2, AA38-2-0660, AA38-2-660	61863:119-61863:119	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280159	URGENTO L L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/14/1986		50FR51992-00743, 50FR51992-743, AA38-2, AA38-2-0663, AA38-2-663	61863:122-61863:122	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280162	MOON B P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Opposes any increase in acceptable radiation exposure.	10/14/1986		50FR51992-00722, 50FR51992-722, AA38-2-0617, AA38-2-617	61862:358-61862:358	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280167	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/14/1986		50FR51992-00744, 50FR51992-744, AA38-2, AA38-2-0664, AA38-2-664	61863:123-61863:123	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280177	MCINTYRE J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00745, 50FR51992-745, AA38-2, AA38-2-0665, AA38-2-665	61863:124-61863:124	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280479	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/14/1986		50FR51992-00631, 50FR51992-631, AA38-2-0690, AA38-2-690	61863:150-61863:150	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280509	NIKKILA A M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00632, 50FR51992-632, AA38-2, AA38-2-0691, AA38-2-691	61863:151-61863:151	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280515	SPRUNG B L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/14/1986		50FR51992-00633, 50FR51992-633, AA38-2-0692, AA38-2-692	61863:152-61863:152	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290132	MCCULLOM J, MCCULLOM W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00634, 50FR51992-634, AA38-2, AA38-2-0819, AA38-2-819	61864:130-61864:130	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290221	, CONCERNED CITIZENS OF GEAUGA COUNTY, OH	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00656, 50FR51992-656, AA38-2, AA38-2-0839, AA38-2-839	61864:151-61864:151	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290232	BURLING G W, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00659, 50FR51992-659, AA38-2, AA38-2-0842, AA38-2-842	61864:154-61864:154	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290238	COLANDRA A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00660, 50FR51992-660, AA38-2, AA38-2-0843, AA38-2-843	61864:155-61864:155	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290265	LEWANSKI J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/14/1986		50FR51992-00655, 50FR51992-655, AA38-2, AA38-2-0834, AA38-2-834	61864:145-61864:145	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8610270162	HOPKINS R H, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re increasing acceptable radiation levels.Public hearings & EIS essential before relaxing or lowering radiation exposure stds.	10/14/1986	10/17/1986	AA38-2, AA38-2-0897, AA38-2-897	38362:070-38362:070	PDR:PR-19-50FR51992-861014,PDR:P R/19 50FR51992 861014,CF:SU BJ/L-4-1PT19 861014	Publicly Available	1
9204270421	BELL E K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00668, 50FR51992-668, AA38-2, AA38-2-0591, AA38-2-591	61862:312-61862:313	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204280156	FENNER C R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00721, 50FR51992-721, AA38-2-0616, AA38-2-616	61862:357-61862:357	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280227	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00609, 50FR51992-609, AA38-2, AA38-2-0668, AA38-2-668	61863:128-61863:128	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280254	WORTH E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00612, 50FR51992-612, AA38-2, AA38-2-0671, AA38-2-671	61863:131-61863:131	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280263	MEEHAN T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00613, 50FR51992-613, AA38-2, AA38-2-0672, AA38-2-672	61863:132-61863:132	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280270	WELL J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00614, 50FR51992-614, AA38-2, AA38-2-0673, AA38-2-673	61863:133-61863:133	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280275	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00615, 50FR51992-615, AA38-2, AA38-2-0674, AA38-2-674	61863:134-61863:134	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280284	ANDERSON D V, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00617, 50FR51992-617, AA38-2, AA38-2-0676, AA38-2-676	61863:136-61863:136	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290051	SWEENEY E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00601, 50FR51992-601, AA38-2, AA38-2-0811, AA38-2-811	61864:121-61864:121	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290056	SWEENEY C J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00602, 50FR51992-602, AA38-2, AA38-2-0812, AA38-2-812	61864:122-61864:122	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290105	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00607, 50FR51992-607, AA38-2, AA38-2-0817, AA38-2-817	61864:128-61864:128	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290117	CHRISTIANO T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00608, 50FR51992-608, AA38-2, AA38-2-0818, AA38-2-818	61864:129-61864:129	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290136	WELLMAN G A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00635, 50FR51992-635, AA38-2, AA38-2-0820, AA38-2-820	61864:131-61864:131	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290138	WELLMAN C S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00636, 50FR51992-636, AA38-2, AA38-2-0821, AA38-2-821	61864:132- 61864:132	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290195	ZEIGLER M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/15/1986		50FR51992-00644, 50FR51992-644, AA38-2, AA38-2-0835, AA38-2-835	61864:146- 61864:146	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290413	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00597, 50FR51992-597, AA38-2, AA38-2-0865, AA38-2-865	61864:196- 61864:196	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290425	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00599, 50FR51992-599, AA38-2, AA38-2-0867, AA38-2-867	61864:199- 61864:199	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290431	LORD W S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/15/1986		50FR51992-00600, 50FR51992-600, AA38-2, AA38-2-0868, AA38-2-868	61864:200- 61864:200	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610210195	ANDERSON V, BRODY M, CHRISTIANO T, FIELD D, GERBER J, GIBBS V, HALBERG G P, HERSCHER A, JOHNSON E, JOHNSON R, LORD W S, MAYERS G, MEEHAN T, MINNIOH N R, MISPIKIN B, NEEHAN T, OWEN B, POTTS T, RUSSELL N, SAMUELS S W, SCHULTZ L, SHUKLE S, SKIBBEE J R, SKIBBEE P L, SWEENEY C J, SWEENEY E A, TRUSSELL R R, WALL J, WILL D, WILL R, WORTH E, YOUNG F, AFFILIATION NOT ASSIGNED	Package of 30 comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increase in permissible radiation exposure.	10/15/1986	10/15/1986		38306:134- 38306:165	PDR:PR-19- 50FR51992- 861015,PDR:P R//19 50FR51992 861015,CF:SU BJ//L-4-1PT19 861015	Publicly Available	32
9204270492	GARCIA L J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/16/1986		50FR51992-00680, 50FR51992-680, AA38-2, AA38-2- 0601, AA38-2-601	61862:323- 61862:323	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280039	MCENROE C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Oppose any increase in acceptable radiation exposure.	10/16/1986		50FR51992-00711, 50FR51992-711, AA38-2-0609, AA38- 2-609	61862:331- 61862:331	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280419	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/16/1986		50FR51992-00625, 50FR51992-625, AA38-2, AA38-2-0684, AA38-2-684	61863:144-61863:144	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280452	KALFUL, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/16/1986		50FR51992-00627, 50FR51992-627, AA38-2, AA38-2-0686, AA38-2-686	61863:146-61863:146	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280456	ATKINSON M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/16/1986		50FR51992-00628, 50FR51992-628, AA38-2, AA38-2-0687, AA38-2-687	61863:147-61863:147	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8610210331	ATKINSON M, DRESCHER R, MCINTIOSH S, MCINTOSH S, SEAGRAVES S, WILLIAMS T P, AFFILIATION NOT ASSIGNED	Package of six comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	10/16/1986	10/16/1986		38314:128-38314:133	PDR:PR-19-50FR51992-861016,PDR:P R//19 50FR51992 861016,CF:SU BJ//L-4-1PT19 861016	Publicly Available	6
8610240076	STRANGE A, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re revs to radiation exposure stds.Public hearings & EIS urged.	10/16/1986	10/20/1986	AA38-2, AA38-2-0896, AA38-2-896	38346:163-38346:163	PDR:PR-19-50FR51992-861016,PDR:P R//19 50FR51992 861016,CF:SU BJ//L-4-1PT19 861016	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270528	SCIANGULA T L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00688, 50FR51992-688, AA38-2, AA38-2-0607, AA38-2-607	61862:329-61862:329	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270533	BERT B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00689, 50FR51992-689, AA38-2, AA38-2-0608, AA38-2-608	61862:330-61862:330	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280038	BERT, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00690, 50FR51992-690, AA38-2, AA38-2-0635, AA38-2-635	61863:023-61863:023	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280047	FRANCIS D L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00691, 50FR51992-691, AA38-2, AA38-2-0636, AA38-2-636	61863:024-61863:024	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280095	FRANCIS B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00692, 50FR51992-692, AA38-2, AA38-2-0637, AA38-2-637	61863:025-61863:025	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280186	BERT G J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00701, 50FR51992-701, AA38-2, AA38-2-0646, AA38-2-646	61863:038-61863:038	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280433	DRESCHER R, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/17/1986		50FR51992-00626, 50FR51992-626, AA38-2, AA38-2-0685, AA38-2-685	61863:145-61863:145	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290140	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/17/1986		50FR51992-00637, 50FR51992-637, AA38-2, AA38-2-0822, AA38-2-822	61864:133-61864:133	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290145	DALTO C A, SUAN S K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00638, 50FR51992-638, AA38-2, AA38-2-0823, AA38-2-823	61864:134-61864:134	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204290152	SIMKINS A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00639, 50FR51992-639, AA38-2, AA38-2-0824, AA38-2-824	61864:135-61864:135	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290184	TURNER G, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00640, 50FR51992-640, AA38-2, AA38-2-0825, AA38-2-825	61864:136-61864:136	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290186	LAPPIN B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00641, 50FR51992-641, AA38-2, AA38-2-0826, AA38-2-826	61864:137-61864:137	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204290190	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/17/1986		50FR51992-00642, 50FR51992-642, AA38-2, AA38-2-0827, AA38-2-827	61864:138-61864:138	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8610270182	HJORNUNG T, HORNUNG T, LAPPIN B, MCCULLAM J, MCMULLAM W, NIKKILA A M, SIMKINS A A, SPRUNGL B L, STAPLETON J, SWAN S K, TURNER G, WELLMAN C S, WELLMAN G A, ZIEGLER M, ZINS M, AFFILIATION NOT ASSIGNED	Package of 15 comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increasing internal exposure levels of radiation.	10/17/1986	10/17/1986		38361:305-38361:319	PDR:PR-19-50FR51992-861017,PDR:P R/19 50FR51992 861017,CF:SU BJ//L-4-1PT19 861017	Publicly Available	15

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8610240034	LODDE G M, GENERAL PUBLIC UTILITIES CORP.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Radiation protection for workers should be improved by establishing lifetime dose-equivalent limit.	10/17/1986	10/21/1986		38346:106-38346:129	PDR:PR-19-50FR51992-861017,PDR:PR/19 50FR51992 861017,CF:SU BJ//L-4-1PT19 861017	Publicly Available	24
8610300414	BERRY K W, CONSUMERS ENERGY CO. (FORMERLY CONSUMERS POWER CO.),	Comments of proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re backfit analysis for radiation protection stds. Expected benefits of reduced health risk & dose reduction to workers would be minimal.	10/17/1986	10/22/1986	AA38-2, AA38-2-1067	38411:220-38411:222	PDR:PR-19-50FR51992-861017,PDR:PR/19 50FR51992 861017,CF:SU BJ//L-4-1PT19 861017	Publicly Available	3
9204270441	HICKMAN J H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	10/18/1986		50FR51992-00671, 50FR51992-671, AA38-2, AA38-2-0593, AA38-2-593	61862:315-61862:315	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8612110219	STEWART W L, VIRGINIA POWER (VIRGINIA ELECTRIC & POWER CO.)	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Cost for implementation of proposed rules not commensurate w/ projected benefits.Endorses comments of AIF & EEI.	10/18/1986	11/20/1986	86-066, 86-66, AA38-2, AA38-2-0329, AA38-2-329	38935:213-38935:228	PDR:PR-19-50FR51992-861018,PDR:PR/19 50FR51992 861018,CF:SU BJ//L-4-1PT19 861018	Publicly Available	16
9204290212	LININHAN T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	10/20/1986		50FR51992-00648, 50FR51992-648, AA38-2, AA38-2-0838, AA38-2-838	61864:150-61864:150	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290218	OBRIEN A, STONE E F, STONE J B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	10/20/1986		50FR51992-00649, 50FR51992-649, AA38-2, AA38-2-0828, AA38-2-828	61864:139-61864:139	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290227	MOSS K, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	10/20/1986		50FR51992-00650, 50FR51992-650, AA38-2, AA38-2-0829, AA38-2-829	61864:140-61864:140	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290235	RUNNION M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/20/1986		50FR51992-00651, 50FR51992-651, AA38-2, AA38-2-0830, AA38-2-830	61864:141-61864:141	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290244	FOX H A, FOX J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/20/1986		50FR51992-00652, 50FR51992-652, AA38-2, AA38-2-0831, AA38-2-831	61864:142-61864:142	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290247	BOERRIGTER E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/20/1986		50FR51992-00661, 50FR51992-661, AA38-2, AA38-2-0844, AA38-2-844	61864:156-61864:156	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290252	ONEIL R A, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/20/1986		50FR51992-00653, 50FR51992-653, AA38-2, AA38-2-0832, AA38-2-832	61864:143-61864:143	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204290258	ONEIL F E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/20/1986		50FR51992-00654, 50FR51992-654, AA38-2, AA38-2-0833, AA38-2-833	61864:144-61864:144	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204290283	AVERY, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/20/1986		50FR51992-00664, 50FR51992-664, AA38-2, AA38-2-0846, AA38-2-846	61864:158-61864:158	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8610240110	AVERY, BOERRIGTER E, BURLING G W, CALANDRA A, COLLINS L, LEWANSKI J, LINNIHAN T, MOSS K, OBRIEN A, ONEIL R A, ROSE W T, RUNNION M, STAPLETON J T, STAPLETON S, STONE E, VERMONT K, AFFILIATION NOT ASSIGNED, CONCERNED CITIZENS OF GEAUGA COUNTY, OH, STETSON UNIVERSITY COALITION FOR SOCIAL RESPONSIBILT	Package of 18 comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re rev to radiation exposure stds.	10/20/1986	10/20/1986		38346:132-38346:153	PDR:PR-19-50FR51992-861020,PDR:PR/19 50FR51992 861020,CF:SU BJ//L-4-1PT19 861020	Publicly Available	22
8612100507	HENDRICKSON V, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation std.Opposes rules.	10/20/1986	10/23/1986	AA38-2, AA38-2-1068	38925:070-38925:071	PDR:PR-19-50FR51992-861020,PDR:PR/19 50FR51992 861020,CF:SU BJ//L-4-1PT19 861020	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611100019	DARRIGO D, NUCLEAR INFORMATION & RESOURCE SERVICE	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection stds.EIS & hearings on rule discussed.	10/20/1986	11/03/1986	AA38-2, AA38-2-1142	38526:295-38526:295	PDR:PR-19-50FR51992-861028,PDR:PR/19 50FR51992 861028	Publicly Available	1
9204270498	GOODEN H, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/21/1986		50FR51992-00681, 50FR51992-681, AA38-2, AA38-2-0602, AA38-2-602	61862:324-61862:324	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270504	WHITE D, MAINE LABOR GROUP ON HEALTH, INC.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/21/1986		50FR51992-00682, 50FR51992-682, AA38-2, AA38-2-0603, AA38-2-603	61862:325-61862:325	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204270523	HAWKINS J S, HAWKINS T F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	10/21/1986		50FR51992-00687, 50FR51992-687, AA38-2, AA38-2-0606, AA38-2-606	61862:328-61862:328	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280174	TOLAN J H, AFFILIATION NOT ASSIGNED, MISSOURI, UNIV. OF, COLUMBIA, MO	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/21/1986		50FR51992-00699, 50FR51992-699, AA38-2, AA38-2-0644, AA38-2-644	61863:035-61863:036	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204130204	WOODY C O, FLORIDA POWER & LIGHT CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Significant training of NRC staff & inspectors must be conducted to provide consistency in interpretation of rule.	10/21/1986		50FR51992-00749, 50FR51992-749, AA38-2-0272, AA38-2-272, L-86-445	61859:301- 61859:303	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
8610240045	BELL E K, BELL W R, GREGG D R, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increased acceptable radiation exposure.	10/21/1986	10/21/1986		38346:103- 38346:105	PDR:PR-19- 50FR51992- 861021,PDR:P R//19 50FR51992 861021,CF:SU BJ//L-4-1PT19 861021	Publicly Available	3
9204270434	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/22/1986		50FR51992-00670, 50FR51992-670, AA38-2, AA38-2- 0592, AA38-2-592	61862:314- 61862:314	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280128	COLEMAN B D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/22/1986		50FR51992-00696, 50FR51992-696, AA38-2, AA38-2- 0641, AA38-2-641	61863:029- 61863:030	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280258	LAUSON N P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/22/1986		50FR51992-00709, 50FR51992-709, AA38-2, AA38-2-0723, AA38-2-723	61863:188-61863:188	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204210136	POLICH J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/22/1986		50FR51992-00789, 50FR51992-789, AA38-2-0315, AA38-2-315	61860:187-61860:187	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8610300387	BOWMAN B, COLENY S, DALTON F, DEAR T M, HICKMAN J H, WILLIAMS M A, WILLIAMS T L, AFFILIATION NOT ASSIGNED	Package of three comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Basis for defining radiation risk unacceptable. Rule blatantly disregards humanity entirely.	10/22/1986	10/22/1986		38409:230-38409:232	PDR:PR-19-50FR51992-861022,PDR:PR/19 50FR51992 861022,CF:SU BJ//L-4-1PT19 861022	Publicly Available	3
8611130084	ORTLIEB D W, INTERNATIONAL CHEMICAL WORKERS UNION	Requests public hearing on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protections against radiation.	10/22/1986	11/05/1986	AA38-2, AA38-2-0292, AA38-2-292	38566:137-38566:137	PDR:PR-19-50FR51992-861022,PDR:PR/19 50FR51992 861022,CF:SU BJ//L-4-1PT19 861022	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270462	OLDAK B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00674, 50FR51992-674, AA38-2, AA38-2-0595, AA38-2-595	61862:317-61862:317	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270464	LEONARD N B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00675, 50FR51992-675, AA38-2, AA38-2-0596, AA38-2-596	61862:318-61862:318	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270474	CARNWALT M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00676, 50FR51992-676, AA38-2, AA38-2-0597, AA38-2-597	61862:319-61862:319	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270478	BOUCHER B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00677, 50FR51992-677, AA38-2, AA38-2-0598, AA38-2-598	61862:320-61862:320	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204270485	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00678, 50FR51992-678, AA38-2, AA38-2-0599, AA38-2-599	61862:321-61862:321	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204270489	BLUM M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00679, 50FR51992-679, AA38-2, AA38-2-0600, AA38-2-600	61862:322- 61862:322	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280106	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00693, 50FR51992-693, AA38-2, AA38-2-0638, AA38-2-638	61863:026- 61863:026	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280119	MCLAUGHLIN C L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule:	10/23/1986		50FR51992-00695, 50FR51992-695, AA38-2, AA38-2-0640, AA38-2-640	61863:028- 61863:028	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280136	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/23/1986		50FR51992-00697, 50FR51992-697, AA38-2, AA38-2-0642, AA38-2-642	61863:031- 61863:032	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204280144	JOHNSON P E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/23/1986		50FR51992-00698, 50FR51992-698, AA38-2, AA38-2-0643, AA38-2-643	61863:033- 61863:034	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280245	FARRAR D L, COMMONWEALTH EDISON CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/23/1986		50FR51992-00708, 50FR51992-708, AA38-2, AA38-2- 0651, AA38-2-651	61863:055- 61863:058	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
8610310274	BLUM M, BOUCHER B, CARNWATH M, GARCIA L J, GOODEN H, LEONARD L B, LISABBE J C, OLDAK B, STIFTAR E, WHITE D, AFFILIATION NOT ASSIGNED	Package of 10 comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increased acceptable radiation exposure stds.	10/23/1986	10/23/1986		38418:200- 38418:209	PDR:PR-19- 50FR51992- 861023,PDR:P R//19 50FR51992 861023,CF:SU BJ//L-4-1PT19 861023	Publicly Available	10
9204270510	HAWLEY H G, HAWLEY P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/24/1986		50FR51992-00684, 50FR51992-684, AA38-2, AA38-2- 0604, AA38-2-604	61862:326- 61862:326	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204270521	HUNTINGTON D, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/24/1986		50FR51992-00685, 50FR51992-685, AA38-2, AA38-2- 0605, AA38-2-605	61862:327- 61862:327	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8610300309	HAWLEY H G, HAWLEY P, HUNTINGTON D, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re increase of permissible annual intake of radiation.	10/24/1986	10/24/1986		38409:331- 38409:332	PDR:PR-19- 50FR51992- 861024,PDR:P R//19 50FR51992 861024,CF:SU BJ//L-4-1PT19 861024	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280197	VAN SICKLE M C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/25/1986		50FR51992-00704, 50FR51992-704, AA38-2, AA38-2-0647, AA38-2-647	61863:039-61863:039	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204130252	HIGHTOWER J, TEXAS, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Proposed rules will provide subsidy to nuclear industry at expense of public health, environ & economic concerns.	10/25/1986		50FR51992-00747, 50FR51992-747, AA38-2-0274, AA38-2-274	61859:308-61859:309	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	2
8611040258	RING D F, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation. Requests public hearings on tightening stds of radiation now being released. EIS should be issued.	10/25/1986	10/30/1986	AA38-2, AA38-2-1084	38465:269-38465:269	PDR:PR-19-50FR51992-861025,PDR:PR/19 50FR51992 861025,CF:SU BJ/L-4-1PT19 861025	Publicly Available	1
9204280229	WILL L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/26/1986		50FR51992-00706, 50FR51992-706, AA38-2, AA38-2-0649, AA38-2-649	61863:041-61863:041	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280112	FERLAZZO S C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/27/1986		50FR51992-00694, 50FR51992-694, AA38-2, AA38-2-0639, AA38-2-639	61863:027- 61863:027	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204280152	BURNS M F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/27/1986		50FR51992-00742, 50FR51992-742, AA38-2, AA38-2-0662, AA38-2-662	61863:121- 61863:121	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204280178	BARATELLI P N, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/27/1986		50FR51992-00700, 50FR51992-700, AA38-2, AA38-2-0645, AA38-2-645	61863:037- 61863:037	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204280226	ISELEN C, U.S. POSTAL SERVICE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/27/1986		50FR51992-00705, 50FR51992-705, AA38-2, AA38-2-0648, AA38-2-648	61863:040- 61863:040	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	1
9204280238	SCHADT W W, AFFILIATION NOT ASSIGNED, GEORGETOWN UNIV. MEDICAL CENTER, WASHINGTON, DC	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/27/1986		50FR51992-00707, 50FR51992-707, AA38-2, AA38-2-0650, AA38-2-650	61863:042- 61863:054	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	13

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280262	ANDERSON B, ANDERSON T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/27/1986		50FR51992-00710, 50FR51992-710, AA38-2, AA38-2-0724, AA38-2-724	61863:189- 61863:189	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8610300296	DARRIGO D, NUCLEAR INFORMATION & RESOURCE SERVICE	Comments on proposed rule 10CFR2 re de minimus concept concerning radwaste below regulatory concern.Rule opposed due to use of vague & arbitrary language for unsubstantiated risk assumptions.	10/27/1986	10/27/1986	AA38-2, AA38-2-0035, AA38-2-35	38409:322- 38409:322	PDR:PR-2- 51FR30839- 861027,PDR:P R//2 51FR30839 861027,CF:SU BJ//L-4-1PT2 861027	Publicly Available	1
8611030415	AXELSON N, BARATELLI M E, BARATELLI P N, BERT B I, BERT G J, BERT I, BLOCH F W, COLEMAN B D, FERLAZZO S C, FRANCIS B L, FRANCIS D L, HAWKINS J, HAWKINS T F, JOHNSON P E, MCLAUGHLIN C L, SCIANGULA T L, TOLAN J H, AFFILIATION NOT ASSIGNED, MISSOURI, UNIV. OF, COLUMBIA, MO	Package of 15 comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	10/27/1986	10/27/1986		38448:338- 38448:356	PDR:PR-19- 50FR51992- 861027,PDR:P R//19 50FR51992 861027,CF:SU BJ//L-4-1PT19 861027	Publicly Available	19

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611040242	JOHNSRUD J H, ENVIRONMENTAL COALITION ON NUCLEAR POWER	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Requests public comment period be extended another 60 days & NRC hold full adjudicatory hearings on issue of de minimis policy.	10/27/1986	10/30/1986	AA38-2, AA38-2-1083	38464:042-38464:042	PDR:PR-19-50FR51992-861027,PDR:PR/19 50FR51992 861027,CF:SU BJ//L-4-1PT19 861027	Publicly Available	1
9204270454	DEAR T M, WILLIAMS M A, WILLIAMS T L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/28/1986		50FR51992-00672, 50FR51992-672, AA38-2, AA38-2-0594, AA38-2-594	61862:316-61862:316	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
9204280085	SEMINARIO M, AFFILIATION NOT ASSIGNED, AFL-CIO	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/28/1986		50FR51992-00716, 50FR51992-716, AA38-2, AA38-2-0611, AA38-2-611	61862:334-61862:341	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	8
9204280118	SCHNELL D F, UNION ELECTRIC CO.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/28/1986		50FR51992-00735, 50FR51992-735, AA38-2, AA38-2-0657, AA38-2-657, ULNRC-1396	61863:100-61863:116	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	17

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280145	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	10/28/1986		50FR51992-00720, 50FR51992-720, AA38-2-0615, AA38-2-615	61862:356-61862:356	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204130234	JOHNSRUD J H, ENVIRONMENTAL COALITION ON NUCLEAR POWER	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Urges Commission to withdraw proposed changes in radiation protection stds.	10/28/1986		50FR51992-00750, 50FR51992-750, AA38-2-0273, AA38-2-273	61859:304-61859:307	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	4
9204130315	KOBER R W, ROCHESTER GAS & ELECTRIC CORP.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Proposed rules will not provide substantial increase in overall protection of public health & safety.	10/28/1986		50FR51992-00753, 50FR51992-753, AA38-2-0277, AA38-2-277	61859:321-61859:327	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	7
8611050059	BOGGS L A, AMERICAN MINING CONGRESS	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re radiation protection stds.Deviation from current sys unwarranted.	10/28/1986	10/28/1986	AA38-2-1069	38486:094-38487:247	PDR:PR//19 50FR51992 861028,CF:SU BJ//L-4-1PT19 861028	Non-Publicly Available	15

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611040249	OLEARY C J, AFL-CIO	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.NRC should hold public hearings on proposed rules & develop EIS which addresses long-term hazards to workers.	10/28/1986	10/30/1986	AA38-2, AA38-2-1082	38464:047-38464:047	PDR:PR-19-50FR51992-861028,PDR:P R//19 50FR51992 861028,CF:SU BJ//L-4-1PT19 861028	Publicly Available	1
8611040293	SEMINARIO M, AFL-CIO	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Current proposal should be withdrawn & alternative std proposed which will result in significant reduction in radiation exposures.	10/28/1986	10/30/1986		38460:342-38460:349	PDR:PR-19-50FR51992-861028,PDR:P R//19 50FR51992 861028,CF:SU BJ//L-4-1PT19 861028	Publicly Available	5
8611100008	DARRIGO D D, NUCLEAR INFORMATION & RESOURCE SERVICE	Forwards comments on proposed rules 10CFR19,20,30,31,3 2,34, 40,50,61 & 70 re radiation stds.EIS & hearings on rule suggested.	10/28/1986	11/03/1986	AA38-2, AA38-2-1081	38526:294-38526:295	PDR:PR-19-50FR51992-861028,PDR:P R//19 50FR51992 861028,CF:SU BJ//L-4-1PT19 861028	Publicly Available	1
9204150018	EVANS D J, SENATE	Forwards H Hawley & P Hawley 861017 ltr re plans to review current NRC regulations governing radiation exposure for workers.	10/28/1986	11/04/1986	AA38-2-0286, AA38-2-286	61860:041-61860:044	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	4

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204150045	STYLES M M, AFFILIATION NOT ASSIGNED, AMERICAN NURSES' ASSOCIATION, INC.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes NRC proposal to increase std for acceptable radiation exposure & urges that public hearing be held & EIS prepared.	10/28/1986	11/04/1986	50FR51992-00763, 50FR51992-763, AA38-2-0287, AA38-2-287	61860:045-61860:046	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204280130	MOORE V, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/29/1986		50FR51992-00738, 50FR51992-738, AA38-2, AA38-2-0658, AA38-2-658	61863:117-61863:117	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204130187	ANDREWS R L, OMAHA PUBLIC POWER DISTRICT	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Draft backfit analysis inadequate to justify proposed rev to part 20 for same reason stated by Commissioner Roberts.	10/29/1986		50FR51992-00748, 50FR51992-748, AA38-2-0271, AA38-2-271, LIC-86-545	61859:299-61859:300	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611040271	FARRAR D L, ISELEN C, SCHADT W W, AFFILIATION NOT ASSIGNED, COMMONWEALTH EDISON CO.	Package of three comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50,61 & 70 re backfit analysis. Analysis does not provide detailed comparison of costs & benefits necessary for implementing principal decision making.	10/29/1986	10/29/1986		38457:343-38457:358	PDR:PR-19-50FR51992-861029,PDR:PR/19 50FR51992 861029,CF:SU BJ//L-4-1PT19 861029	Publicly Available	16
8611040334	VAN SICKLE M, WILL L, AFFILIATION NOT ASSIGNED	Package of two comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re rev of existing stds for radioactive exposure for workers & general public. Public hearing should be held.	10/29/1986	10/29/1986		38461:017-38461:018	PDR:PR-19-50FR51992-861029,PDR:PR/19 50FR51992 861029,CF:SU BJ//L-4-1PT19 861029	Publicly Available	2
8611070247	ANDREWS R L, OMAHA PUBLIC POWER DISTRICT	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation. Draft backfit analysis inadequate to justify proposed rev to Part 20.	10/29/1986	11/03/1986	LIC-86-545	38522:324-38522:325	PDR:PR-19-50FR51992-861029,PDR:PR/19 50FR51992 861029,CF:SU BJ//L-4-1PT19 861029	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611070346	COUNCIL W G, TEXAS UTILITIES ELECTRIC CO. (TU ELECTRIC)	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation. De minimus concept should be included.	10/29/1986	11/03/1986	TXX-4908	38523:241-38523:245	PDR:PR-19-50FR51992-861029,PDR:PR/1950FR51992861029,CF:SU BJ//L-4-1PT19861029	Publicly Available	5
8611100012	LANGHORST S M, MISSOURI, UNIV. OF, COLUMBIA, MO	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection, per 860509 ltr & telcon w/J Foulke. Interest re how to implement economically feasible improvement in radiation protection expressed.	10/29/1986	11/03/1986		38526:280-38526:280	PDR:PR-19-50FR51992-861029,PDR:PR/1950FR51992861029,CF:SU BJ//L-4-1PT19861029	Publicly Available	1
9204130341	COUNCIL W G, TEXAS UTILITIES ELECTRIC CO. (TU ELECTRIC)	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation. Util strongly supports need for use of de minimis levels of radiation or radioactive matls.	10/29/1986	11/03/1986	50FR51992-00756, 50FR51992-756, AA38-2-0280, AA38-2-280, TXX-4908	61860:019-61860:023	PDR:PR-2-56FR23360-920225,PDR:PR/256FR23360920225	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611180305	MISBRENER J M, OIL, CHEMICAL & ATOMIC WORKERS INTERNATIONAL UNION	Comments opposing proposed rules 10CFR19,20,30,31,3 2,34,40, 50,61 & 70 re stds for protection against radiation.Changes would result in deregulation of nuclear industry at expense of industry employees & general public.	10/29/1986	11/13/1986	AA38-2, AA38-2- 0319, AA38-2-319	38628:001- 38628:006	PDR:PR-19- 50FR51992- 861029,PDR:P R//19 50FR51992 861029,CF:SU BJ//L-4-1PT19 861029	Publicly Available	6
9204280086	EDWARDS D W, YANKEE ATOMIC ELECTRIC CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00732, 50FR51992-732, AA38-2, AA38-2- 0655, AA38-2-655, FYC-86-014, FYC- 86-14, GLA-86-215	61863:075- 61863:082	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	8
9204280108	AUTHUR M A, HARDY I, PALMER R C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00717, 50FR51992-717, AA38-2-0612, AA38- 2-612	61862:342- 61862:345	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	4
9204280134	DUNN J, LEEK K, WALSH I, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00718, 50FR51992-718, AA38-2, AA38-2- 0613, AA38-2-613	61862:346- 61862:352	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	7
9204280140	BROWN P T, SUSAN T, TAYLOR R F, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00719, 50FR51992-719, AA38-2, AA38-2- 0614, AA38-2-614	61862:353- 61862:355	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280211	MASON C, AMERICAN LUNG ASSOCIATION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00724, 50FR51992-724, AA38-2, AA38-2-0619, AA38-2-619	61862:360-61862:360	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9204280233	ANDERSON N, AFFILIATION NOT ASSIGNED, MAINE, STATE OF	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00725, 50FR51992-725, AA38-2, AA38-2-0620, AA38-2-620	61863:001-61863:002	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
9204280295	WEGST W F, AFFILIATION NOT ASSIGNED, CALIFORNIA, UNIV. OF, LOS ANGELES, CA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00726, 50FR51992-726, AA38-2, AA38-2-0621, AA38-2-621	61863:003-61863:004	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	2
8611130459	WIGGINS B S, INTERNATIONAL CHEMICAL WORKERS UNION	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Public hearing & EIS requested.	10/30/1986			38572:356-38572:357	PDR:PR-19-50FR51992-861030,PDR:P R//19 50FR51992 861030,CF:SU BJ//L-4-1PT19 861030	Publicly Available	2
9204130310	SAMUALS S W, AFL-CIO	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Proposal increases risk of exposure to ionizing radiation of nuclear workers & NRC ought to withdraw proposal.	10/30/1986		50FR51992-00752, 50FR51992-752, AA38-2-0276, AA38-2-276	61859:314-61859:320	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	7

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204130334	WRIGHT M J, UNITED STEELWORKERS OF AMERICA	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Urges Commission to withdraw proposal & replace proposal w/one which lowers dose limits to workers & general public.	10/30/1986		50FR51992-00755, 50FR51992-755, AA38-2-0279, AA38-2-279	61859:333-61860:018	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	44
9204290337	HOYT P, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/30/1986		50FR51992-00583, AA38-2, AA38-2-0807	61864:116-61864:116	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8611040269	ANDERSON B, ANDERSON T, ARTHUR M A, BECKHOFF C, DUNN J, HARDY I, LEEK K, MCENROE C, NELSON J M, PALMER R C, PLAUSON N, AFFILIATION NOT ASSIGNED, SOUTH DAKOTA, STATE OF	Package of six comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation.	10/30/1986	10/30/1986		38461:062-38461:077	PDR:PR-19-50FR51992-861030,PDR:P R//19 50FR51992 861030,CF:SU BJ//L-4-1PT19 861030	Publicly Available	16

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611040303	SANACORE R, AMERICAN NUCLEAR INSURERS	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70. Info & guidance contained in ICRP Repts 26,30 & 32 supporting incorporation of risk-based dose limitation sys widely accepted for controlling personnel exposures.	10/30/1986	10/31/1986	AA38-2, AA38-2-1085	38464:209-38464:210	PDR:PR-19-50FR51992-861030,PDR:PR/19 50FR51992 861030,CF:SU BJ//L-4-1PT19 861030	Publicly Available	2
8611100003	ASMUSSEN K E, GENERAL ATOMICS (FORMERLY GA TECHNOLOGIES, INC./GENER	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection.No reason to conclude that proposed rev will result in increase in overall protection of public health & safety nor costs justified.	10/30/1986	11/03/1986	GEN-9073	38526:277-38526:279	PDR:PR-19-50FR51992-861030,PDR:PR/19 50FR51992 861030,CF:SU BJ//L-4-1PT19 861030	Publicly Available	3
9204130352	ASMUSSEN K E, GENERAL ATOMICS (FORMERLY GA TECHNOLOGIES, INC./GENER	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Proposed amends not needed & will not perceptibly serve public health & safety.	10/30/1986	11/03/1986	50FR51992-00757, 50FR51992-757, AA38-2-0281, AA38-2-281, GEN-9073	61860:024-61860:026	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	3
9204280063	KEARNEY J J, EDISON ELECTRIC INSTITUTE	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00729, 50FR51992-729, AA38-2, AA38-2-0652, AA38-2-652	61863:059-61863:063	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	5

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280069	BARON M, EYLER N, GULICK L, ACCORD RESEARCH & EDUCATIONAL ASSOCIATES, INC.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00730, 50FR51992-730, AA38-2, AA38-2-0653, AA38-2-653	61863:064-61863:067	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	4
9204280078	CURRAN D, UNION OF CONCERNED SCIENTISTS	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00731, 50FR51992-731, AA38-2, AA38-2-0654, AA38-2-654	61863:068-61863:074	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	7
9204280100	COOLING R, SIPLER R, STARK C, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00733, 50FR51992-733, AA38-2, AA38-2-0656, AA38-2-656	61863:083-61863:099	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	18
9204280138	HIGHTT S L, OHIO CITIZENS FOR RESPONSIBLE ENERGY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00739, 50FR51992-739, AA38-2, AA38-2-0659, AA38-2-659	61863:118-61863:118	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204280191	JOHNSON B, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00723, 50FR51992-723, AA38-2, AA38-2-0618, AA38-2-618	61862:359-61862:359	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204130301	TIERNAN J A, BALTIMORE GAS & ELECTRIC CO.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Backfit analysis for proposed rules does not adequately assesss potential impact on exposure to radiation workers.	10/31/1986		50FR51992-00751, 50FR51992-751, AA38-2-0275, AA38-2-275	61859:310- 61859:313	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	4
9204130327	ORTLIEB D W, INTERNATIONAL CHEMICAL WORKERS UNION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Proposal changes method of computing radiation dose exposures but does not improve radiation protection stds for exposure.	10/31/1986		50FR51992-00754, 50FR51992-754, AA38-2-0278, AA38-2-278	61859:328- 61859:332	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	5
9204210046	DWORKIN H J, AMERICAN COLLEGE OF NUCLEAR PHYSICIANS	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00785, 50FR51992-785, AA38-2-0310, AA38-2-310	61860:145- 61860:154	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	4
9204210091	THORPE J R, GENERAL PUBLIC UTILITIES CORP.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00787, 50FR51992-787, AA38-2-0313, AA38-2-313	61860:155- 61860:186	PDR:PR-2- 56FR23360- 920225,PDR:P R/I/2 56FR23360 920225	Publicly Available	16

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204210144	OCONNOR A, INTERNATIONAL ASSOCIATION OF MACHINISTS & AEROSPACE	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	10/31/1986		50FR51992-00790, 50FR51992-790, AA38-2-0316, AA38- 2-316	61860:188- 61860:192	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	5
8611040329	WINSLOW T P, GENERAL ELECTRIC CO.	Comments supporting proposed rules 10CFR19,20,30,31,3 2,34, 40,50,61 & 70 re stds for protection against radiation. Advances made by ICRP & embraced by NRC also endorsed by NCRP & consistent w/federal policy under EPA.	10/31/1986	10/31/1986	AA38-2, AA38-2- 1086	38470:119- 38470:138	PDR:PR-19- 50FR51992- 861031,PDR:P R//19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	20

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611040369	ANDERSON N, BARON M, CAPIELLO C, COOLING R, CUGELL D W, CURRAN D, DARRIGO D, EDWARDS D W, EYLER N, FENNER C R, FRANCESCHINI R, GULICK L, HIGHTOWER J, JOHNSON B, KEARNEY J J, MASON C, MOON B P, PICCIONI R, SCHNELL D F, SIPLER R, STANKO C, SUSAN J, TAYLOR R F, WEGST W F, ACCORD RESEARCH & EDUCATIONAL ASSOCIATES, INC., AFFILIATION NOT ASSIGNED, AMERICAN LUNG ASSOCIATION, CALIFORNIA, UNIV. OF, LOS ANGELES, CA, EDISON ELECTRIC INSTITUTE, HARMON & WEISS, MAINE, STATE OF, NUCLEAR INFORMATION & RESOURCE SERVICE, TEXAS, STATE OF, UNION ELECTRIC CO., UNION OF CONCERNED SCIENTISTS, YANKEE ATOMIC ELECTRIC CO.	Package of 16 public comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.NRC should impose rigorous limits to reduce,not increase,limits of radiation exposure.	10/31/1986	10/31/1986		38478:158-38478:238	PDR:PR-19-50FR51992-861031,PDR:PR/19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	81

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611100033	COWAN B Z, REYNOLDS N S, ATOMIC INDUSTRIAL FORUM, NUCLEAR UTILITY BACKFITTING & REFORM GROUP	Comments opposing draft backfitting analysis on proposed revs to proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70. Backfitting rule valuable as Commission tool for assuring regulatory stability & should not be modified.	10/31/1986	10/31/1986	AA38-2, AA38-2-1087	38524:276- 38524:283	PDR:PR-19-50FR51992-861031,PDR:PR/19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	8
8611070236	HIATT S L, OHIO CITIZENS FOR RESPONSIBLE ENERGY	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re application of backfit rule.Part of rule applying to "evident defects & limitations" should be repealed to remedy problem.	10/31/1986	11/03/1986		38523:135- 38523:135	PDR:PR-19-50FR51992-861031,PDR:PR/19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	1
8611070287	WOODY C O, FLORIDA POWER & LIGHT CO.	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Concurs that some rev to current Part 20 appropriate,but disagrees on extent of rev proposed.	10/31/1986	11/03/1986	L-86-445	38522:258- 38522:260	PDR:PR-19-50FR51992-861031,PDR:PR/19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611120195	MEYERS S, ENVIRONMENTAL PROTECTION AGENCY, FEDERAL EMERGENCY MANAGEMENT AGENCY	Comments supporting proposed rules 10CFR19,20,30,31,3 2,34, 40,50,61 & 70 re stds for protection against radiation.	10/31/1986	11/04/1986	AA38-2, AA38-2- 0291, AA38-2-291	38566:070- 38566:080	PDR:PR-19- 50FR51992- 861031,PDR:P R/19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	11
9204150006	SANDERSON R E, ENVIRONMENTAL PROTECTION AGENCY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Supports objective of proposal to update radiation protection stds for licensees of NRC.	10/31/1986	11/04/1986	50FR51992-00769, 50FR51992-769, AA38-2-0283, AA38- 2-283	61860:030- 61860:038	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	9
9204150010	ISELIN C, NEW ENGLAND COALITION ON NUCLEAR POLLUTION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Public demands that environ impact studies & open hearing precedes std change.	10/31/1986	11/04/1986	50FR51992-00759, 50FR51992-759, AA38-2-0284, AA38- 2-284	61860:039- 61860:040	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204150056	ASMUSSEN K E, GENERAL ATOMICS (FORMERLY GA TECHNOLOGIES, INC./GENER	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Implementation of proposed regulations would have unique impact on GA as mfg of U & thorium fuels for HTGRs.	10/31/1986	11/04/1986	50FR51992-00764, 50FR51992-764, AA38-2-0288, AA38- 2-288, GEN-9074	61860:047- 61860:050	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	4
9204150077	SIMPSON E C, FLORIDA POWER CORP.	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Recommends that scope of proposed rule be limited to listed areas.	10/31/1986	11/04/1986	50FR51992-00768, 50FR51992-768, AA38-2-0290, AA38- 2-290	61860:056- 61860:101	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	12
8611120138	LASH T R, ILLINOIS, STATE OF	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.	10/31/1986	11/05/1986	AA38-2, AA38-2- 0293, AA38-2-293	38564:115- 38564:121	PDR:PR-19- 50FR51992- 861031,PDR:P R//19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	7
8611120171	BRONS J C, POWER AUTHORITY OF THE STATE OF NEW YORK (NEW YORK	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Supports comments by AIF.	10/31/1986	11/05/1986	AA38-2, AA38-2- 0294, AA38-2-294, IPN-86-55, JPN-86- 51	38567:204- 38567:217	PDR:PR-19- 50FR51992- 861031,PDR:P R//19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	14

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204150143	SORENSEN G C, WASHINGTON PUBLIC POWER SUPPLY SYSTEM	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Backfit analysis does not justify costs of implementation & proposed protection of public health & safety not increased.	10/31/1986	11/06/1986	50FR51992-00772, 50FR51992-772, AA38-2-0297, AA38-2-297	61860:124-61860:127	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	4
9204150149	MARTINO F D, SEDAM S H, OHIO/OSHA ENVIRONMENTAL NETWORK	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Urges NRC to withdraw proposal & alternatively propose std which will result in significant reduction in exposures.	10/31/1986	11/06/1986	50FR51992-00774, 50FR51992-774, AA38-2-0298, AA38-2-298	61860:128-61860:128	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8611120194	OPEKA J F, CONNECTICUT YANKEE ATOMIC POWER CO., NORTHEAST NUCLEAR ENERGY CO., NORTHEAST UTILITIES	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Backfit rule should pertain to all NRC rulemaking.	10/31/1986	11/07/1986	B12309	38564:111-38564:113	PDR:PR-19-50FR51992-861031,PDR:P R//19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204150167	OPEKA J F, CONNECTICUT YANKEE ATOMIC POWER CO., NORTHEAST NUCLEAR ENERGY CO., NORTHEAST UTILITIES	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Strongly urges Commission not to promulgate final rule.	10/31/1986	11/07/1986	50FR51992-00774, 50FR51992-774, AA38-2-0299, AA38- 2-299, B12309	61860:129- 61860:132	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
8611180336	FOSTER D E, INTERNATIONAL CHEMICAL WORKERS UNION	Endorses positions outlined in encl ltr on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for radiation protection.	10/31/1986	11/10/1986	AA38-2, AA38-2- 0311, AA38-2-311.	38632:102- 38632:107	PDR:PR-19- 50FR51992- 861031,PDR:P R//19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	1
8611180349	ORTLIEB D W, INTERNATIONAL CHEMICAL WORKERS UNION	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for radiation protection.Rules opposed because allowable radiation exposure to individuals would be increased.	10/31/1986	11/10/1986	AA38-2, AA38-2- 0312, AA38-2-312	38632:103- 38632:107	PDR:PR-19- 50FR51992- 861031,PDR:P R//19 50FR51992 861031	Publicly Available	5
9204150247	MITTL R L, PUBLIC SERVICE ELECTRIC & GAS CO. OF NEW JERSEY	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation. Disallowance for protection factors for sorbent cartridges not appropriate.	10/31/1986	11/10/1986	50FR51992-00782, 50FR51992-782, AA38-2-0307, AA38- 2-307	61860:139- 61860:140	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611180214	OCONNOR A L, AFFILIATION NOT ASSIGNED, AFL-CIO	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Requests public hearing on proposed rules.	10/31/1986	11/14/1986	AA38-2, AA38-2-0320, AA38-2-320	38627:127-38627:127	PDR:PR-19-50FR51992-861031,PDR:P R//19 50FR51992 861031,CF:SU BJ//L-4-1PT19 861031	Publicly Available	1
9204150065	KURTZ E F, ABB IMPELL CORP. (FORMERLY IMPELL CORP.)	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation. Commission urged to reject argument that backfit rule should be suspended for rulemaking.	11/01/1986	11/04/1986	50FR51992-00765, 50FR51992-765, AA38-2-0289, AA38-2-289	61860:051-61860:055	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	5
8611120156	JOHNSON E P, JOHNSON R S, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for levels of radiation.Independent study of const of Seabrook plant requested due to loss of confidence in NRC.	11/01/1986	11/05/1986	AA38-2, AA38-2-0295, AA38-2-295	38564:114-38564:114	PDR:PR-19-50FR51992-861101,PDR:P R//19 50FR51992 861101,CF:SU BJ//L-4-1PT19 861101	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611120148	JOHNSRUD J H, ENVIRONMENTAL COALITION ON NUCLEAR POWER	Submits addendum & correction to comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70, "Stds for Protection Against Radiation." Typo found on Page 3,Section 6,Paragraph 3,Lines 8 & 9.Lines should read as stated.	11/01/1986	11/06/1986		38563:310- 38563:310	PDR:PR-19- 50FR51992- 861101,PDR:P R//19 50FR51992 861101,CF:SU BJ//L-4-1PT19 861101	Publicly Available	1
9204150243	FULCHER J E, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Requests that public hearing be held & that EIS be issued.	11/01/1986	11/10/1986	50FR51992-00781, 50FR51992-781, AA38-2-0306, AA38- 2-306	61860:138- 61860:138	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
8611180282	BROWN N G, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,21,34,40,50,61 & 70 re limits of radiation exposure & public participation in licensing hearings.Reform of NRC urged.	11/02/1986	11/05/1986	AA38-2, AA38-2- 0300, AA38-2-300	38625:347- 38625:347	PDR:PR-19- 50FR51992- 861102,PDR:P R//19 50FR51992 861102,CF:SU BJ//L-4-1PT19 861102	Publicly Available	1
9204280192	LYOM T, NIEHILLES J, VOLPICELL J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	11/03/1986		50FR51992-00746, 50FR51992-746, AA38-2, AA38-2- 0667, AA38-2-667	61863:126- 61863:127	PDR:PR-2- 56FR23360- 920225,PDR:P R//2 56FR23360 920225	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611070296	JOHNSRUD J H, KOBBER R W, ORTLIEB D W, SAMUELS S W, TIERNAN J A, WRIGHT M J, AFL- CIO, BALTIMORE GAS & ELECTRIC CO., ENVIRONMENTAL COALITION ON NUCLEAR POWER, INTERNATIONAL CHEMICAL WORKERS UNION, ROCHESTER GAS & ELECTRIC CORP., UNITED STEELWORKERS OF AMERICA	Package of six comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re stds for protection against radiation. Research in progress may affect basic assumptions on which current stds founded.	11/03/1986	11/03/1986		38521:197- 38521:268	PDR:PR-19- 50FR51992- 861103,PDR:P R//19 50FR51992 861103,CF:SU BJ//L-4-1PT19 861103	Publicly Available	72
8611100043	ARGENTO L L, BATTUNG M, BURNS M F, BYRD L E, HARTNETT S, HIGHTOWER J, JOLLEY K, LYON T, MCINTYRE J, MOORE V B, PIERCE J, POLONSKY M, VOLPICELLI J, AFFILIATION NOT ASSIGNED, TEXAS, STATE OF	Package of ten comments opposing proposed rules 10CFR19,20, 30,31,32,34,40,50,61 & 70 re radiation protection stds.	11/03/1986	11/03/1986		38526:177- 38526:189	PDR:PR-19- 50FR51992- 861103,PDR:P R//19 50FR51992 861103,CF:SU BJ//L-4-1PT19 861103	Publicly Available	13

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204150003	BENNETT K N, PIERCE J, CITIZENS ACTION FOR SAFE ENVIRONMENT	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Demands public hearing on proposed rules & that EIS be done on proposed rules.	11/03/1986	11/03/1986	50FR51992-00758, 50FR51992-758, AA38-2-0282, AA38- 2-282	61860:027- 61860:028	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	2
9204210315	MORAWETZ J S, INTERNATIONAL MOLDERS & ALLIED WORKERS UNION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	11/04/1986		50FR51992-00800, 50FR51992-800, AA38-2-0326, AA38- 2-326	61860:261- 61860:261	PDR:PR-2- 56FR23360- 920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
8611140059	MORAWETZ J S, INTERNATIONAL MOLDERS & ALLIED WORKERS UNION	Comments opposing proposed rules 10CFR19,20,30,31,3 2,34,40, 50,61 & 70 re stds for protection against radiation.NRC should rescind current proposal & adopt opposite approach to assure decrease,not increase,in incidence of exposures.	11/04/1986			38576:221- 38576:222	PDR:PR-19- 50FR51992- 8611104,PDR:P R/19 50FR51992 8611104,CF:SU BJ//L-4-1PT19 8611104	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611120157	ASMUSSEN K E, EVANS D J, HAWLEY H, HAWLEY P, ISELIN C, KURTZ E F, SIMPSON E C, STILIS B C, STYLES M M, ABB IMPELL CORP. (FORMERLY IMPELL CORP.), AFFILIATION NOT ASSIGNED, FLORIDA POWER CORP., GENERAL ATOMICS (FORMERLY GA TECHNOLOGIES, INC./GENER, NEW ENGLAND COALITION ON NUCLEAR POLLUTION, SENATE	Package of seven comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re stds for protection against radiation.	11/04/1986	11/04/1986	AA38-2, AA38-2-0285, AA38-2-285	38566:087-38566:115	PDR:PR-19-50FR51992-861104,PDR:P R/19 50FR51992 861104,CF:SU BJ//L-4-1PT19 861104	Publicly Available	30
9204210321	LEVINE J, INTERNATIONAL MOLDERS & ALLIED WORKERS UNION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	11/05/1986		50FR51992-00801, 50FR51992-801, AA38-2-0327, AA38-2-327	61860:262-61860:262	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204150122	CHRISTENSEN E, REICHER D W, AFFILIATION NOT ASSIGNED, NATURAL RESOURCES DEFENSE COUNCIL	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.NRC low level radiation stds,as proposed,do not reflect current state of knowledge in health physics.	11/05/1986	11/06/1986	50FR51992-00771, 50FR51992-771, AA38-2-0296, AA38-2-296	61860:102-61860:123	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	22

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204280146	HARTNETT S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule.	11/06/1986		50FR51992-00741, 50FR51992-741, AA38-2-0661, AA38-2-661	61863:120-61863:120	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8611120183	MARTINO F D, REICHER D W, SEDAM S H, SORENSEN G C, NATURAL RESOURCES DEFENSE COUNCIL, OHIO/OSHA ENVIRONMENTAL NETWORK, WASHINGTON. PUBLIC POWER SUPPLY SYSTEM	Package of three comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70, "Stds for Protection Against Radiation."	11/06/1986	11/06/1986		38562:312-38562:338	PDR:PR-19-50FR51992-861106,PDR:PR/19 50FR51992 861106,CF:SU BJ//L-4-1PT19 861106	Publicly Available	27
9204150177	PERRY M K, INTERNATIONAL CHEMICAL WORKERS UNION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Urges NRC to withdraw proposal & alternatively propose std which will result in significant reduction in exposures.	11/06/1986	11/10/1986	50FR51992-00776, 50FR51992-776, AA38-2-0301, AA38-2-301	61860:133-61860:133	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611180242	GUCWA L T, GEORGIA POWER CO.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Proposed rev premature.Opposes rules.	11/06/1986	11/14/1986	4365A, AA38-2, AA38-2-0322, AA38-2-322, SL-11124, SL-1124	38627:237-38627:251	PDR:PR-19-50FR51992-861106,PDR:PR/19 50FR51992 861106,CF:SU BJ//L-4-1PT19 861106	Publicly Available	15
8611180313	SILVER S R, NEW JERSEY, STATE OF	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation exposure.Urges NRC to revise proposed revs to adequately protect workers & to fully consider environ effect of proposed regulations in EIS.	11/06/1986	11/14/1986	AA38-2, AA38-2-0321, AA38-2-321	38628:007-38628:025	PDR:PR-19-50FR51992-861106,PDR:PR/19 50FR51992 861106,CF:SU BJ//L-4-1PT19 861106	Publicly Available	19
9204210182	KILLAR F M, MIDDLE SOUTH SERVICE, INC.	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	11/07/1986		50FR51992-00791, 50FR51992-791, AA38-2-0317, AA38-2-317	61860:193-61860:242	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	4
8611180287	DOBRZENIECK T, AFFILIATION NOT ASSIGNED	Comments opposing proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re relaxing restrictions on radiation exposure from nuclear plants.NRC should protect public.	11/08/1986	11/13/1986	AA38-2, AA38-2-0318, AA38-2-318	38627:350-38627:350	PDR:PR-19-50FR51992-861108,PDR:PR/19 50FR51992 861108,CF:SU BJ//L-4-1PT19 861108	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8611180219	DWORKIN H J, MARTINEZ J, MILTENBERGER R, MITTL R L, WILLIAMS J, AFFILIATION NOT ASSIGNED, AMERICAN COLLEGE OF NUCLEAR PHYSICIANS, PUBLIC SERVICE ELECTRIC & GAS CO. OF NEW JERSEY, TOLEDO EDISON CO.	Package of four comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection. Benefits do not justify substantial costs.	11/10/1986	11/10/1986		38627:128-38627:137	PDR:PR-19-50FR51992-861110,PDR:PR/19 50FR51992 861110,CF:SU BJ//L-4-1PT19 861110	Publicly Available	10
8611180239	BOUDREAUX G V, COHEN J J, FULCHER J E, GINGRICH N, KOESTER G L, LOSKE K R, PERRY M K, THORPE J R, WEBB R, AFFILIATION NOT ASSIGNED, EMDMDFUL, GENERAL PUBLIC UTILITIES CORP., INTERNATIONAL CHEMICAL WORKERS UNION, KANSAS GAS & ELECTRIC CO.	Package of eight comments opposing proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for radiation protection.Rule will not be effective if changes based primarily on qualitative arguments.	11/10/1986	11/10/1986	AA38-2, AA38-2-0314, AA38-2-314, JRT-86-200, KMLNRC-86-202	38627:194-38627:231	PDR:PR-19-50FR51992-861110,PDR:PR/19 50FR51992 861110,CF:SU BJ//L-4-1PT19 861110	Publicly Available	38

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204150205	WEBB T, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule change & NRC attitude to public & urges NRC to withdraw proposed radiation stds.	11/10/1986	11/10/1986	50FR51992-00777, 50FR51992-777, AA38-2-0302, AA38-2-302	61860:134-61860:134	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204150221	COHEN J J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes rule change & NRC attitude to public & urges NRC to withdraw proposed radiation stds.	11/10/1986	11/10/1986	50FR51992-00779, 50FR51992-779, AA38-2-0304, AA38-2-304	61860:136-61860:136	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1
9204150229	, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.Opposes any increase in acceptable levels of radiation exposure.	11/10/1986	11/10/1986	50FR51992-00780, 50FR51992-780, AA38-2-0305, AA38-2-305	61860:137-61860:137	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8612110221	KRAMER F E, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR2,19,20,30,31, 32,34,40,50,61 & 70 re stds for protection against radiation & proposed changes in intervenor status in license hearings.Requests that independent study be made of Seabrook plant.	11/11/1986	11/17/1986	AA38-2, AA38-2-0325, AA38-2-325	38935:236-38935:236	PDR:PR-2-51FR24365-861111,PDR:P R/2 51FR24365 861111,CF:SU BJ//L-4-1PT19 861111	Publicly Available	1
8611180268	KILLAR F M, OCONNOR A, POLICH J, AFFILIATION NOT ASSIGNED, INTERNATIONAL ASSOCIATION OF MACHINISTS & AEROSPACE, MIDDLE SOUTH SERVICES, INC.	Package of three comments opposing proposed rules 10CFR19, 20,30,31,32,34,40,50 ,61 & 70 re stds for protection against radiation.	11/12/1986	11/12/1986		38630:299-38630:308	PDR:PR-19-50FR51992-861112,PDR:P R/19 50FR51992 861112,CF:SU BJ//L-4-1PT19 861112	Publicly Available	10
9204210276	VILLFORTH J C, FOOD & DRUG ADMINISTRATION	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	11/13/1986		50FR51992-00797, 50FR51992-797, AA38-2-0323, AA38-2-323	61860:243-61860:255	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	13
9204210300	DALTROFF S L, PECO ENERGY CO., (FORMERLY PHILADELPHIA ELECTRIC	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	11/13/1986		50FR51992-00798, 50FR51992-798, AA38-2-0324, AA38-2-324	61860:256-61860:260	PDR:PR-2-56FR23360-920225,PDR:P R/2 56FR23360 920225	Publicly Available	3

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9204210328	MANN E M, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.	11/16/1986		50FR51992-00802, 50FR51992-802, AA38-2-0328, AA38-2-328	61860:263-61860:311	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1
8612100318	DALTROFF S L, VILLFORTH J C, HEALTH & HUMAN SERVICES, DEPT. OF, U.S. PUBLIC HEALTH, PECO ENERGY CO., (FORMERLY PHILADELPHIA ELECTRIC	Package of two comments supporting proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re updating stds for protection against radiation.	11/17/1986	11/17/1986		38925:272-38925:284	PDR:PR-19-50FR51992-861117,PDR:PR/19 50FR51992 861117,CF:SU BJ//L-4-1PT19 861117	Publicly Available	13
8612110195	SNOWE O J, HOUSE OF REP.	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re stds for protection against radiation.Recommends public hearing so all aspects of proposal may be discussed & explored.	11/17/1986	12/02/1986	AA38-2, AA38-2-0331, AA38-2-331	38931:167-38931:167	PDR:PR-19-50FR51992-861117,PDR:PR/19 50FR51992 861117,CF:SU BJ//L-4-1PT19 861117	Publicly Available	1
8612110227	LEVINE J, MORAWETZ J S, INTERNATIONAL CHEMICAL WORKERS UNION, INTERNATIONAL MOLDERS & ALLIED WORKERS UNION	Package of two comments requesting public hearing on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection stds.Philosophical basis of permissible exposure limits fundamentally flawed & addl concerns exist.	11/18/1986	11/18/1986		38931:039-38931:040	PDR:PR-19-50FR51992-861118,PDR:PR/19 50FR51992 861118,CF:SU BJ//L-4-1PT19 861118	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8612110251	BARON M, EYLER N, GULICK L, MANN E M, PICCIONI R, ACCORD RESEARCH & EDUCATIONAL ASSOCIATES, INC., AFFILIATION NOT ASSIGNED	Package of two comments requesting further study of proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re acceptable radiation protection stds.	11/19/1986	11/19/1986	AA38-2, AA38-2-0330, AA38-2-330	38931:041-38931:048	PDR:PR-19-50FR51992-861119,PDR:PR//19 50FR51992 861119,CF:SU BJ//L-4-1PT19 861119	Publicly Available	8
8701120153	REYNOLDS H, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re NRC plan to raise acceptable radiation exposure stds. Opposes rules.Evidence exists that cumulative radiation doses do cause cancer.	12/05/1986	12/12/1986	AA38-2, AA38-2-0332, AA38-2-331, AA38-2-332	39246:130-39246:130	PDR:PR-19-50FR51992-861205,PDR:PR//19 50FR51992 861205,CF:SU BJ//L-4-1PT19 861205	Publicly Available	1
8701120209	GELFAND R W, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re stds for protection against radiation.Opposes rules & general attitude of NRC in serving public.	12/31/1986	01/07/1987	AA38-2, AA38-2-0333, AA38-2-332, AA38-2-333	39241:328-39241:328	PDR:PR-19-50FR51992-861231,PDR:PR//19 50FR51992 861231,CF:SU BJ//L-4-1PT19 861231	Publicly Available	1
8701120197	MITCHELL P R, AFFILIATION NOT ASSIGNED	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re low level radiation exposure stds for nuclear workers & general public.Opposes rules.	01/05/1987	01/08/1987	AA38-2, AA38-2-0334, AA38-2-333, AA38-2-334	39241:317-39241:318	PDR:PR-19-50FR51992-870105,PDR:PR//19 50FR51992 870105,CF:SU BJ//L-4-1PT19 870105	Publicly Available	2

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8702040046	GRIDLEY R L, TENNESSEE VALLEY AUTHORITY	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70, "Std for Protection Against Radiation." Rules opposed.	01/20/1987	01/27/1987	AA38-2, AA38-2-0336, AA38-2-335, AA38-2-336	39498:118-39498:126	PDR:PR-19-51FR51992-870120,PDR:P R//19 51FR51992 870120,CF:SU BJ//L-4-1PT19 870120	Publicly Available	9
8704280416	REAGAN R, PRESIDENT OF U.S. & EXECUTIVE OFFICES	"Radiation Protection Guidance to Federal Agencies for Occupational Exposure," published in Vol 52, Number 17 of FR.	01/27/1987			40714:163-40714:176	PDR:PR-19-50FR51992-870127,PDR:P R//19 50FR51992 870127	Publicly Available	14
8703110035	POSTON J W, TEXAS A&M UNIV., COLLEGE STATION, TX	Comments on proposed rules 10CFR19,20,30,31,3 2,34,40,50,61 & 70 re draft backfit analysis. Proposed revs not completely accurate & addl effort required to properly translate intl recommendations into federal regulations.	02/23/1987	03/06/1987	AA38-2, AA38-2-0337, AA38-2-337	39963:351-39963:352	PDR:PR-19-50FR51992-870223,PDR:P R//19 50FR51992 870223,CF:SU BJ//L-4-1PT19 870223	Publicly Available	2
8704160003	PETERSON H, NRC	Forwards presidential guidance on occupational radiation protection for revs to 10CFR19,20,30,31,3 2,34,40,50,61 & 70.	04/14/1987			40556:214-40556:227	PDR:PR-19-50FR51992-870414,PDR:P R//19 50FR51992 870414	Publicly Available	14

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8704240224	BURKE S, AFFILIATION NOT ASSIGNED	Comment opposing proposed rules 10CFR19,20,30,31,32,34,40, 50,61 & 70 re radiation protection. Suggests that evacuation zone for Seabrook should not be reduced.	04/16/1987	04/20/1987	AA38-2, AA38-2-0338, AA38-2-338	40669:001-40669:004	PDR:PR-19-50FR51992-870416,PDR:PR/19 50FR51992 870416	Publicly Available	4
8706160671	PETERSON H T, NRC OFFICE OF NUCLEAR REGULATORY RESEARCH (RES)	Responds to 870508 request for info on NRC rulemaking proceedings,10CFR20 re stds for protection against radiation & 10CFR140,Subpart E concerning criteria for extraordinary nuclear occurrences.Public comment period ended.	05/21/1987			41382:322-41382:322	PDR:PR-19-50FR51992-870521,PDR:PR/19 50FR51992 870521	Publicly Available	1
8707070409	KENNEDY W J, ATOMIC INDUSTRIAL FORUM	Comments on proposed rules 10CFR19,20,30,31,32,34,40,50,61 & 70 re radiation protection guidance to federal agencies for occupational exposure.Consistent & well understood guidelines necessary to protect health & safety of workers.	06/19/1987	06/25/1987	AA38-2, AA38-2-0055, AA38-2-55	41604:307-41604:317	PDR:PR-19-50FR51992-870619,PDR:PR/19 50FR51992 870619,CF:SU BJ/L-4-1PT19 870619	Publicly Available	11
9204290057	ALISON L, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/14/1987		50FR51992-00546, 50FR51992-546, AA38-2, AA38-2-0774, AA38-2-774	61864:073-61864:073	PDR:PR-2-56FR23360-920225,PDR:PR/2 56FR23360 920225	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8912130197	PETERSON H T, NRC	Speech entitled, "Implementation of Revised 10CFR20," presented at Conference of Radiation Control Program Directors in Nashville, TN on 880515-19.	05/15/1988			51992:256-51992:261	PDR:PR-19-50FR51992-880515,PDR:P R//19 50FR51992 880515	Publicly Available	6
8903100565	, NRC	Handout for meeting between NRC/NUMARC on 890222 re proposed rules on internal dose.	02/22/1989			48809:024-48809:075	PDR:PR-19-50FR51992-890222,PDR:P R//19 50FR51992 890222,CF:SU BJ//O&M-7INTERX 890222	Publicly Available	52
8903240027	, NRC	Summary of 890222 meeting w/nuclear industry representatives in Rockville, MD re effects of revs to 10CFR20 on nuclear fuel fabrication facilities.	02/22/1989			49118:345-49118:356	PDR:PR-19-50FR51992-890222,PDR:P R//19 50FR51992 890222	Publicly Available	12
8904030137	PETERSON H, NRC OFFICE OF NUCLEAR REGULATORY RESEARCH (RES)	Forwards comments on rev to 10CFR20.	04/03/1989			49183:224-49183:231	PDR:PR-20-50FR51992-890403,PDR:P R//20 50FR51992 890403	Publicly Available	8

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
8909050468	ARTHUR S R, NAVY, DEPT. OF	Informs of Navy concerns over significant changes to two sections of draft final rule 10CFR20, "Stds for Protection Against Radiation." Public dose reduction warranted when exposure not continuous over persons lifetime.	06/19/1989		455-9U585176, AA38-2, AA38-2-0886, AA38-2-886	51114:217-51114:221	PDR:PR-19-50FR51992-890619,PDR:P R//19 50FR51992 890619	Publicly Available	3
8909080287	BECKJORD E S, NRC OFFICE OF NUCLEAR REGULATORY RESEARCH (RES)	Responds to 890619 comments on rev of 10CFR20 & clarifies changes in public dose limits & requirements for dosimetry.	08/24/1989		AA38-2, AA38-2-0205, AA38-2-205	51114:220-51114:221	PDR:PR-19-50FR51992-890619,PDR:P R//19 50FR51992 890619	Publicly Available	2
9204290147	RAYNIS P, RAYNIS S, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31, 32,34,35,39,40, 50,61 & 70 re stds for protection against radiation.	09/29/1989		50FR51992-00561, 50FR51992-561, AA38-2, AA38-2-0788, AA38-2-788	61864:092-61864:092	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	1
9007020205	CUNNINGHAM L J, NRC OFFICE OF NUCLEAR REACTOR REGULATION (NRR)	Ack receipt of 900604 ltr expressing concern about wording of ALARA requirement in pending major rev of 10CFR20. Extent to which comments can be considered before Commission takes action on matter,not clear.	06/20/1990		AA38-2, AA38-2-0228, AA38-2-228	54390:101-54390:101	PDR:PR-19-50FR51992-900620,PDR:P R//19 50FR51992 900620,CF:SU BJ//L-4-1PT20 900620	Publicly Available	1

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9103060226	, NRC COMMISSION (OCM)	Transcript of 901213 news media briefing on Final Rule 10CFR20 in Rockville,MD.Pp 1-38.Related info encl.	12/13/1990			56889:174-56889:214	PDR:PR-19-50FR51992-901213,PDR:PR/19 50FR51992 901213	Publicly Available	41
9103050373	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	"Stds for Protection Against Radiation," 10CFR2,19,20,31,32, 34,35,39,40,50 & 61 final rule.NRC revising stds for protection against ionizing radiation.	02/04/1991			56875:139-56876:094	PDR:PR-19-50FR51992-910204,PDR:PR/19 50FR51992 910204	Publicly Available	316
9108230083	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	Final rule, "Stds for Protection Against Radiation," to proposed rules 2,19,20,30,31,32,34, 35,39,40,50,61 & 70. Rule revises stds for protection against ionizing radiation to incorporate updated scientific info.	04/20/1991			58869:092-58870:054	PDR:PR-19-50FR51992-910420,PDR:PR/19 50FR51992 910420	Publicly Available	323
9108230066	TAYLOR J M, NRC OFFICE OF THE EXECUTIVE DIRECTOR FOR OPERATIONS (EDO)	Final rule, "Standards for Protection Against Radiation: Monitoring Repts." Rule amends regulation,changing address to which licensee submits repts on individuals exposure to radiation & radioactive matl to NRC.	07/02/1991		TF10-910702	58870:065-58870:070	PDR:PR-19-50FR51992-910702,PDR:PR/19 50FR51992 910702	Publicly Available	6

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9112190258	CONGEL F J, NRC OFFICE OF NUCLEAR REACTOR REGULATION (NRR)	Forwards questions & answers on major rev to 10CFR20. Questions & answers intended to clarify meaning of new 10CFR20 during training of inspectors.	12/06/1991			60048:001-60048:021	PDR:PR-19-50FR51992-911206,PDR:P R//19 50FR51992 911206,CF:SU BJ//L-4-1PT20 911206	Publicly Available	21
9204240291	JENKINS E J, AFFILIATION NOT ASSIGNED	Comment on proposed rules 10CFR2,19,20,30,31,32,34,35,39,40,50,61 & 70 re stds for protection against radiation.Opposes rule.	02/25/1992		50FR51992-00307, 50FR51992-307, AA38-2, AA38-2-0430, AA38-2-430	61862:075-61862:077	PDR:PR-2-56FR23360-920225,PDR:P R//2 56FR23360 920225	Publicly Available	3
9211170087	CHILK S J, NRC OFFICE OF THE SECRETARY (SECY)	Final rules 10CFR19,20,30,32,34,35,39,40,50,61,70 & 31 to incorporate updated scientific info & to reflect changes in basic philosophy of radiation protection.	05/28/1992	05/29/1992		63897:046-63897:048	PDR:PR-19-50FR51992-920528,PDR:P R//19 50FR51992 920528	Publicly Available	3
9206250369	RADDATZ C T, NRC COMMISSION (OCM)	"10CFR20 Implementation Guidance," presented at 920621-25 Professional Enrichment Program,Health Physics Society 37 th annual meeting in Columbus,OH.	06/21/1992			62120:251-62120:319	PDR:PR-19-50FR51992-920621,PDR:P R//19 50FR51992 920621	Publicly Available	66

Accession Number	Author Name/Affiliation:	Title/Description:	Document Date	Docket Date	FR Notice and Comment Number	Microform Address	Physical File Location	Availability	Page Count
9212210010	TAYLOR J M, NRC OFFICE OF THE EXECUTIVE DIRECTOR FOR OPERATIONS (EDO)	"Revised Stds For Protection Against Radiation, 10CFR19 & 20," making minor corrective & conforming amends of NRC revised stds for protection against radiation.	11/18/1992	12/03/1992	AA38-2-1155, AA38- 2-4	64238:040- 64238:051	PDR:PR-19- 50FR51992- 921118,PDR:P R//19 50FR51992 921118	Publicly Available	12
9403180119	GOUVEIA K A, SENATE	Forwards DK Inouye 931101 ltr re proposed rev to 10CFR20.	01/19/1993		CCS	78583:311- 78583:311	PDR:PR-19- 50FR51992- 940202,PDR:P R//19 50FR51992 940202	Publicly Available	1
9403180121	INOUE D K, SENATE	Forwards D Tolbert,medical physicist at Tripler Army Medical Ctr in Hawaii re NRC proposed rev to 10CFR20.	11/01/1993		CCS	78583:312- 78583:333	PDR:PR-19- 50FR51992- 940202,PDR:P R//19 50FR51992 940202	Publicly Available	13
9407290061	TAYLOR J M, NRC OFFICE OF THE EXECUTIVE DIRECTOR FOR OPERATIONS (EDO)	Final rule 10CFR19,20 & 30, "Removal of Expired Matl" amending NRC stds for protection against radiation.	12/10/1993	12/28/1993		80374:001- 80374:027	PDR:PR-19- 50FR51992- 931210,PDR:P R//19 50FR51992 931210	Publicly Available	27
9407290078	MEYER D L, NRC OFFICE OF ADMINISTRATION (ADM)	Final rule 10CFR20 & 34, "Std for Protection Against Radiation;Removal of Expired Matl:Correction," correcting final rule that removed text of std for protection against radiation no longer in effect.	01/06/1994	01/06/1994		80374:090- 80374:091	PDR:PR-19- 50FR51992- 940106,PDR:P R//19 50FR51992 940106	Publicly Available	2

[illegible]



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

OCTOBER 2004

OBTAINING COPIES OF RECORDS FROM
THE PUBLIC DOCUMENT ROOM

PLACING ORDERS FOR COPIES OF RECORDS. Copies of records maintained at the PDR or publicly available in the Agencywide Documents Access and Management System (ADAMS) may be obtained by visiting the PDR at One White Flint North, 11555 Rockville Pike (first floor), Rockville, MD 20852; by calling the PDR, Reference Services, at 301-415-4737 or 1-800-397-4209; writing to the PDR at Mail Stop 0-1 F13, USNRC, Washington, DC 20555; by E-mail (PDR@NRC.GOV) or by fax at (301) 415-3548.

In ordering records identified on appendices to NRC's responses to Freedom of Information Act requests, a person may place a telephone order whenever all records are being requested, or a limited number of records from different file locations are being requested. If a requester is interested in only some of the records identified on appendices, the requester should place a check mark beside each requested record identified on the appendices and send copies of the marked pages to the PDR. The PDR staff will then arrange for the records to be copied by the copying service contractor.

PAYMENTS. Payment for reproduction services can be accomplished in several modes. Prepayment will be required for requesters without established accounts. A deposit account may be established by contacting Best Copy and Printing Inc. (BCPI), 11746 Parklawn Drive, Rockville, MD 20852, 301-816-2820. The contractor also accepts the following credit cards for orders totaling \$10 or over, Visa, MasterCard, Discover, and American Express.

INQUIRIES REGARDING ORDERS. Inquiries related to the status of reproduction orders should be addressed in the following manner:

1. For records ordered by a telephone call to the PDR, contact the PDR and provide the approximate date of the telephone request, the name of the entity to be billed, and the method of delivery of records to you.
2. For records ordered by an on-site visit to the PDR, contact the contractor and provide him with the following information obtained from your copy of the reproduction request form: date of order, entity to be billed, the request number and the method of delivery of records to you. The contractor's telephone number is 301-816-2820.
3. For records ordered by letter, fax, or e-mail to the PDR, contact the PDR and reference your letter.

CHARGES. Requests for the reproduction of records at the U.S. Nuclear Regulatory Commission (NRC) Public Document Room (PDR) in Rockville, MD, are performed by a copying service contractor, BCPI. The contract for copying services provides for the following rates for copying records maintained at the PDR.

1. Paper to paper reproduction is \$0.30 per page up to and including 11"x17". Pages larger than 11"x17", including engineering drawings, are \$1.50 per square foot. **Note:** Pages

greater than legal size, 8 ½"x14", but smaller than or equal to 11"x14", shall be reduced to legal size *unless* the order specifically requests full size reproduction.

2. Microfiche to paper reproduction is \$0.30 per page. Aperture cards to paper is \$3.00 per square foot.
3. Electronic Full Text (EFT) files (ADAMS documents) (OCR, PDF, TIFF) to paper reproduction is \$0.30 per page. Electronic Full Text (EFT) copying of ADAMS documents to CD-ROM is \$5.00 plus \$.15 per page for each accession number on the CD-ROM and \$5.00 for each additional CD-ROM necessary to complete the job. CD-ROM to paper reproduction is \$0.30 per page. CD-ROM to CD-ROM duplication is \$10.00 each.
4. Microfiche or aperture card reproductions are \$5.00 each.
5. *Rush Processing Service* is available at an additional fee for many services. Contact the PDR for information.
6. All turnaround times refer only to the duplication service provided by the contractor and do not include the time spent by PDR reference staff to assist users, to identify and retrieve documents, or to prepare orders for users.
7. Facsimile (fax) service includes local, domestic, and foreign. Fax delivery charges are: \$1.00 per page for local calls; \$2.00 per page for U.S. long distance; and \$6.00 per page for foreign long distance. A \$0.30 per page copy fee is added to the total.

Orders completed for mailing by the U.S. Postal Service or by a private delivery service will include an additional fee for the actual mailing, shipping or delivery service rate. Unless a user requests special packaging materials, there is no additional charge by the contractor for wrapping materials and handling.

The contractor can also reproduce diskettes, video cassettes, audio cassettes and DVD disks. Contact the PDR for additional information.