



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

JUL 24 2006

Rodney A. Dunseath, D.O.
Radiation Safety Officer
Arnett Clinic, LLC
2600 Greenbush Street
Lafayette, IN 47904

Dear Dr. Dunseath:

Enclosed is Amendment No. 01 to your NRC Material License No. 13-32535-01 in accordance with your request dated June 6, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that Dr. Dali is authorized for 10 CFR 35.200 limited to cardiovascular clinical procedures only since CBNC is not recognized under 35.190. In order to authorized 35.100 for Dr. Dali, you will need to provide a preceptor statement.


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

R. A. Dunseath, D.O.

2

Sincerely,


James R. Mullauey, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 13-32535-01

Docket No. 030-37189

Enclosure: Amendment No. 01