

February 25, 1994

Mr. Mohamed Shanbaky Chief, R & D Section Region I 475 Allendale Road King of Prussia, PA 19406

RE: NRC License No. 37-23341-01

Mr. Shanbaky:

Attached is the quarterly wastewater discharge summary, October 1993 through December 1993, for our Royersford, PA facility. If you have any questions, please feel free to call me at the telephone number listed below.

Sincerely,

Kent Anderson Health Physicist

cc: M. Bovino, Manager Health Physics and Engineering

J. Badey, Manager Western Operations

L. Rahilly, Radiation Safety Officer

file

INS CORPORATION QUARTERLY WASTEWATER DISCHARGE REPORT ROYERSFORD, PA

October 1993

ISOTOPE	CONCENTRATION μCi/ml	% SEWER MPC
Cs-134	3.85E-7	.13
Cs-137	1.02E-6	.26
Co-58	7.19E-7	.02
Co-60	9.9E-7	.10
Mn-54	2.39E-7	.01
Zn-65	2.92E-7	.01

November 1993

ISOTOPE	CONCENTRATION μCi/ml	% SEWER MPC
Cs-134	1.61E-7	.05
Cs-137	3.78E-7	.09
Co-58	3.47E-7	.01
Co-60	5.15E-7	.05
Mn-54	2.68E-7	.01

December 1993

ISOTOPE	CONCENTRATION μCi/ml	% SEWER MPC
Cs-134	3.00E-7	.10
Cs-137	1.57E-6	.39
Co-58	4.37E-7	.01
Co-60	9.18E-7	.09
Mn-54	4.89E-7	.02
Zn-65	2.86E-7	.01

October 1993 thru December 1993

ISOTOPE	CONCENTRATION μCi/ml	% SEWER MPC
H-3	4.78E-6	.00
Sr-90	6.63E-8	.66
Tc-99	3.51E-7	.01
Fe-55	3.23E-6	.02

Total volume discharged 4th quarter 1993 was 1,834,245 gallons.

Total activity discharged 4th quarter 1993 was 79,515 μ Ci.