

August 31, 2006

ORGANIZATION: General Electric Company (GE)
PROJECT: Economic Simplified Boiling Water Reactor (ESBWR) Design Certification
SUBJECT: SUMMARY OF MEETING HELD ON JUNE 28, 2006, REGARDING ESBWR TECHNICAL SPECIFICATIONS 3.3

The U.S. Nuclear Regulatory Commission (NRC) hosted a public meeting with General Electric Company (GE) on June 28, 2006, at NRC Headquarters to discuss the economic simplified boiling water reactor (ESBWR) DCD Tier 2, Chapter 16 Technical Specifications (TS) Section 3.3. A list of attendees is provided in Enclosure 1. The meeting agenda is provided in Enclosure 2, and a summary of the meeting is provided in Enclosure 3.

GE provided handouts during the meeting which can be accessed through the Agencywide Documents Access and Management System (ADAMS). This system provides text and image files of NRC's publicly available documents. The handouts mentioned above may be accessed through the ADAMS system under Accession No. ML062070639. If you do not have access to ADAMS or if there are problems in accessing the handouts located in ADAMS, contact the NRC Public Document Room (PDR) Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov.

/RA/

Martha C. Barillas, Project Manager
ESBWR/ABWR Projects Branch
Division of New Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 52-010

Enclosures: As stated

cc w/encls: See next page

ORGANIZATION: General Electric Company (GE)

August 31, 2006

PROJECT: Economic Simplified Boiling Water Reactor (ESBWR) Design Certification

SUBJECT: SUMMARY OF MEETING HELD ON JUNE 28, 2006, REGARDING ESBWR TECHNICAL SPECIFICATIONS 3.3

The U.S. Nuclear Regulatory Commission (NRC) hosted a public meeting with General Electric Company (GE) on June 28, 2006, at NRC Headquarters to discuss the economic simplified boiling water reactor (ESBWR) DCD Tier 2, Chapter 16 Technical Specifications (TS) Section 3.3. A list of attendees is provided in Enclosure 1. The meeting agenda is provided in Enclosure 2, and a summary of the meeting is provided in Enclosure 3.

GE provided handouts during the meeting which can be accessed through the Agencywide Documents Access and Management System (ADAMS). This system provides text and image files of NRC's publicly available documents. The handouts mentioned above may be accessed through the ADAMS system under Accession No. ML062070639. If you do not have access to ADAMS or if there are problems in accessing the handouts located in ADAMS, contact the NRC Public Document Room (PDR) Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to pdrc@nrc.gov.

/RA/

Martha C. Barillas, Project Manager
ESBWR/ABWR Projects Branch
Division of New Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 52-010

Enclosures: As stated

cc w/encls: See next page

Hard Copy

PUBLIC
NESB R/F
JColaccino
MBarillas

E-MAIL

JDanna	OGC	JGaslevic	CHaruck	RBeacom
MGavrilas	ACubbage	TKevern	HLi	AHowe
ACRS	LRossbach	CSchulten	NCarte	TKobetz
KWinsberg	LQuinones	RClark	PRebstock	

ADAMS ACCESSION NO. ML062350466

OFFICE	PM:NESB	(A)BC:NESB
NAME	MBarillas	JColaccino
DATE	08/30/2006	08/31/2006

OFFICIAL RECORD COPY

ESBWR

cc:

Mr. David H. Hinds, Manager
ESBWR
P.O. Box 780, M/C L60
Wilmington, NC 28402-0780

Mr. George B. Stramback
Manager, Regulatory Services
GE Nuclear Energy
1989 Little Orchard Street, M/C 747
San Jose, CA 95125

Mr. David Lochbaum, Nuclear Safety
Engineer
Union of Concerned Scientists
1707 H Street, NW., Suite 600
Washington, DC 20006-3919

Mr. Paul Gunter
Nuclear Information & Resource Service
1424 16th Street, NW, Suite 404
Washington, DC 20036

Mr. James Riccio
Greenpeace
702 H Street, Suite 300
Washington, DC 20001

Mr. Adrian Heymer
Nuclear Energy Institute
Suite 400
1776 I Street, NW
Washington, DC 20006-3708

Mr. Paul Leventhal
Nuclear Control Institute
1000 Connecticut Avenue, NW
Suite 410
Washington, DC 20036

Mr. Ron Simard
6170 Masters Club Drive
Suwanee, GA 30024

Mr. Brendan Hoffman
Research Associate on Nuclear Energy
and Environmental Program
215 Pennsylvania Avenue, SE
Washington, DC 20003

Mr. Jay M. Gutierrez
Morgan, Lewis & Bockius, LLP
1111 Pennsylvania Avenue, NW
Washington, DC 20004

Mr. Glenn H. Archinoff
AECL Technologies
481 North Frederick Avenue
Suite 405
Gaithersburg, MD. 20877

Mr. Gary Wright, Director
Division of Nuclear Facility Safety
Illinois Emergency Management Agency
1035 Outer Park Drive
Springfield, IL 62704

Mr. Charles Brinkman
Westinghouse Electric Co.
Washington Operations
12300 Twinbrook Pkwy., Suite 330
Rockville, MD 20852

Mr. Ronald P. Vijuk
Manager of Passive Plant Engineering
AP1000 Project
Westinghouse Electric Company
P. O. Box 355
Pittsburgh, PA 15230-0355

Mr. Ed Wallace, General Manager
Projects
PBMR Pty LTD
PO Box 9396
Centurion 0046
Republic of South Africa

Mr. Russell Bell
Nuclear Energy Institute
Suite 400
1776 I Street, NW
Washington, DC 20006-3708

Ms. Sandra Sloan
Areva NP, Inc.
3315 Old Forest Road
P.O. Box 10935
Lynchburg, VA 24506-0935

Mr. Robert E. Sweeney
IBEX ESI
4641 Montgomery Avenue
Suite 350
Bethesda, MD 20814

Mr. Eugene S. Grecheck
Vice President, Nuclear Support Services
Dominion Energy, Inc.
5000 Dominion Blvd.
Glen Allen, VA 23060

Mr. George A. Zinke
Manager, Project Management
Nuclear Business Development
Entergy Nuclear, M-ECH-683
1340 Echelon Parkway
Jackson, MS 39213

E-Mail:

tom.miller@hq.doe.gov or
tom.miller@nuclear.energy.gov
sfrantz@morganlewis.com
ksutton@morganlewis.com
jgutierrez@morganlewis.com
mwetterhahn@winston.com
whorin@winston.com
gcesare@enercon.com
jerald.holm@framatome-anp.com
erg-xl@cox.net
joseph_hegner@dom.com
mark.beaumont@wsms.com
steven.hucik@ge.com
patriciaL.campbell@ge.com
bob.brown@ge.com
david.hinds@ge.com
chris.maslak@ge.com
james1beard@ge.com
louis.quintana@gene.ge.com
wayne.massie@ge.com
kathy.sedney@ge.com
mgiles@entergy.com
tansel.selekler@nuclear.energy.gov or
tansel.selekler@hq.doe.gov
george.stramback@gene.ge.com

ATTENDEES FOR MEETING WITH GENERAL ELECTRIC (GE)
ESBWR TECHNICAL SPECIFICATIONS 3.3
June 28, 2006

Name	Organization
Amy Cabbage	NRC/NRR/DNRL/NESB
Martha C. Barillas	NRC/NRR/DNRL/NESB
Dan Williamson	GE
David Hinds	GE
Clinton Szabo	GE
Russell Wells	Parallax
Carl Schulten	NRC/NRR/DIRS/ITSB
Allan Howe	NRC/NRR/DE/EICB
Norbert Carte	NRC/NRR/DE/EICB
Paul Rebstock	NRC/NRR/DE/EICB
Hulbert Li	NRC/NRR/DE/EICB
Don Hickman	NRC/NRR/DNRL/NESB
Royce Beacom	NRC/NRR/DE/EICB
Robert Clark	NRC/NRR/DIRS/ITSB
Steven Kane	AREVA
Bill Klein	GE
Dick Bense	GE
George Wadkins	GE
Thomas Demitrach	GE
C Craig Harbuck	NRC/NRR/DIRS/ITSB
Joel Friday (via telephone)	GE
Rich Miller	GE
Matt Chiramal	NRC/NRR/DE

**Agenda for Public Meeting Regarding ESBWR Technical Specifications (TS)
June 28, 2006, Room O3-B4**

1:00 p.m.	Introduction	NRC/GE
1:10 p.m.	Overview Comparison to ABWR TS 3.3	GE
1:45 p.m.	LCOs, Limiting Safety System Setpoints, and Trip Settings	Public
2:45 p.m.	Break	
3:00 p.m.	Action Statements	GE
3:30 p.m.	Surveillance and Bases	GE
4:00 p.m.	Open discussion	NRC/GE
4:30 pm	Public comment	Public
4:45 p.m.	Adjourn	

**SUMMARY OF PUBLIC MEETING WITH GENERAL ELECTRIC (GE)
REGARDING ESBWR TECHNICAL SPECIFICATIONS**

On June 28, 2006, the U.S. Nuclear Regulatory Commission (NRC) staff and General Electric Company (GE) met to discuss the economic simplified boiling water reactor (ESBWR) design control document (DCD) Tier 2, Chapter 16 Technical Specification (TS) Section 3.3, "Instrumentation." During this category 1 public meeting, GE discussed and compared the ESBWR DCD TS to the advanced boiling water reactor (ABWR) DCD instrumentation TS. GE used the ABWR DCD to model the ESBWR DCD instrumentation TS. GE compared the definitions of these two designs, explaining the differences that are applicable specifically to the ESBWR. The NRC staff asked GE whether the self-test report for surveillance requirement (SR) 3.3.1.1.2 will be submitted for the NRC staff to review; GE replied that it is under consideration. The NRC staff informed GE it will review the applicability of the NRC staff's position on the requirements of 10 CFR 50.36 "Technical Specifications," regarding limiting safety system settings during periodic testing and calibration of instrument channels to the ESBWR design. GE provided clarification to draft request for additional information (RAI) questions 16.2-10 and 16.2-12, regarding applicability of the ABWR DCD TS to the ESBWR TS, as part of the presentation slides (ML062070639). GE is addressing draft question 16.2-15, regarding specified safety functions for the ESBWR structures, systems, and components as part of the response to question 16.0-1 issued on May 31, 2006. GE clarified draft questions 16.2-16 and 16.2-17, regarding SRs, through the information provided in the presentation slides (ML062070639). The draft question will not be formally issued to GE based on the information provided at the meeting. The NRC staff concluded draft question 16.2-18, regarding instrumentation functions having action conditions for a loss of function capability did not have to be addressed for the ESBWR design and withdrew the draft question. As a result of the meeting, the remaining questions that will be addressed by GE were renumbered as questions 16.2-26 through RAI 16.2-29.