



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-4005

August 30, 2006

Acuren Inspection, Inc.
ATTN: Lloyd A. Gray, Director
Radiation Safety & Environmental Compliance
101 Old Underwood Road, Bldg. J
La Porte, Texas 77571

SUBJECT: LICENSE AMENDMENT

Please find enclosed Amendment No. 24 to License No. 42-27593-01. **This license amendment authorizes the possession and use of the IRIS-1A device, based on the update to the sealed source device registry (SSDR) TX1201D101S, which authorizes Acuren Inspection, Inc., as the customer user on the certificate. Additionally, this amendment authorizes two storage locations: 1) in Leighton, PA, and 2) Kalamazoo, MI. This amendment also authorizes an increase in the maximum quantity of radioactive material for the AEA Model 660 "A & AE" and "B & BE" model cameras, as specified in Item 10.B. and 10.C., respectively. This change includes referencing the INC Model 7 sealed source separately in Item 10.A., since this sealed source has the minimum activity allowed for all types of Model 660 cameras.**

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14)(vi) and (viii). You should review this license carefully and be sure that you understand all conditions. If you have any questions, please contact me at 817-276-6552.

NRC's Regulatory Issue Summary (RIS) 2005-31, provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/>. Pursuant to NRC's RIS 2005-31, the enclosed materials license will not be made publicly available.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your radiation safety program according to the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Request and obtain a license amendment before you:
 - a. Change Radiation Safety Officers;
 - b. Order byproduct material in excess of the amount, radionuclide or form authorized on the license;

- c. Add or change the areas or address(es) of use identified in the license application or on the license; or
- d. Change the name or ownership of your organization.

In addition, please note that NRC Form 313 requires the applicant, by signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant. Since the NRC also accepts a letter requesting amendment of an NRC license, the signatory for such a request should also be the licensee or certifying official rather than a consultant.

NRC will periodically inspect your radiation safety program. Failure to conduct your program according to NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC may result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available on the following internet address: <http://www.nrc.gov/what-we-do/regulatory/enforcement/enforc-pol.pdf>.

The NRC no longer publishes the NRC Rules and Regulations loose leaf supplements due to budget constraints. However, an electronic version of the NRC's regulations is available on the NRC Web site at www.nrc.gov. To view these regulations, highlight "Electronic Reading Room" and choose "Regulations" on the drop down menu. An electronic version of the NUREG-1556 Series publications is also available on the NRC Web site. To view these guidance documents, highlight "Electronic Reading Room," choose "All Document Types" on the drop down menu. Scroll down to "NUREG-Series Publications" and select "Publications Prepared by the NRC Staff." Then, choose "NUREG-1556" from the table and select the appropriate volume(s) for your license type.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

/RA/

Rachel S. Browder, Health Physicist
Nuclear Materials Licensing Branch

Docket: 030-34780
License: 42-27593-01
Control: 471022 and 471045

Enclosure: As stated