09/16/14 NPR-BIH

****	DIVISION	OF REACIO	RSAFEIT
· ·	FACSI	MILE TRANS	MITTAL
DATE/TIME:		·	PRIORITY:
	•	······································	Immediately
			2-4 Hours
MESSAGE TO. K	RPAI	LAP	N.F.
	DAVID	LAVELE	SE RIV
NUMBER OF PAGES:	27	PL	US TRANSMITTAL
SHEET	- <u></u>	. /	,
TELECOPY NUMBER:	VER	IFICATION NL	JMBER:
		1.	
CONTACT:	······/	· · · · · · ·	· · · · · · · · · · · · · · · · · · ·
		. •	
:	<u></u>		
TRANSMITTAL INSTRUCTION	ONS/ATTACHM	<u>ENT(S):</u>	
		•	•
· · ·	÷		
•		•	•
			· · · · ·
			DISPOSITION:
Fransmitted by:			DISPOSITION: Beturn to Originator

а 11. с. а

.

OVIL ICO

7 7 7 0 0 0 0 1 7 0

SW GW Issue - Miscellaneous Comments/Questions

Review of SPAR SW Fault Tree

- Assumed configuration of A & B SW pumps running and C & D in standby. Comment only.
- DG-ESW-MDP1A (&B) discharge check valve should have a different failure to open probability than pumps which are not running (latent failure of the check valves which are normally closed).
- Gates DG-ESW-ESW, ESW-B-ESW and ESW-A-ESW should be 3 of 4 pumps failing – if two pumps are running isolation of the non-essential SW or other Essential SW Division is not required. (Observation – changing this gate did not seem to have significant effect on CDF)
- Gate ESW-B7 on Fault Tree page 41 should have a basic event for ESW-XVM-CC-194 instead of ESW-XVM-CC-193.
- Operation of all manual ESW valves are given the same event ESW-XHE-XM-VALVE. Shouldn't they be separate events? The probability (0.1) seems high.
- Why are DG failures included in the DG-ESW fault tree.

Review of Results from SRA Sequences (from emailed spreadsheet, CDF=1.74E-08/hr)

- Using latest SPAR model received from INEEL through Pat O'Reilly, input changes to match fax from SRA.
- Reviewing SW IE change in SPAR model.
 - o SRA indicated increase by a factor of 13.6
 - Increase using ratio from SPAR model for DG-ESW with and without GW dependency = factor of 6.8 (2.839E-2 / 4.165E-3)
 - Using duplicate fault trees in Cafta (created from faxes), increase by factor of 11.6. (1.30E-2 / 1.12E-3)
- Attempted to approximate the SPAR sequences from emailed spreadsheet,
 - Required an increase of SW IE by ~34 x (3.75E-6/hr), (with GW recovery of 0.4), and
 - o Increased failure probability to restore ACP?
 - ACP-XHE-NOREC-30
 - ACP-XHE-NOREC-4H
 - ACP-XHE-NOREC-90

Remove DG Failures from DG-ESW-MDP1A – 1D

- DG-ESW (without GW dependency) = 4.738E-5
- DG-ESW (with GW dependency) = 8.815E-5
- Indicates change in SW IE < factor of 2</p>

Insights from Running CNS PRA Model with SRA Inputs

 Used IE frequencies from SPAR model – TSW higher and TDC lower. Also, HEP to recover SW GW from Div II at 0.4.

> EX. 5

New CDFNRC = 1.79E-5/yr (This would be the base CDF without the GW dependency condition)

Large Early Release Frequency Results