



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

SEP 20 2006

Nathan L Kester, M.D.
Radiation Safety Officer
SGOH Acquisitions, Inc.
d/b/a Doctors Hospital Springfield
2828 North National Avenue
Springfield, MO 65803

Dear Dr. Kester:

Enclosed is Amendment No. 03 to your NRC Material License No. 24-32358-01 in accordance with your request dated August 18, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note the following changes to your license in addition to your amendment request; (1) the exclusion for gases and generators was removed from Subitem 7.B. of your NRC license in accordance with current licensing policy. Please be reminded, however, that you are still bound by the restrictions imposed by the excluded authorizations contained in documents incorporated into Condition No. 15 of your license; (2) License Condition No. 12 was reformatted; (3) License Condition No. 14 now authorizes transportation of licensed material; and (4) License Condition No. 15 was updated to meet the current 10 CFR Part 35.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

N. L. Kester, M.D.

2

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 24-32358-01
Docket No. 030-35879

Enclosure: Amendment No. 03