



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

September 27, 2006

Docket No. 030-14325  
Control No. 139225

License No. 29-15222-02

Charles E. Klein  
Vice President  
The Richard Stockton College of New Jersey  
P. O. Box 195  
Jimmie Leeds Road/Route 575  
Pomona, NJ 08240

SUBJECT: THE RICHARD STOCKTON COLLEGE OF NEW JERSEY, LICENSE  
AMENDMENT, CONTROL NO. 139225

Dear Dr. Klein:

This refers to your license amendment request. Enclosed with this letter is the amended license.

In accordance with NRC Regulatory Issue Summary (RIS) 2004-17: Revised Decay-In-Storage Provisions for the Storage of Radioactive Waste Containing Byproduct Material (<http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2004/ri200417.pdf>), your license has been modified. Your license now contains a revised decay-in-storage (DIS) condition. This revised condition permits greater flexibility for DIS of waste by eliminating a specific holding period prior to disposal. Please review the RIS 2004-17, and the revised condition carefully to ensure that you understand its requirements.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Toolkit Index Page**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

C. Klein  
The Richard Stockton College of New Jersey

2

Thank you for your cooperation.

Sincerely,

***Original signed by Elizabeth Ullrich***

Betsy Ullrich  
Senior Health Physicist  
Commercial and R&D Branch  
Division of Nuclear Materials Safety

Enclosure:  
Amendment No. 18

cc:  
Diane L. Smith, Ph.D., Radiation Safety Officer

DOCUMENT NAME: G:\Docs\Mailed\Lic Cvr Letter\29-15222-02.139225.09282006.wpd

**SUNSI Review Complete: EUllrich**

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	EUllrich/EU							
DATE	9/27/2006							

OFFICIAL RECORD COPY

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. The Richard Stockton College of New Jersey</p> <p>2. Route 575 Pomona, New Jersey 08240-0195</p>	<p>In accordance with the letter dated July 18, 2006,</p> <p>3. License number 29-15222-02 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date December 31, 2013</p> <hr/> <p>5. Docket No. 030-14325 Reference No.</p>
--	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Hydrogen 3</p> <p>B. Carbon 14</p> <p>C. Phosphorus 33</p> <p>D. Sulfur 35</p> <p>E. Nickel 63</p> <p>F. Strontium 90</p> <p>G. Cesium 137</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> <p>D. Any</p> <p>E. Foil or plated sources registered either with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.</p> <p>F. Sealed Source</p> <p>G. Sealed Source</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 20 millicuries</p> <p>B. 20 millicuries</p> <p>C. 10 millicuries</p> <p>D. 10 millicuries</p> <p>E. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> <p>F. 1 microcurie per source and 2 microcuries total</p> <p>G. 5 microcuries per source and 20 microcuries total</p>
---	--	---

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
29-15222-02Docket or Reference Number  
030-14325

Amendment No. 18

## 9. Authorized use:

- A. through D. Research and development is defined in 10 CFR 30.4; teaching and training of students.
- E. To be used for sample analysis in compatible gas chromatography devices that have been registered either with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State and have been distributed in accordance with a Commission or Agreement State specific license authorizing distribution to persons specifically authorized by a Commission or Agreement State license to receive, possess, and use the devices.
- F. and G. Research and development is defined in 10 CFR 30.4; teaching and training of students.

## CONDITIONS

10. Licensed material may be used only at the licensee's facilities located at the Science Laboratory, Route 575, Pomona, New Jersey.
11. A. Licensed material listed in Items 6.A. through 6.E. may be used by, or under the supervision of, Richard H. Colby, Rosalind L. Herlands, Kelly Keenan, Matthew Landau, Brian James Rogerson, Linda C. Smith, or Peter F. Straub.
- B. Licensed material listed in Items 6.F. and 6.G. shall be used by or under the supervision of Fang Liu.
12. The Radiation Safety Officer for this license is Diane L. Smith, Ph.D.
13. Licensed material shall not be used in or on human beings.
14. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
29-15222-02Docket or Reference Number  
030-14325

Amendment No. 18

17. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- D. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- F. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- G. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
18. The licensee is authorized to hold byproduct material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal without regard to its radioactivity if the licensee:
- A. Monitors byproduct material at the surface before disposal and determines that its radioactivity cannot be distinguished from the background radiation level with an appropriate radiation detection survey meter set on its most sensitive scale and with no interposed shielding; and
- B. Removes or obliterates all radiation labels, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee; and

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
29-15222-02Docket or Reference Number  
030-14325

Amendment No. 18

- C. Maintains records of the disposal of licensed materials for 3 years. The record must include the date of disposal, the survey instrument used, the background radiation level, the radiation level measured at the surface of each waste container, and the name of the individual who performed the disposal.
19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated November 5, 2003 [ML033360444]  
B. Letter dated September 18, 2006 [ML062640386]



For the U.S. Nuclear Regulatory Commission

Date September 27, 2006By **Original signed by Elizabeth Ullrich**  
Elizabeth Ullrich  
Commercial and R&D Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406