

Almon & Associates
139396

APPENDIX B

ITEMS 5 AND 6: MATERIALS TO BE POSSESSED AND PROPOSED USES

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Is the Listed on SSO Certificate	Specify Other Uses Not Listed on SSO Certificate
	✓	Cesium-137	Sealed source manufacturer or distributor and model number: <u>CPN, Truxler</u> Device manufacturer or distributor and model number: <u>MC-1, MC-2, MC-3</u> <u>MC-10R, MC-10R-P,</u> <u>3411, 3500</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: _____ _____ _____ _____ _____	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)
	✓	Americium-241	Sealed source manufacturer or distributor and model number: <u>Same as Above</u> Device manufacturer or distributor and model number: <u>Same as Above</u>	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input checked="" type="checkbox"/> Specific description of the gauge use: _____ _____ _____ _____ _____	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)

Almonte & Associates
1393 96

APPENDIX B

Yes	No	Radioisotope	Manufacturer or Distributor Model No.	Quantity	Used in accordance with SSF Certificate	Specify Other Uses Not Listed on SSF Certificate
		Californium-252	Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number:	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: 	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)
		Other Isotope (Specify)	Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number:	Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate	Yes <input type="checkbox"/> Specific description of the gauge use: 	<input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)
<i>Financial Assurance Required and Evidence of Financial Assurance Provided</i>						

Almonte & Associates
139396

APPENDIX B

ITEMS 7 THROUGH 11: TRAINING AND EXPERIENCE, FACILITIES AND EQUIPMENT, RADIATION SAFETY PROGRAM, AND WASTE DISPOSAL

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
<p>7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE - RADIATION SAFETY OFFICER</p> <p><i>Name: <u>Olga Rossi</u></i></p>	<p>Before obtaining licensed materials, the proposed RSO will have successfully completed one of the training courses described in Criteria in the section entitled "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience - Radiation Safety Officer" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>
<p>8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS</p>	<p>Before using licensed materials, authorized users will have successfully completed one of the training courses described in Criteria in the section entitled "Training for Individuals Working In or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev 1, dated November 2001.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>
<p>9. FACILITIES AND EQUIPMENT</p>	<p>No information needs to be submitted in response to this item. This issue is addressed under "Radiation Safety Program - Facility Dose" and "Radiation Safety Program - Operating and Emergency Procedures."</p>	<p><i>Separate Item 9 Response</i></p>	<p><i>Need Not Be Submitted With Application</i></p>
<p>10. RADIATION SAFETY PROGRAM - AUDIT PROGRAM</p>	<p>The applicant is <i>not</i> required to, and should not, submit its audit program to NRC for review during the licensing phase</p>	<p><i>Need Not Be Submitted With Application</i></p>	<p><i>Need Not Be Submitted With Application</i></p>
<p>10. RADIATION SAFETY PROGRAM - TERMINATION OF ACTIVITIES</p>	<p>The applicant is <i>not</i> required to submit a response to the termination of activities section during the initial application. However, when the licensee ceases what the licensee ceases operation, NRC Form 774 must be submitted.</p>	<p><i>Need Not Be Submitted With Application</i></p>	<p><i>Need Not Be Submitted With Application</i></p>
<p>10. RADIATION SAFETY PROGRAM - SURVEY INSTRUMENTS</p>	<p>We will either possess and use, or have access to and use, a radiation survey meter that meets the Criteria in the section entitled "Radiation Safety Program - Instruments" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>

Almonte & Associates

139396

APPENDIX B

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
10. RADIATION SAFETY PROGRAM - MATERIAL RECEIPT AND ACCOUNTABILITY	Physical inventories will be conducted at intervals not to exceed 6 months, in addition for all sealed sources and devices received and possessed under the license.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM - OCCUPATIONAL DOSIMETRY	Either we will maintain, for inspection by NRC, documentation demonstrating that unmonitored individuals are not likely to receive a radiation dose in excess of 10 percent of the allowable limits in 10 CFR Part 20, or we will provide dosimetry processed and evaluated by an NVLAP-approved processor that is exchanged at a frequency recommended by the processor.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM - PUBLIC DOSE	The applicant is not required to submit a response to the public dose section during the licensing phase. This matter will be addressed during an inspection.	Need Not Be Submitted With Application	
10. RADIATION SAFETY PROGRAM - OPERATING AND EMERGENCY PROCEDURES	We will implement and maintain the operating and emergency procedures in Appendix H of NUREG-1556, Vol. 1, Rev. 1, dated November 2001, and provide copies of these procedures to all gauge users and at each job site. OR Operating and emergency procedures will be developed, implemented, and maintained and will meet the criteria in the section entitled "Radiation Safety Program - Operating and Emergency Procedures" in NUREG-1556, Vol. 1, Rev. 1, dated November 2001.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10. RADIATION SAFETY PROGRAM - LEAK TEST	Leak tests will be performed at intervals approved by NRC or an Agreement State and specified in the Sealed Source and Device Registration Sheet. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services for other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions.	<input checked="" type="checkbox"/>	<input type="checkbox"/> The information in Appendix E supporting a request to perform leak testing and sample analysis is attached.

Almonte & Associates

139896

APPENDIX B

Item No. And Title	Suggested Response	Yes	Alternative Procedures Attached
<p>10. RADIATION SAFETY PROGRAM - MAINTENANCE</p>	<p><i>Routine Cleaning and Lubrication</i></p> <p>We will implement and maintain procedures for routine maintenance of our gauges according to each manufacturer's recommendations and instructions.</p> <p><i>Non-Routine Maintenance</i></p> <p>We will send the gauge to the manufacturer or other person authorized by NRC or an Agreement State to perform non-routine maintenance or repair operations that require the removal of the source or source rod from the gauge.</p>	<p><input checked="" type="checkbox"/></p> <p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>The information listed in Appendix G supporting a request to perform non-routine maintenance in house is attached.</p>
<p>10. RADIATION SAFETY PROGRAM - TRANSPORTATION</p>	<p>The applicant is <i>not</i> required to submit its response to transportation during the licensing process. However, this issue will be reviewed during inspection.</p>		<p>Need Not Be Submitted With Application</p>
<p>11. WASTE MANAGEMENT - GAUGE DISPOSAL AND TRANSFER</p>	<p>The applicant is <i>not</i> required to submit a response to waste management during the licensing process. However, the licensee should develop, implement, and maintain gauge transfer and disposal procedures in its radiation protection program.</p>		<p>Need Not Be Submitted With Application</p>