

October 6, 2006

Mr. Mike McCann
U.S. Nuclear Regulatory Commission
Region III
2443 Warrenville Road
Lisle, IL 60532-4351

SUBJECT: INTERIM LETTER REPORT FOR ANALYTICAL RESULTS FOR EIGHT WATER SAMPLES FROM BATTELLE, WEST JEFFERSON, OHIO [TAC NO. W90175] (RFTA NO. 06-001)

Dear Mr. McCann:

The Oak Ridge Institute for Science and Education (ORISE) received eight water samples on August 24, 2006 from Battelle in West Jefferson, Ohio. The samples were analyzed for gamma spectroscopy, gross alpha, gross beta, and for total radiostrontium. The analytical request for plutonium and uranium is being delayed until the U.S. Nuclear Regulatory Commission gives the approval to resume analytical work on water samples that may have plutonium present as a contaminant. The sample identifications are presented in Table 1. The data for gamma spectroscopy, gross alpha and gross beta, and total radiostrontium are presented in Tables 2-4, respectively. The pertinent procedure references are in the data tables.

ORISE's Quality Control (QC) requirements were met for these analyses. The QC files are available for your review upon request.

My contact information is listed below. You may also contact Wade Ivey at 865.576.9184 with any questions or comments.

Sincerely,



Dale Condra, Manager
Laboratory

RDC:WPI:ar

Enclosures

c: B. Watson, NMSS/DWMEP/DD/SP 7E18 E. Abelquist, ORISE
E. Knox-Davin, NRC/NMSS/TWFN 8A23 S. Kirk, ORISE
File 1717

Distribution approval and concurrence :	Initials
Technical Management Team Member	JSK
Quality Manager	CTP

Voice: 865.241.3242

Fax: 865.241.3248

E-mail: CondraD@ornl.gov

TABLE 1

SAMPLE IDENTIFICATIONS
AND COLLECTION DATA
BATTELLE
WEST JEFFERSON, OHIO

ORISE Sample ID	NRC Region III Sample ID	Collection Date	Collection Time
1717W0001	Well 3-805	8/22/2006	16:20
1717W0002	Well 4-805	8/21/2006	11:50
1717W0003	Well 2-855	8/21/2006	14:45
1717W0004	Well 3-855	8/22/2006	11:25
1717W0005	Well 4-855	8/21/2006	13:40
1717W0006	Well 2-885	8/22/2006	12:45
1717W0007	Well 4-885	8/22/2006	9:30
1717W0008	Well 2-805	8/21/2006	16:50

TABLE 2
 CONCENTRATIONS OF SELECTED
 GAMMA EMITTING RADIONUCLIDES
 IN WATER SAMPLES
 BY GAMMA SPECTROSCOPY CP1, REVISION 15
 BATTELLE
 WEST JEFFERSON, OHIO

ORISE Sample ID	NRC Region III Sample ID	Radionuclide Concentrations (pCi/L)				
		Co-60 ^a	Cs-137 ^a	Eu-152 ^a	Eu-154 ^b	Am-241 ^a
1717W0001	Well 3-805	3.0 ± 2.6 ^c	6.4 ± 3.3	-3.9 ± 5.3	4.6 ± 9.4	0.2 ± 3.1
1717W0002	Well 4-805	1.6 ± 2.2	0.0 ^d ± 2.1	0.3 ± 4.9	-6.1 ± 9.8	2.8 ± 3.2
1717W0003	Well 2-855	-0.8 ± 1.7	0.7 ± 1.6	-2.6 ± 4.1	-0.9 ± 7.2	0.6 ± 2.3
1717W0004	Well 3-855	2.4 ± 2.4	1.7 ± 2.1	0.0 ± 5.9	-4 ± 11	2.8 ± 3.2
1717W0005	Well 4-855	1.3 ± 2.1	0.4 ± 4.2	3.8 ± 5.5	-8.4 ± 9.3	0.0 ± 3.0
1717W0006	Well 2-885	2.9 ± 2.2	0.6 ± 2.1	1.3 ± 4.9	-6.6 ± 9.6	1.7 ± 3.2
1717W0007	Well 4-885	1.3 ± 1.8	-0.9 ± 1.6	0.1 ± 4.2	-6.0 ± 7.4	3.1 ± 2.4
1717W0008	Well 2-805	1.0 ± 2.3	1.8 ± 2.2	3.4 ± 5.4	-5 ± 12	-2.5 ± 2.5

^aThe range of MDCs for these radionuclides is 2.7 pCi/L to 9.0 pCi/L.

^bThe average of MDC for Eu-154 was 15 pCi/L.

^cUncertainties represent the 95% confidence level, based on total propagated uncertainties.

^dZero values are due to rounding.

TABLE 3

**CONCENTRATIONS OF
ALPHA AND BETA EMITTING RADIONUCLIDES
IN WATER SAMPLES
BY LOW BACKGROUND ALPHA AND BETA COUNTING
AP1, REVISION 14; CP3, REVISION 2
BATTELLE
WEST JEFFERSON, OHIO**

ORISE Sample ID	NRC Region III Sample ID	Radionuclide Concentrations ^a (pCi/L)	
		Gross Alpha	Gross Beta
1717W0001	Well 3-805	1.5 ± 2.7 ^b (4.9)	3.1 ± 2.4 (4.0)
1717W0002	Well 4-805	0.5 ± 1.9 (3.7)	3.7 ± 1.9 (3.0)
1717W0003	Well 2-855	2.8 ± 4.3 (7.6)	5.9 ± 3.8 (6.0)
1717W0004	Well 3-855	8.4 ± 3.1 (3.3)	7.9 ± 2.2 (3.0)
1717W0005	Well 4-855	2.0 ± 2.2 (3.6)	5.3 ± 2.0 (3.0)
1717W0006	Well 2-885	13.7 ± 6.8 (8.5)	18.5 ± 5.5 (7.5)
1717W0007	Well 4-885	18 ± 18 (30) ^c	376 ± 55 (30) ^d
1717W0008	Well 2-805	3.4 ± 2.7 (4.2)	7.6 ± 2.4 (3.4)

^aThe MDCs for each radionuclide are in parentheses.

^bUncertainties represent the 95% confidence level, based on total propagated uncertainties.

^cThe requested alpha MDC not met due to the small volume of sample that could be used for this analysis.

^dThe requested beta MDC not met due to the small volume of sample that could be used for this analysis.

TABLE 4
 CONCENTRATIONS OF TOTAL RADIOSTRONTIUM
 IN WATER SAMPLES
 BY LOW BACKGROUND BETA COUNTING
 AP4, REVISION 13; CP3, REVISION 2
 BATTELLE
 WEST JEFFERSON, OHIO

ORISE Sample ID	NRC Region III Sample ID	Radionuclide Concentrations, TPU, and MDCs ^a (pCi/L)
1717W0001	Well 3-805	-0.6 ± 1.5 ^b (2.7)
1717W0002	Well 4-805	-0.7 ± 2.0 (3.6)
1717W0003	Well 2-855	0.4 ± 1.9 (3.3)
1717W0004	Well 3-855	-0.3 ± 2.1 (3.7)
1717W0005	Well 4-855	-0.3 ± 1.5 (2.7)
1717W0006	Well 2-885	-1.1 ± 1.5 (2.8)
1717W0007	Well 4-885	-0.9 ± 1.5 (2.8)
1717W0008	Well 2-805	-0.6 ± 1.5 (2.7)

^aMDCs are in parentheses.

^bUncertainties represent the 95% confidence level, based on total propagated uncertainties.