



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

October 12, 2006

Docket No. 03034064
Control No. 139209

License No. 07-30275-01

Thomas E. Mulhern
Executive Director
Delaware Diagnostic Services, Inc.
4512 Kirkwood Highway, Suite 202
Wilmington, DE 19808

SUBJECT: DELAWARE DIAGNOSTIC SERVICES, INC., LICENSE AMENDMENT,
CONTROL NO. 139209

Dear Mr. Mulhern:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Toolkit Index Page**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Richard McKinley

Richard McKinley
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

Enclosure:
Amendment No. 7

T. Mulhern
Delaware Diagnostic Services, Inc.

2

cc:
Frank DiGregorio, Radiation Safety Officer

DOCUMENT NAME: G:\Docs\Mailed\Lic Cvr Letter\07-30275-01.139209.10122006.wpd

SUNSI Review Complete: RMcKinley

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	DNMS/RI	<input type="checkbox"/>	<input type="checkbox"/>
NAME	RMcKinley/RWM						
DATE	10/12/2006						

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Delaware Diagnostic Services, Inc.</p> <p>2. 4512 Kirkwood Highway, Suite 202 Wilmington, Delaware 19808</p>	<p>In accordance with the letter dated July 18, 2006,</p> <p>3. License number 07-30275-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date May 31, 2011</p> <hr/> <p>5. Docket No. 030-34064 Reference No.</p>
--	---

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any byproduct material permitted by 10 CFR 35.300</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 500 millicuries</p>
--	---	---

9. Authorized use:
- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
 - B. Any imaging and localization study permitted by 10 CFR 35.200.
 - C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300 for which the patient can be released under the provisions of 10 CFR 35.75.

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at 4512 Kirkwood Highway, Suite 202, Wilmington, Delaware.
- 11. The Radiation Safety Officer for this license is Frank DiGregorio, Jr.
- 12. Licensed material is only authorized for use by, or under the supervision of:

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
07-30275-01

Docket or Reference Number
030-34064

Amendment No. 7

- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for medical use as indicated:

<u>Authorized Users</u>	<u>Material and Use</u>
David S. Grubbs, M.D.	35.100; 35.200
Vidya Sagar, M.D.	35.100; 35.200; 35.300
Timothy Manzone, M.D.	35.100; 35.200; 35.300
Hung Q. Dam, M.D.	35.100; 35.200; 35.300
Christopher A. Bowens, M.D.	35.100; 35.200
Christopher L. Baldi, M.D.	35.200

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated February 1, 1996 except Quality Management Plan
- B. Letter dated April 25, 1996
- C. Letter dated November 11, 1996
- D. Letter dated May 7, 1998
- E. Application dated February 12, 2001 except Quality Management Program
- F. Letter dated October 8, 2002
- G. Letter received May 5, 2003
- H. Letter dated July 29, 2003
- I. Facsimile (with attachments) dated August 25, 2003
- J. Letter dated July 18, 2006 (ML062140305)
- K. Letter dated September 25, 2006 (ML062700133)

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
07-30275-01

Docket or Reference Number
030-34064

Amendment No. 7



For the U.S. Nuclear Regulatory Commission

Date October 12, 2006

By ***Original signed by Richard McKinley***

Richard McKinley
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406