



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

OCT 11 2006

Justin Obermeyer
Radiation Safety Officer
Cornerstone Environmental Group, LLC
1259 Oaklawn NE
Grand Rapids, MI 49505

Dear Mr. Obermeyer:

Enclosed is Amendment No. 02 to your NRC Material License No. 21-32621-01 in accordance with our request dated August 30, 2006, for additional information concerning your license activities with regard to storage at temporary job sites (TJS) and your response dated September 21, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that License Condition No. 21 no longer references your original application dated May 22, 2006. All references attached to your letters dated September 21, 2006, and October 4, 2006, are now referenced in License Condition 21 which contain the procedures and commitments which you must comply with as well as the regulations in 10 CFR and other conditions of your license.


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

J. Obermeyer

2

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 21-32621-01
Docket No. 030-37216

Enclosure: Amendment No. 02