

From: Penny Lanzisera
To: k.ostrom@ampmedphysics.com
Date: Fri, Oct 20, 2006 11:24 AM
Subject: Conemaugh Valley Memorial Hospital Request to Remove Depleted Uranium

L.N. 37-01873-01
D.N. 030-03011
MCN 139540

Dear Mr. Ostrom,

Conemaugh Valley Memorial Hospital requested an amendment to their license to remove depleted uranium, since they no longer possess the linear accelerator identified as Varian C2100C. Please clarify the model disposed that contained depleted uranium. For instance, according to Varian's records, model CL-2100C did not contain depleted uranium. In addition, please provide the transfer documentation and confirmation of receipt for any linear accelerator transferred that contained depleted uranium.

You may reply to my attention via fax to 610-337-5269. Please reference Mail Control No. 139540 in your response.

Penny Lanzisera
US NRC, Region 1

Mail Envelope Properties (4538EA2E.352 : 17 : 55940)

Subject: Conemaugh Valley Memorial Hospital Request to Remove Depleted Uranium
Creation Date: Fri, Oct 20, 2006 11:24 AM
From: Penny Lanzisera
Created By: PAN@nrc.gov

Recipients

ampmedphysics.com
k.ostrom (k.ostrom@ampmedphysics.com)

Post Office**Route**

ampmedphysics.com

Files	Size	Date & Time
MESSAGE	1239	Friday, October 20, 2006 11:24 AM

Options

Expiration Date: None
Priority: Standard
ReplyRequested: No
Return Notification: None

Concealed Subject: No
Security: Standard