

[Click here and type address]

P-6
MS-16

facsimile transmittal

37-01873-01
03003011

To: Penny Lanzisera Fax: 610-337-5269

From: Greg Hay, RSO Date: 10/24/2006

Re: Mail Control # 139540 Pages: 1

CC:

Urgent For Review Please Comment Please Reply Please Recycle

Good day Ms. Lanzisera,

Returning from vacation last week I had received an email from Keith Ostrom concerning the request to have "Depleted Uranium" removed from Conemaugh Memorial Hospital's license. The accelerator that had the depleted uranium was removed in late 1989 and exchanged with Varian for the 2100C that had no depleted uranium in it. This was before I worked there as the physicist. Since then the 2100C was replaced with a 21EX in a new facility, and in October of 2005 the department was closed and the program merged with UPMC at another location. The department that housed the Clinac 4 has been moved twice. Please give me a few days to try and locate any documentation. I have calls into Varian and the purchasing department at Conemaugh trying to track things down. I do have a fax from Varian referencing the Clinac 4 as a trade in. Varian doesn't have records prior to 1994 unless they have the serial number. If you need to contact me you can fax it to 724-465-8924, or call me at 724-465-8900.

Thank you for your patience.

Greg Hay

Greg Hay (GHAY@INDIANA.RMC.ORG)

139540
NMSS/RGNI MATERIALS-C02