UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

November 8, 2006

Docket No. 03020237 License No. 47-23070-01
Control No. 139657

Ronda J. Moore
COO/CFO
CAMC Teays Valley Hospital
1400 Hospital Drive
Hurricane, WV 25526

SUBJECT: CAMC TEAYS VALLEY HOSPITAL, LICENSE AMENDMENT, CONTROL NO. 139657

Dear Ms. Moore:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material;** then **Toolkit Index Page.** Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Richard McKinley

Richard McKinley
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

Enclosure:
Amendment No. 15

cc:
Steven A. Artz, M.D., Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML063120583.wpd

SUNSI Review Complete: RMcKinley
After declaring this document "An Official Agency Record" it **will** be released to the Public.

To receive a copy of this document, indicate in the box: "**C**" = Copy w/o attach/encl "**E**" = Copy w/ attach/encl "**N**" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	RMcKinley ***/RWM1/***							
DATE	11/8/06							

OFFICIAL RECORD COPY

Amendment No. 15

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the letter dated November 7, 2006,
1. CAMC Teays Valley Hospital	3. License number 47-23070-01 is amended in its entirety to read as follows:
2. 1400 Hospital Drive Hurricane, West Virginia 25526-9205	4. Expiration date January 31, 2015
	5. Docket No. 03020237 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As needed
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As needed
C. Any byproduct material permitted by 10 CFR 35.300	C. Any	C. 1000 millicuries

9. Authorized use:

A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
B. Any imaging and localization study permitted by 10 CFR 35.200.
C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 1400 Hospital Drive, Hurricane, West Virginia.

11. The Radiation Safety Officer for this license is Steven A. Artz, M.D.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number
47-23070-01

Docket or Reference Number
03020237

Amendment No. 15

12. Licensed material is only authorized for use by, or under the supervision of:

    A. Individuals permitted to work as an authorized user, authorized nuclear pharmacist, and/or authorized medical physicist in accordance with 10 CFR 35.13 and 35.14.

    B. The following individuals are authorized users for medical use as indicated:

Authorized Users	Material and Use
Steven A. Artz, M.D.	35.100; 35.200; 35.300
John J. Anton, M.D.	35.100; 35.200
Michael Eugene Anton, M.D.	35.100; 35.200
Timothy Connor, M.D.	35.100; 35.200; 35.300
Ronald Cordell, M.D.	35.100; 35.200
Jeffrey C. Dameron, M.D.	35.100; 35.200; 35.300
Stephen M. Elksnis, M.D.	35.100; 35.200
Mohammed Haffar, M.D.	35.100; 35.200
Jennifer Marie Smith, M.D.	35.100; 35.200; 35.300
Russell F. King, III, M.D.	35.100; 35.200; 35.300
Johnsey Leef, M.D.	35.100; 35.200; 35.300
Johnsey Lee Leef, M.D.	35.100; 35.200; 35.300
Mary H. McJunkin, M.D.	35.100; 35.200
John F. Mega, M.D.	35.100; 35.200
Bassam Moushmoush, Jr., M.D.	35.100; 35.200
Frank Muto, M.D.	35.100; 35.200
John Reifsteck, M.D.	35.100; 35.200
Christopher A. Schlarb, M.D.	35.100; 35.200
James T. Smith, M.D.	35.100; 35.200
John Willis, M.D.	35.100; 35.200

License Number
47-23070-01

Docket or Reference Number
03020237

Amendment No. 15

MATERIALS LICENSE
SUPPLEMENTARY SHEET

13. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

14. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.

License Number
47-23070-01

Docket or Reference Number
03020237

Amendment No. 15

MATERIALS LICENSE
SUPPLEMENTARY SHEET

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

    A. Application dated January 12, 2005 (ML050330165)
    B. Letter dated November 7, 2006 (ML063120473)

For the U.S. Nuclear Regulatory Commission

Date November 8, 2006

By ***Original signed by Richard McKinley***

Richard McKinley
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406