



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**

REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

**NOV 02 2006**

Alfred D. Shaplin, M.D.  
Radiation Safety Officer  
Jefferson Memorial Hospital  
Dept. Of Nuclear Medicine  
P.O. Box 350  
Crystal City, MO 63019

Dear Dr. Shaplin:

Enclosed is Amendment No. 25 to your NRC Material License No. 24-18315-01 in accordance with your request dated August 8, 2006. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that we have reformatted Subitem Nos. 6, 7, and/or 9 and Condition No. 12 at this time to remove all references to excluded authorizations, including but not limited to authorizations such as "generators, xenon-133, aerosols, etc." Please be reminded, however, that you are still bound by the restrictions imposed by the excluded authorizations contained in documents incorporated into your license in Condition No. 15 of your license. Other changes to your NRC license are in bold print and were made in accordance with current licensing policy and formatting of licenses.

Also, in accordance with my telephone conversation on October 26, 2006, with Darlene Sheridan, Chief Nuclear Medicine Technologist, Dr. Junker was not approved as your new Radiation Safety Officer (RSO) at this time. Our review of Dr. Junker's training and experience for the position of RSO is still being reviewed under Control Number 315781. Upon receipt of the requested information, we will promptly review your response.


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

A. D. Shaplin, M.D.

2

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,

  
James R. Mullauer, M.H.S.  
Health Physicist  
Materials Licensing Branch

License No. 24-18315-01  
Docket No. 030-14837

Enclosure: Amendment No. 25