



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

November 15, 2006

Docket No. 03037353
Control No. 139514

License No. 41-31193-01

Hartmuth C. Kolb, Ph.D.
Vice President
Siemens Molecular Imaging, Inc
810 Innovation Drive
Knoxville, TN 37932

SUBJECT: SIEMENS MOLECULAR IMAGING, INC., CORRECTED COPY OF LICENSE,
CONTROL NO. 139514

Dear Dr. Kolb:

Enclosed is the Corrected Copy for License No. 41-31193-01. In accordance with the telephone call on November 8, 2006, Condition No. 7C and 8C have been changed to authorize material that was requested in the original application.

We apologize for any inconvenience this error may have caused.

Sincerely,

Original signed by James P. Dwyer

James P. Dwyer, Chief
Commercial and R&D Branch
Division of Nuclear Materials Safety

Enclosure:
Corrected Copy of New License 41-31193-01

cc:
Thomas L. Collier, Ph.D., Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML063190552.wpd

SUNSI Review Complete: JDwyer

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	N	DNMS/RI			
NAME	L Roldán /LXR3/		JDwyer /JPD1/					
DATE	11/15/06		11/15/06					

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	
1. Siemens Molecular Imaging, Inc.	3. License number 41-31193-01
2. 810 Innovation Drive Knoxville, Tennessee 37932	4. Expiration date November 30, 2016
	5. Docket No. 030 - 37353 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Cobalt 60	A. Sealed Sources (IPL Models GF-XXX Type M Series and GF-XXX Type R Series)	A. Not to exceed 100 microcuries per source and 10 millicuries total
B. Iodine 129	B. Sealed Sources (IPL Model GF-XXX Type R Series)	B. 1 microcurie per source and 100 microcuries total
C. Cesium 137	C. Sealed Sources (IPL Models GF-XXX Type M Series, GF-XXX Type R Series and RV-XXX)	C. 200 microcuries per source and 10 millicuries total

9. Authorized use:

A. through C. Calibration and checking of the licensee's instruments.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 406 Industrial Drive, North Wales, Pennsylvania.
11. Licensed material shall be used by, or under the supervision of, Thomas Lee Collier, Ph.D., Barbara Missal, R.Ph., Henry Padgett, Ph.D., and Zhihong Zhu, Ph.D.
12. The Radiation Safety Officer for this license is Thomas Lee Collier, Ph.D.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET
CORRECTED COPY**

License Number
41-31193-01

Docket or Reference Number
030 - 37353

13. The licensee shall not use licensed material in or on human beings.
14. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

CORRECTED COPY

License Number
41-31193-01

Docket or Reference Number
030 - 37353

16. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
17. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated September 22, 2006 [ML062850491]



For the U.S. Nuclear Regulatory Commission

Date November 15, 2006

By

Original signed by Elizabeth Ullrich

Elizabeth Ullrich
Commercial and R&D Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406