

# NRC INSPECTION MANUAL

IRIB

Change Notice 07-009

DELETED:		TRANSMITTED:	
<u>Number</u>	<u>Date</u>	<u>Number</u>	<u>Date</u>
1. TG 99100	10/30/92	-----	-----
2. TG ANSI515	05/12/86	-----	-----
3. TG ANSI527	04/01/77	-----	-----
4. TG ANSI55	01/01/82	-----	-----
5. TG ANSI56	07/01/80	-----	-----
6. TG ANSINQA	09/17/90	-----	-----
7. TG ASMEIX	05/12/86	-----	-----
8. TG IEEE450	05/12/86	-----	-----
9. TG MATLIC	05/12/71	-----	-----
10. TG PROCAD	01/14/91	-----	-----
11. TG STS303	08/31/87	-----	-----
12. TG STS30V	01/01/82	-----	-----
13. TG STS30S	07/01/80	-----	-----
14. TG STS10P	10/31/91	-----	-----
15. TG STS3040	07/22/87	-----	-----
16. TG SAFETY	09/09/97	-----	-----
17. TG RG158	04/01/77	-----	-----
18. TG RG133	04/01/77	-----	-----
19. RG116A2	04/01/79	-----	-----
20. TG RG116A3	04/01/78	-----	-----
21. TG RG116A4	07/01/78	-----	-----

22. TG STS30DEG	10/08/97	-----	-----
23. TG STS479	04/01/81	-----	-----
24. TG STS4791V	10/01/78	-----	-----
25. TG STS4791H	01/01/79	-----	-----
26. TG STS4796	10/01/80	-----	-----
27. TG STS651	10/06/80	-----	-----
28. TG STS6511	01/01/82	-----	-----
29. TG STS6516	01/01/82	-----	-----
30. TG STS6528	10/01/78	-----	-----
31. TG STS6917	04/01/78	-----	-----
32. CFR 30	10/01/79	-----	-----
33. CFR 50	09/30/88	-----	-----
34. CFR 50 34	12/30/87	-----	-----
35. CFR 50 36	01/01/77	-----	-----
36. CFR 50 54	04/01/77	-----	-----
37. CFR 50 55AG	07/01/80	-----	-----
38. CFR 50 109	01/01/82	-----	-----
39. CFR 50B R	10/01/80	-----	-----
40. CFR 50B A	04/01/77	-----	-----
41. CFR 50B II	07/01/81	-----	-----
42. CFR 50B VIIC	04/01/80	-----	-----
43. CFR 50B VIIP	01/01/82	-----	-----
44. CFR 50B X	01/14/88	-----	-----
45. CFR 50J	12/08/86	-----	-----

TRAINING: None.

REMARKS: TG 99100 (Health Physics Positions) has been deleted. This guidance is no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG ANSI515 (ANSI N18.7-1972, Section 5.1.5) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG ANSI527 (ANSI N18.7, Section 5.2.7- Design and Construction Type Activities Conducted During the Operations Phase (Maintenance and Modifications)) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG ANSI55 (ANSI N45.2.9, Section 5.5 - Records Storage Facility) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG ANSI56 (ANSI N45.2.9, Section 5.6 - NRC Criteria for Records Storage Facilities) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG ANSINQA (ANSI/ASME NQA-1-1989, Supplement 17S-1, Section 5) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG ASMEIX (ASME Boiler and Pressure Vessel Code, Section IX) has been deleted. This guidance is outdated and is superceded by Code revisions. This document did not contain prior NRC commitments and can be therefore deleted.

TG IEEE450 (IEEE Standard 450-1975) has been deleted. This guidance is outdated and is superceded by later revisions and NRC RG 1.129. guidance. This document did not contain prior NRC commitments and can be therefore deleted.

TG MATLIC (Materials License Conditions - Interpretations) has been deleted. This guidance is no longer required since NUREG 1556 provides necessary guidance. This document did not contain prior NRC commitments and can be therefore deleted.

TG PROCAD (Operations - Procedural Adherence) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS303 (STS Section 3.0.3 - Limiting Conditions for Operations) has been deleted. This guidance is no longer required since TS Bases and Technical Requirement documents provide adequate guidance. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS30V (STS Section 3.0 - Voluntary Entry Into Action Statement) has been deleted. This document has been superseded by Standard Technical Specification Section 3.0.3 - Limiting Conditions for Operations. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS30S (STS Section 3.0 - Operability and Action Statement Requirements ) has been deleted. This document has been superseded by approved Standard Technical Specifications. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS10P (STS Section 1.0 - Operable/Operability - Ensuring the Functional Capability of a System or Component ) has been deleted. This document has been superseded by Part 9900, TG. Operability Det. Process (Operability Determinations & Functionality Assessments Resolution of Degraded or Nonconforming Conditions Adverse to Quality or Safety). This document did not contain prior NRC commitments and can be therefore deleted.

TG STS3040 (STS Sections 3.0 and 4.0 - Limiting Conditions for Operation and Surveillance Requirements) has been deleted. This guidance is no longer required since TS Bases, STS Operability Determination Process and GL 87-09 provide adequate guidance. This document did not contain prior NRC commitments and can be therefore deleted.

TG SAFETY (Operations - Safety & Compliance) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG RG158 (Qualifications of Nuclear Power Plant Inspection, Examination and Testing Personnel) has been deleted. The Regulatory Guide was withdrawn. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG RG133 ("Procedure Implementation" As Used in Section 6.8.1 of Standard Technical Specifications) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

TG RG116A2 (Reg. Guide 1.16, Para. C.2.a(2) and C.2.b(2) - Reporting Requirements - Degraded Mode) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance is provided in NUREG-1022. This document did not contain prior NRC commitments and can be therefore deleted.

TG RG116A3 (Reg. Guide 1.16, Para. C.2a(3) - Reporting Requirements Abnormal Degradation) has been deleted. This guidance is outdated and no longer applicable to the current inspection program. Guidance is provided in NUREG-1022. This document did not contain prior NRC commitments and can be therefore deleted.

TG RG116A4 (Reg. Guide 1.16, Para. C.2.a(4) - Reporting Requirements Reactivity Anomalies) has been deleted. This guidance is outdated and

no longer applicable to the current inspection program. Guidance is provided in NUREG-1022. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS30DEG (STS Section 3.0 - Resolution of Degraded and Nonconforming Conditions) has been deleted. This document has been superseded by Part 9900, TG. Operability Det. Process (Operability Determinations & Functionality Assessments Resolution of Degraded or Nonconforming Conditions Adverse to Quality or Safety). This document did not contain prior NRC commitments and can be therefore deleted.

TG STS479 (STS Sec 4.7.9 Surveillance of Snubber Piston Settings) has been deleted. This guidance is relocated from TS, outdated and no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS4791V (STS Sec 4.7.9.1.a Establishment of Visual Inspection Intervals for Snubbers) has been deleted. This guidance is relocated from TS, outdated and no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS4791H (STS Sec 4.7.9.1(a) Hydraulic Snubber Inspection Schedule) has been deleted. This guidance is relocated from TS, outdated and no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS4796 (STS Sec 4.7.9.6 Operability of Hydraulic Snubbers With Empty Reservoirs) has been deleted. This guidance is relocated from TS, outdated and no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS651 (STS Sec 6.5.1 Onsite Committee Review of Unit Operations to Detect Potential Nuclear Safety Hazards) has been deleted. This Section has been relocated from TS. This guidance is outdated and no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS6511 (STS Sec 6.5.1.1 Licensee Review Responsibility for Matters Related to Nuclear Safety) has been deleted. This Section has been relocated from TS. This guidance is outdated and no longer applicable to the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS6516 (STS Sec 6.5.1.6c and Sec 6.5.2.7d Licensee Review Responsibility for Proposed Changes to Facility Technical Specifications) has been deleted. This Section has been relocated from TS. This document did not contain prior NRC commitments and can be therefore deleted.

TG STS6528 (STS Sec 6.5.2.8 Requirements for Off-Site Committee Audit Functions) has been deleted. This Section has been relocated from TS. This guidance is outdated and no longer applicable to the current inspection program. This document did not contain prior NRC

commitments and can be therefore deleted.

TG STS6917 (STS Sec 6.9.1.7 Reporting Requirements - Reportable Occurrences) has been deleted. This guidance is outdated and no longer required. NUREG 1022 provides event reporting guidelines for 10 CFR 50.72 and 50.73. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 30 (License Condition, "Used by or under the supervision of . . .") has been deleted. This guidance is outdated and no longer required. NUREG 1556 and IMC 2800 provide guidance for the oversight of material licensees. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50 (Byproduct Material Produced in Non-Power Reactors) has been deleted. This guidance is outdated and no longer required for the current material inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50 34 (Status of PSAR After FSAR is Submitted) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50 36 (Changes to Facility Technical Specifications) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50 54 (Guidance Relating to the Application of Appendix J - Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50 55AG (10 CFR 50.55a(g) - Pump Operability Requirements) has been deleted. This document has been superseded by Part 9900, TG. Operability Det. Process (Operability Determinations & Functionality Assessments Resolution of Degraded or Nonconforming Conditions Adverse to Quality or Safety). This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50 109 (10 CFR 50.109 - Backfitting) has been deleted. This guidance has been superseded by Office Instruction LIC 202 and management Directive 8.4. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50B R (Part 50, Appendix B - Responsibility - Review and Approval of Licensee QA Plans for Operation) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50B A (Part 50, Appendix B - Applicability of Appendix B to Chemicals and Reagents) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. This

document did not contain prior NRC commitments and can be therefore deleted.

CFR 50B II (Part 50, Appendix B, Criterion II - Maintenance of Proficiency for Personnel Performing Activities Affecting Quality) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50B VIIC (Part 50, Appendix B, Criterion VII - Guidance -Use of Certificate of Conformance) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50B VIIP (Part 50, Appendix B, Criterion VII - Guidance - Procurement of Spare and Replacement Parts) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50B X (Part 50, Appendix B, Criteria X & XVII - Inspection Documentation Guidance) has been deleted. This guidance is outdated and no longer required or used in the current inspection program. Guidance to be provided in new SRP 17.1-3. This document did not contain prior NRC commitments and can be therefore deleted.

CFR 50J (Part 50, Appendix J, Containment Integrated Leak Rate Testing) has been deleted. This guidance is outdated and no longer required. Guidance is provided in NEI 94-01, RG 1.163, IPs 70307, 70313, 70323. This document did not contain prior NRC commitments and can be therefore deleted.