UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

November 30, 2006

Docket No. 03009678 License No. 29-15739-01
Control No. 139496

Andrew Mintz
Executive Director
Summit Medical Group, P.A.
1 Diamond Hill Road
Cardiology Department
Bensley Pavilion, 2nd Floor
Berkeley Heights, NJ 07922

SUBJECT: SUMMIT MEDICAL GROUP, P.A., LICENSE AMENDMENT, CONTROL NO. 139496

Dear Mr. Mintz:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material;** then **Toolkit Index Page.** Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Richard McKinley

Richard McKinley
Health Physicist
Medical Branch
Division of Nuclear Materials Safety

Enclosure:
Amendment No. 28

cc:
Robert D. Slama, M.D., Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML063340586.wpd

SUNSI Review Complete: RMcKinley
After declaring this document "An Official Agency Record" it **will** be released to the Public.

To receive a copy of this document, indicate in the box: "**C**" = Copy w/o attach/encl "**E**" = Copy w/ attach/encl "**N**" = No copy

OFFICE	DNMS/RI	N	DNMS/RI		DNMS/RI			
NAME	RMcKinley/RWM							
DATE	11/30/2006							

OFFICIAL RECORD COPY

Amendment No. 28

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	In accordance with the letter dated August 30, 2006,
1. Summit Medical Group, P.A.	3. License number 29-15739-01 is amended in its entirety to read as follows:
2. 1 Diamond Hill Road Cardiology Department, Bensley Pavilion, 2nd Floor Berkeley Heights, NJ 07922	4. Expiration date July 31, 2011 5. Docket No. 030-09678 Reference No.

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As needed
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As needed
C. Any byproduct material permitted by 10 CFR 35.300	C. Any	C. 200 millicuries

9. Authorized use:

A. Any uptake, dilution and excretion procedure permitted by 10 CFR 35.100.
B. Any imaging and localization procedure permitted by 10 CFR 35.200.
C. Any sodium iodide iodine-131 imaging and localization study or therapy procedure permitted by 35.300, except thyroid carcinoma.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 1 Diamond Hill Road, Cardiology Department, Bensley Pavilion, 2nd Floor, Berkeley Heights, New Jersey.

11. The Radiation Safety Officer for this license is Robert D. Slama, M.D.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number
29-15739-01

Docket or Reference Number
030-09678

Amendment No. 28

12. Licensed material is only authorized for use by, or under the supervision of:

    A. Individuals permitted to work as an authorized user] in accordance with 10 CFR 35.13 and 35.14.

    B. The following individuals are authorized users for medical use as indicated:

Authorized Users	Material and Use
James Korsten M.D.	35.100; 35.200
Laura Weisse M.D.	35.100; 35.200
Neil Horner M.D.	35.100; 35.200
Robert L. Rosenbaum M.D.	Oral administration of sodium iodide iodine-131 for imaging and localization studies and treatment of hyperthyroidism and cardiac dysfunction
Michael B. Alexander, M.D.	35.200
Robert D. Slama, M.D.	35.200

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.

14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

License Number
29-15739-01

Docket or Reference Number
030-09678

Amendment No. 28

MATERIALS LICENSE
SUPPLEMENTARY SHEET

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

    A. Application dated February 28, 1990
    B. Letter dated June 7, 1991
    C. Letter dated June 29, 1991
    D. Letter dated November 4, 1992
    E. Letter dated June 30, 1995
    F. Letter dated March 14, 1997
    G. Letter dated June 23, 2006 (ML061840058)
    H. Letter dated August 30, 2006 (ML062770407)
    I. Letter dated November 8, 2006 (ML063180291)

For the U.S. Nuclear Regulatory Commission

Date November 30, 2006

By ***Original signed by Richard McKinley***

Richard McKinley
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406