UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-4005

December 13, 2006

Leah Alcyon
Radiation Safety Officer
GeoEngineers, Inc.
8410 154th Avenue NE
Redmond, Washington 98052-3886

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-35685/2006-001 AND NOTICE OF VIOLATION

Dear Ms. Alcyon:

Thank you for your letter of October 24, 2006, in response to our letter and Notice of Violation (Notice) dated October 05, 2006. We have reviewed your reply and find it responsive to the concerns raised in the Notice. We will review the implementation of your corrective actions during future inspections to determine that full compliance has been achieved and will be maintained.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html.

Sincerely,

/RA/

Vivian H. Campbell, Chief
Nuclear Materials Inspection Branch

Docket No.: 030-35685
License No.: 46-27696-01

cc w/copy of licensee's letter dated 10/24/2006:
Washington Radiation Control Program Director

bcc w/copy of licensee's ltr dtd 10/24/2006 (via ADAMS distrib):
LDWert
CLCain
VHCampbell
JEWhitten
ADGaines
RITS Coordinator
NMIB
RIV Materials Docket File (5th floor)

SUNSI Review Completed: ADG ADAMS: X Yes ☐ No Initials: ADG

X Publicly Available ☐ Non-Publicly Available ☐ Sensitive X Non-Sensitive

DOCUMENT NAME: s:\dnms\!nmib\!ADG\GeoEngineers Response Letter.wpd final r:_dnms

RIV:DNMS:NMIB	C:NMIB
ADGaines	VHCampbell
/RA/	***/RA/***
12/13/06	12/13/06

OFFICIAL RECORD COPY T=Telephone E=E-mail F=Fax