

UNITED STATES NUCLEAR REGULATORY COMMISSION REGION I 475 ALLENDALE ROAD KING OF PRUSSIA, PENNSYLVANIA 19406-1415

October 29, 2002

License No.

29-01022-07

Docket No. 03006989 Control No. 132166

Stephen G. LaPoint Director Directorate for Safety Department of the Army Headquarters, U.S. Army Communications-Electronics Command Fort Monmouth, NJ 07703-5301

SUBJECT: DIRECTORATE FOR SAFETY, ISSUANCE OF LICENSE RENEWAL, **CONTROL NO. 132166**

Dear Mr. LaPoint:

This refers to your request for renewal of your NRC license. Enclosed with this letter is the renewed license. Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

The NRC is required to have your Taxpayer Identification Number in order to make payments (refunds). The self-addressed, stamped NRC Form 531, "Request for Taxpayer Identification Number," is enclosed.

The NRC expects licensees to conduct their programs with meticulous attention to detail and high standards of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your program according to NRC regulations, the conditions of your NRC license, and the representations made in your application. In particular, note that you must:

- Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and 1. Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
- 2. Notify the NRC in writing of any change in mailing address.
- 3. In accordance with 10 CFR 30.36(d), notify the NRC, promptly, in writing, and request termination of the license
 - when you decide to terminate all activities involving materials authorized under a) the license; or FFI28
 - if you decide not to acquire or possess and use authorized material. b)

information in this record was deleted In accordance with the Freedom of Information

Act. exemptions 2006

M1.023070007

S. LaPoint

Directorate for Safety

4. Request and obtain a license Amendment before you:

- a) change Radiation Safety Officers;
- b) order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license; or
- c) add or change the areas of use, or addresses of use identified in the license application or on the license; or
- d) change the name or ownership of your organization.
- 5. Submit a complete renewal application or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations.

In addition, please note that NRC Form 313 requires the applicant, by signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or a certifying official of the licensee rather than a consultant.

You will be periodically inspected by the NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in NUREG 1600, "General Policy and Procedure for NRC Enforcement Actions" (Enforcement Policy).

In accordance with 10 CFR 2.790, a copy of this letter will be placed in the NRC Public Document Room and will be accessible from the NRC Web site at <u>http://www.nrc.gov/reading-rm.html.</u>

Thank you for your cooperation.

Sincerely,

Original signed by John R. McGrath

John R. McGrath Senior Health Physicist Nuclear Materials Safety Branch 2 Division of Nuclear Materials Safety

Enclosures:

1. Amendment No. 34

2. 10 CFR Parts 19, 20, 21, 30, 71, 170, and 171

S. LaPoint

Directorate for Safety

- З.
- 4.
- NRC Forms 3, 313, and 531 Section 206 of the Energy Reorganization Act of 1974 NUREG 1600, General Policy and Procedure for NRC Enforcement Actions (Enforcement Policy) 5.

cc:

Craig S. Goldberg, Radiation Safety Officer

S. LaPoint Directorate for Safety

DOCUMENT NAME: G:\Docs\Current\Lic Cvr Letter\L29-01022-07.132166.wpd To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy 15130300

OFFICE	DNMS/RI	Ν	DNMS/RI	DNMS/RI		
NAME	JMcGrath ARM				 ·	
DATE	10/29/02					

4

OFFICIAL RECORD COPY

NRC FORM 374	PAGEOFPAGES
U.S. NUCLEAR REGULAT	Amenument No. 34
Pursuant to the Atomic Energy Act of 1954, as amended, the Energy R of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 35	leorganization Act of 1974 (Public Law 93-438), and Title 10, Code
heretofore made by the licensee, a license is hereby issued authorizing	the licensee to receive, acquire, possess, and transfer byproduct,
source, and special nuclear material designated below; to use such m deliver or transfer such material to persons authorized to receive it in ac	cordance with the regulations of the applicable Part(s). This license
shall be deemed to contain the conditions specified in Section 183 of applicable rules, regulations, and orders of the Nuclear Regulatory Con	
below.	
Licensee	In accordance with the letter dated
	September 25, 2002,
1. Department of the Army	3. License number 29-01022-07 is amended in
U. S. Army Communications - Electronics Command AMSEL-SF-RER 🐲 🔊 🛱	its entirety to read as follows:
	no opportunity to road as ronows.
2.	4. Expiration date October 31, 2012
Fort Monmouth, New Jersey 07703-5301	5. Docket No. 030-06989
	Reference No.
6. Byproduct, source, and/or special 7. Chemical and/or p	bysical form 8. Maximum amount that licensee may
nuclear material	possess at any one time under this license
A. Cesium 137	$\mathcal{T}_{A, \mathcal{C}}$
B. Cobalt 60	
B. Cobalt 60 B.	
9. Authorized use:	
A. and B. To be used for irradiation of materials, exc	cept explosive and flammable materials, in a
Device Registration Certificate issued by I	as specified in the device's Sealed Source and NRC pursuant to 10 CFR 32.210 or by an Agreement
State.	
CONDIT	IONS
10. Licensed material may be used at the licensee's fact Wall Township, New Jersey.	ilities located at , Charles Wood Area,
vvan rownomp, riew oersey.	\sim
	¢
Duplicate Dupl	icate - Duplicate
É Z	2

Duplicate Imaternals LICENSE SUPPLEMENTARY SHEET Duplicate Image: Comparison of the supervision and in the physical presence of minimum sectors and the supervision and in the physical presence of individuals who have received the training described in letters dated February 13, 1998 and March 13, 1998. 9. The Radiation Safety Officer for this license is Craig S. Goldberg. 11. A. Sealed sources containing licensed material shall not be opened or sources removed from the self- shielded irradiator by the licensee, exact lass bedifedily altificinged by license condition. 13. A. Sealed sources shall be training described or contamination at the specified in the self- shielded irradiator by the licensee, exact lass bedifedily altificinged by license condition. 14. A. the absence of describing the self-shield of relaxage and/or contamination at intervals need to exace the intervals specified in the self-shift for leakage and/or contamination at most second source received from another person shall not be taken to registration prior to the transfer, a sealed source received from another person shall not be taken the state of registration prior to the transfer. A sealed source shall be taken to do mere than 10 years who the other person, and have not been leak tested within the required leak lested if they are in prostering and are not being used. However, when they are refitived from jobage for base for the strate of the other the strate shall be taken and/or contamination. 0. The leak test shall be cogagile of detecting the presence of 0.0000 microcurie or macro removable contamination. 11. A. Sealed sources containing the presence of 0.0000 microcurie or macro removable contaminated, repaired, or disposed of according to Commission regulations. The licensee shall file a			CLEAR REGULATORY COM	· · · · · · · · · · · · · · · · · · ·	PAGE 2 of 4 PAGES
 individuals who have received the training described in letters dated February 13, 1998 and March 13, 1998. B. The Radiation Safety Officer for this license is Craig S. Goldberg. 12. Sealed sources containing licensed material shall not be opened or sources removed from the self-shielded irradiator by the licensee, except as Specifically authorized by license condition. 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State. B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration prior to the transfer, a sealed source received from another person shall not be point into use until tested. C. Sealed sources need not be leak tested if they are it storage and are not being used. However, when they are removed from storage for use on transfer to another person, and have not been leak tested within the required leak test into use until tested. D. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the leak test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.52(b)(2) and (C)(1), and have the source decontaminated, repaired, or disposed of accerding to Commission regulations. The licensee shall file a written report according to 10 CFR 30.52(b)(2). E. Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee due to collect leak kest to perform such services. 14. Before initiation of irradiator operations or		Duplicate MATERIAL SUPPLEMEN		29=01022-07 Docket or Reference 030-06989	Number
 individuals who have received the training described in letters dated February 13, 1998 and March 13, 1998. B. The Radiation Safety Officer for this license is Craig S. Goldberg. 12. Sealed sources containing licensed material shall not be opened or sources removed from the self-shielded irradiator by the licensee, except as Specifically authorized by license condition. 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State. B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration prior to the transfer, a sealed source received from another person shall not be point into use until tested. C. Sealed sources need not be leak tested if they are it storage and are not being used. However, when they are removed from storage for use on transfer to another person, and have not been leak tested within the required leak test into use until tested. D. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the leak test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.52(b)(2) and (C)(1), and have the source decontaminated, repaired, or disposed of accerding to Commission regulations. The licensee shall file a written report according to 10 CFR 30.52(b)(2). E. Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee due to collect leak kest to perform such services. 14. Before initiation of irradiator operations or				l	
 Sealed sources containing licensed material shall not be opened or sources removed from the self-shielded irradiator by the licensee, except as specifically autiorized by license condition. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration prior to the transfer, a sealed source received from another person shall not be put into use until tested. Sealed sources need not be leak tested if they are in storage and are not being used. However, when they are removed from storage to use or transfer to another person. Shall be tested for a period of more than 10 years without being tested for leakage and/or contamination. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the leak test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.52(b)(2) and (c)(1), and have the source decontaminated, repaired, or disposed of according to Commission regulations. The licensee shall file a written report according to 10 CFR 30.50(c)(2). Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples for analysis by persons specifically licensed by the Commission or an Agreement State to perform such services. Before initiation of irradiator operations or after reloading of sources in the irradiator and before restart of t	11. A.	individuals who have r			
 shielded irradiator by the licensee, exception specifically authorized by license condition. 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State. B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration prior to the transfer, a sealed source received from another person shall not be put into use until tasted. C. Sealed sources need not be leak tested if they are in storage and are not being used. However, when they are removed from storage to use or transfer of another person, and have not been leak tested within the required leak testinterval; they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without beint tested for leakage and/or contamination. D. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test shall be capable of 0.005 microcurie of more of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.50(c)(2). E. Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples for analysis by persons specifically licensed by the Commission or an Agreement State to perform such services. 14. Before initiation of irradiator operations or after reloading of sources in the irradiator and before restart of the irradiator, a radiation survey shall be conducted to determine radiation levels arou	В.	The Radiation Safety	Officer for this license is	Craig S. Goldberg.	
 intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State. B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration prior to the transfer, a sealed source received from another person shall not be put into use until tested. C. Sealed sources need not be leak tested if they are in storage and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been leak tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination. D. The leak test shall be capable of detecting the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.52(b)(2) and (c)(1), and have the source decontaminated, repaired, or disposed of according to Commission regulations. The licensee shall file a written report according to 10 CFR 30.50(c)(2). E. Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples for analysis by persons specifically licensed by the Commission or an Agreement State to perform services. 14. Before initiation of irradiator operations or after reloading of sources in the irradiator and before restart of the survey shall be sources in the shielded position and in the exposed position. The results of the survey shall be serve of the tradiator, a radiation survey shall be conducted to determine radiation levels around, above and below the irradiator with the sources in the shielded pos					
 intervals specified in the certificate of registration prior to the transfer, a sealed source received from another person shall not be put into use until tested. C. Sealed sources need not be leak tested if they are in storage and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been leak tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination. D. The leak test shall be canable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the leak test reveals the presence of 0.005 microcurie of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.52(b)(2) and (c)(1), and have the source decontaminated, repaired, or disposed of according to Commission regulations. The licensee shall file a written report according to 10 CFR 30.50(c)(2). E. Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples for analysis by persons specifically licensed by the Commission or an Agreement State to perform such services. 14. Before initiation of irradiator operations or after reloading of sources in the irradiator and before results of the survey shall be sent to the U.S. Nuclear Regulatory Commission, Region I, ATTN: Director, Division of Nuclear Materials Safety, 475 Allendale Road, King of Prussia, Pennsylvania 19406, not more than 30 days after the survey is conducted. 	13. A.	intervals specified in the			
 when they are removed from storage for use or transfer to another person, and have not been leak tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination. D. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the leak test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.59(b)(2) and (c)(1), and have the source decontaminated, repaired, or disposed of according to Commission regulations. The licensee shall file a written report according to 10 CFR 30.50(c)(2). E. Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples for analysis by persons specifically licensed by the Commission or an Agreement State to perform such services. 14. Before initiation of irradiator operations or after reloading of sources in the irradiator and before restart of the irradiator, a radiation survey shall be conducted to determine radiation levels around, above and below the irradiator with the sources in the shielded position and in the exposed position. The results of the survey shall be sent to the U.S. Nuclear Regulatory Commission, Region I, ATTN: Director, Division of Nuclear Materials Safety, 475 Allendale Road, King of Prussia, Pennsylvania 19406, not more than 30 days after the survey is conducted. 	· B.	intervals specified in the	ne certificate of registrat	ion prior to the transfer,	
 on the test sample. If the leak test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately remove the source from service, report to the Nuclear Regulatory Commission according to 10 CFR 30.52(b)(2) and (c)(1), and have the source decontaminated, repaired, or disposed of according to Commission regulations. The licensee shall file a written report according to 10 CFR 30.50(c)(2). E. Tests for leakage and/or contamination shall be performed by the licensee or other persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples for analysis by persons specifically licensed by the Commission or after reloading of sources in the irradiator and before restart of the irradiator, a radiation survey shall be conducted to determine radiation levels around, above and below the irradiator with the sources in the shielded position and in the exposed position. The results of the survey shall be sent to the U.S. Nuclear Regulatory Commission, Region I, ATTN: Director, Division of Nuclear Materials Safety, 475 Allendale Road, King of Prussia, Pennsylvania 19406, not more than 30 days after the survey is conducted. 	С.	when they are remove tested within the requi source shall be stored	d from storage for use or red leak test interval, the	or transfer to another pe ay shall be tested before	rson, and have not been leak
 specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples for analysis by persons specifically licensed by the Commission or an Agreement State to perform such services. 14. Before initiation of irradiator operations or after reloading of sources in the irradiator and before restart of the irradiator, a radiation survey shall be conducted to determine radiation levels around, above and below the irradiator with the sources in the shielded position and in the exposed position. The results of the survey shall be sent to the U.S. Nuclear Regulatory Commission, Region I, ATTN: Director, Division of Nuclear Materials Safety, 475 Allendale Road, King of Prussia, Pennsylvania 19406, not more than 30 days after the survey is conducted. 	D.	on the test sample. If contamination, the lice Regulatory Commission decontaminated, repa	the leak test reveals the ensee shall immediately on according to 10 CFR ired, or disposed of acco	presence of 0.005 micr remove the source from 30.52(b)(2) and (c)(1), a prding to Commission re	ocurie or more of removable service, report to the Nuclear and have the source
the irradiator, a radiation survey shall be conducted to determine radiation levels around, above and below the irradiator with the sources in the shielded position and in the exposed position. The results of the survey shall be sent to the U.S. Nuclear Regulatory Commission, Region I, ATTN: Director, Division of Nuclear Materials Safety, 475 Allendale Road, King of Prussia, Pennsylvania 19406, not more than 30 days after the survey is conducted.	E.	specifically licensed b the licensee is authori	y the Commission or an zed to collect leak test s	Agreement State to per amples for analysis by p	form such services. In addition,
Duplicate Duplicate Duplicate	the belo the Nuc day	irradiator, a radiation s ow the irradiator with th survey shall be sent to clear Materials Safety, 4 /s after the survey is co	urvey shall be conducted e sources in the shielded the U.S. Nuclear Regula 175 Allendale Road, King nducted.	d to determine radiation d position and in the exp atory Commission, Regin g of Prussia, Pennsylvar	levels around, above and osed position. The results of on I, ATTN: Director, Division of nia 19406, not more than 30
		Duplicate			

Duplicate Duplicate
 The licensee shall conduct a physical inventory at intervals not to exceed 6 months to account for all sources and/or devices received and possessed under the license. The licensee may transport licensed material in accordance with the provisions of 10 CFR 71, "Packaging and Transportation of Radioactive Material." Except for maintaining labeling as required by 10 CFR 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or the specifications in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State. The license shall not repair, remove, replace, or alter any of the following, electrical or mechanical systems that control source or shielding movement, the irradiator's shielding or sealed source, safety interlocks, or any component that may effect safe operation of the irradiator. These activities shall be performed by a person specifically licensed by the Commission or an Agreement State to perform such
 sources and/or devices received and possessed under the license. 16. The licensee may transport licensed material in accordance with the provisions of 10 CFR 71, "Packaging and Transportation of Radioactive Material." 17. Except for maintaining labeling as required by 10 CFR 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or the specifications in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State. 18. The license shall not repair, remove, replace, or alter any of the following: electrical or mechanical systems that control source or shielding movement, the irradiator's shielding or sealed source, safety interlocks, or any component that may effect safe operation of the irradiator. These activities shall be performed by a person specifically licensed by the Commission or an Agreement State to perform such
 sources and/or devices received and possessed under the license. 16. The licensee may transport licensed material in accordance with the provisions of 10 CFR 71, "Packaging and Transportation of Radioactive Material." 17. Except for maintaining labeling as required by 10 CFR 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or the specifications in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State. 18. The license shall not repair, remove, replace, or alter any of the following: electrical or mechanical systems that control source or shielding movement, the irradiator's shielding or sealed source, safety interlocks, or any component that may effect safe operation of the irradiator. These activities shall be performed by a person specifically licensed by the Commission or an Agreement State to perform such
 and Transportation of Radioactive Material." 17. Except for maintaining labeling as required by 10 CFR-20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or the specifications in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State. 18. The license shall not repair, remove, replace, or alter any of the following: electrical or mechanical systems that control source or shielding movement, the irradiator's shielding or sealed source, safety interlocks, or any component that may effect safe operation of the irradiator. These activities shall be performed by a person specifically licensed by the Commission or an Agreement State to perform such
 from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or the specifications in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State. 18. The license shall not repair, remove, replace, or alter any of the following: electrical or mechanical systems that control source or shielding movement, the irradiator's shielding or sealed source, safety interlocks, or any component that may effect safe operation of the irradiator. These activities shall be performed by a person specifically licensed by the Commission or an Agreement State to perform such
systems that control source or shielding movement, the irradiator's shielding or sealed source, safety interlocks, or any component that may effect safe operation of the irradiator. These activities shall be performed by a person specifically licensed by the Commission or an Agreement State to perform such
19. For each installed and used, the licensee shall:
 A. Permit the use of the irradiator only when a calibrated and operable radiation survey meter or room monitor is available; and B. Permit the irradiator door to be opened only after the operator has checked visual indicators to verify that the operator has checked visual indicators to verify
that the source has returned to the safe storage position and
C. Have room monitors that will:
(i) Operate at all times when the irradiator is in use; and
(ii) Activate a visible and audible alarm when radiation exceeds 2 millirem per hour; and
(iii) Detect any radiation leaking from the irradiator door; and
(iv) Be visible to the irradiator user when the user is next to the irradiator; or
D. If a room monitor is not installed, have available a calibrated and operable survey meter which will be used to:
(i) Determine the radiation level at the irradiator door when the door is closed; and
(ii) Check for any increase in radiation levels each time the irradiator door is opened. Duplicate Duplicate Duplicate
£2

.

NRC FORM 374A U.L CLEAR REGULATORY COMMISSION PAGE 4 of 4 PAGES
Duplicate Duplicate Duplicate Duplicate Duplicate Docket or Reference Number 030-06989
Amendment No. 34
E. If abnormal radiation levels or malfunctions of the irradiator are detected at any time, stop using the irradiator, restrict access to the area housing the irradiator, immediately notify the Radiation Safety Officer, and if required by 10 CFR Parts 20, 21 or 30, report to the NRC.
F. Not repair or authorize repairs of the irradiator except by the manufacturer or other persons specifically authorized by the Commission or an Agreement State to perform such services.
20. The licensee is exempted from decommissioning financial assurance requirements for possession of licensed material in sealed sources in quantities greater than the limits in 10 CFR 30.35 for the purpose of source changes only. This exemption is granted for no more than thirty days for any one source change.
 21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations. A. Letter dated February 13, 1998 B. Letter dated March 10, 1998 C. Letter dated March 13, 1998 D. Letter dated April 2, 1998 E. Letter dated May 23, 2000 F. Letter dated August 1, 2000
A to the A
Date October 28, 2002 By Original signed by John R. McGrath John R. McGrath John R. McGrath Nuclear Materials Safety Branch 2 Division of Nuclear Materials Safety Duplicate Duplicate