



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

December 20, 2006

Docket No. 03035323  
Control No. 139750

License No. 41-30557-01

Roger Moroney  
Manager, Radiological Compliance/RSO  
Siemens Molecular Imaging, Inc.  
PETNET Solutions, Inc.  
810 Innovation Drive  
Knoxville, TN 37932

SUBJECT: SIEMENS MOLECULAR IMAGING, INC., PETNET SOLUTIONS, INC.,  
LICENSE AMENDMENT, CONTROL NO. 139750

Dear Mr. Moroney:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Toolkit Index Page**. Or you may obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

*Original signed by Michelle Beardsley*

Michelle Beardsley  
Health Physicist  
Materials Security and Industrial Branch  
Division of Nuclear Materials Safety

Enclosure:  
Amendment No. 4

**NMSS/RGNI MATERIALS-001**

R. Moroney  
Siemens Molecular Imaging, Inc.

2

DOCUMENT NAME: G:\Docs\Current\Lic Cvr Letter\L41-30557-01.139750.wpd

Wednesday, December 20, 2006 1:28:14 PM

**SUNSI Review Complete: MBeardsley**

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<i>MB</i>	N	DNMS/RI		DNMS/RI			
NAME	MBeardsley								
DATE		<i>12-20-06</i>							

OFFICIAL RECORD COPY

uplicate

MATERIALS LICENSE

Duplicate

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. PETNET Solutions, Inc.</p> <p>2. 810 Innovation Drive Knoxville, Tennessee 37932</p>	<p>In accordance with the letter dated November 16, 2006,</p> <p>3. License number 41-30557-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date April 30, 2010</p> <hr/> <p>5. Docket No. 030-35323 Reference No.</p>
--	---

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium 137</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed Sources (DuPont Merck Model NES-356)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 300 microcuries</p>
---	---	---

<p>9. Authorized use:</p> <p>A. Calibration of the licensee's instruments.</p>
--

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at 398-402 Industrial Drive, Upper Gwynedd Industrial Park, North Wales, Pennsylvania.
- 11. The Radiation Safety Officer for this license is Barbara Missal, BCNP.
- 12. Licensed material shall be used by, or under the supervision of, Barbara Missal, BCNP or Matthew Mauro.
- 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made, within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

41-30557-01

Docket or Reference Number

030-35323

Amendment No. 4

- C. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material.
- D. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2) and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- F. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- G. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Registration Certificates issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.
17. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

icate

Duplicate

Duplicate

Duplicate  
MATERIALS LICENSE  
SUPPLEMENTARY SHEET

Duplicate

License Number

41-30557-01

Duplicate


Docket or Reference Number

030-35323

Amendment No. 4

18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Letter dated February 28, 2000 (ML003687972)
- B. Letter dated March 16, 2000 (ML003693293)
- C. Letter dated March 27, 2000 (ML003695665)
- D. Letter dated April 5, 2001 (ML011090154)
- E. Letter dated July 2, 2001 (ML011910015)



For the U.S. Nuclear Regulatory Commission

**Original signed by Michelle Beardsley**

Date December 20, 2006

Michelle Beardsley  
 Materials Security and Industrial Branch  
 Division of Nuclear Materials Safety  
 Region I  
 King of Prussia, Pennsylvania 19406

Duplicate

Duplicate

Duplicate