



Entergy Nuclear Northeast
Entergy Nuclear Operations, Inc.
James A. Fitzpatrick NPP
P.O. Box 110
Lycoming, NY 13093
Tel 315 349 6024 Fax 315 349 6480

April 12, 2006
JAFP-06-0061

T.A. Sullivan
Site Vice President - JAF

New York State Department
Of Environmental Conservation
Bureau of Watershed Compliance Programs
625 Broadway 4th Floor
Albany, NY 12233-3506

SUBJECT: JAMES A. FITZPATRICK NUCLEAR POWER PLANT
SPDES REPORT FACILITY ID #NY0020109

Gentlemen:

Attached is the James A. FitzPatrick Nuclear Power Plant State Pollutant Discharge Elimination System Discharge Monitoring Report (DMR) for the month of March 2006.

If you have any questions, please contact Mr. Michael Rodgers, P.E. of the plant staff at 315-349-6571.

Sincerely,

T.A. SULLIVAN
SITE VICE PRESIDENT - JAF


TAS/MDR/jbh

Attachments:

- 1) NOTES
- 2) Wastewater Facility Operations Report
- 3) Discharge Monitoring Report (DMR)

Xc: Barone, K. (NYSDEC-Region 7)w/att
Nutter, V. (WPO)w/att
Buckley, R. (M-ECH-30)w/att

Oswego Co. Dept of Health (OCDOH)w/att
RMS (JAF)w/att

**ENTERGY NUCLEAR OPERATIONS, INC.
JAMES A. FITZPATRICK NUCLEAR POWER PLANT**

**MONTH OF MARCH 2006
SPDES REPORT**

-- NOTES --

SPDES NY0020109

1. In agreement with the Region 7 Water Engineer, a DMR for sanitary wastes (discharge number 012-A) and an appropriate monthly Wastewater Facility Operation Report is being submitted in lieu of Form 92-15-7.
2. In accordance with section 5.13 of the 1999 NELAC Manual the following SPDES analyses are subcontracted as follows:
 - O'Brien & Gere Laboratories, Inc. (Lab ID# NY 00034): Oil and Grease (00556)
 - Life Science Laboratories, Inc. (Lab ID# NY 01042): Sewage Treatment Plant Effluent:
 - Biological Oxygen Demand (BOD-5) (00310)
 - Total Suspended Solids (00530)
 - Fecal Coliform (74055)

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF WATER

Page 1 of 1

WASTEWATER FACILITY OPERATION REPORT FOR THE MONTH OF

March, 2006

Form by BWS/000 (913-244-1000)

SPDES PERMIT No. NY-0020108		FACILITY NAME James A Fitzpatrick Wastewater Treatment Plant		FACILITY OWNER Entergy Nuclear Fitzpatrick, LLC				FACILITY LOCATION 268 Lake Road Lycoming, NY 13093					
Date	Day	VOLUME OF WASTEWATER		TEMPERATURE (°C.)		pH (S.U)		Solids		B.O.D. ₅ (mg/l)		Effluent	
		Flow No. MGD	Flow Avg MGD	Influent Grab	Effluent Grab	Influent Grab	Effluent Grab	Effluent SS Grab M/L	Effluent TSS Grab M/L	Influent Grab	Effluent Grab	Fecal Coliform Col/100 ml	CL2 Mg/L avg
1	Wed	169520	0.009		9.9		7.3	<0.1					0.6
2	Thur		0.009		9.7		7.2	<0.1					0.7
3	Fri		0.009		9.2		7.4	<0.1					0.6
4	Sat	19511070	0.008		9.2		7.4	<0.1					0.8
5	Sun		0.005		9.6		7.5	<0.1					0.8
6	Mon		0.008		10.3		7.5	<0.1					1.0
7	Tue		0.010		9.7		7.34	<0.1	5.5		<4	<10	0.8
8	Wed		0.013		10.1		7.4	<0.1					0.8
9	Thur		0.011		10.0		7.3	<0.1					0.8
10	Fri		0.014		10.9		7.3	<0.1					0.8
11	Sat		0.010		11.1		7.2	<0.1					0.7
12	Sun		0.009		11.3		7.2	<0.1					0.8
13	Mon		0.005		11.8		7.4	<0.1					0.9
14	Tue		0.011		11.7		7.2	<0.1					0.7
15	Wed		0.012		11.3		7.4	<0.1					0.7
16	Thur		0.012		10.8		7.2	<0.1					0.8
17	Fri		0.010		10.9		7.5	<0.1					0.7
18	Sat		0.010		10.3		7.5	<0.1					0.7
19	Sun		0.003		10.1		7.4	<0.1					0.7
20	Mon		0.007		10.1		7.6	<0.1					0.8
21	Tue		0.008		10.0		7.3	<0.1					0.8
22	Wed		0.010		10.6		7.5	<0.1					0.7
23	Thur		0.011		10.9		7.3	<0.1					0.5
24	Fri		0.011		12.1		7.3	<0.1					0.6
25	Sat		0.010		11.3		7.3	<0.1					0.6
26	Sun		0.005		11.3		7.5	<0.1					0.6
27	Sat		0.006		11.4		7.6	<0.1					0.8
28	Sun	21878070	0.008		11.8		7.1	<0.1					0.6
29	Mon		0.013		12.1		7.3	<0.1					0.9
30	Tue		0.012		11.9		7.2	<0.1					0.6
31	Wed	38320	0.013		12.3		7.3	<0.1					0.7
		Total	0.283	Minimum	Minimum	Minimum	Minimum						
			Maximum	0.0	9.2	0.0	7.1						
			0.014	Maximum	Maximum	Maximum	Maximum	Maximum	SPDES 30 d/avg		SPDES	SPDES	Maximum
				0.0	12.3	0.0	7.6	<0.1	5.5		<4	<10	1.0
		Average	0.0091		10.8			<0.1	5.5		<4	<10	0.7

Signature: Dary T. HallinanDate: 04/03/2006

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)MAJOR
(SUBR 07)
F - FINAL
CLARIFIER BLOWDOWNNY0020109
PERMIT NUMBER001 A
DISCHARGE NUMBER

MONITORING PERIOD

FROM YEAR 06 MO 03 DAY 01 TO YEAR 06 MO 03 DAY 31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ENTERGY NUCLEAR FITZPATRICK
ADDRESS ENTERGY NUCLEAR FITZPATRICK
PO BOX 110
LYCOMING NY 13093
FACILITY ENTERGY NUCLEAR FITZPATRICK
LOCATION LYCOMING NY 13093
ATTN: T A SULLIVAN

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL SUSPENDED 00530 2 0 0 EFFLUENT NET VALUE	SAMPLE MEASUREMENT	*****	*****		*****	< 0.1	0.2	(19)	0	WEEKLY	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	30 DAILY AV	50 DAILY MX	MG/L		WEEKLY	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
T.A. SULLIVAN SITE VICE PRESIDENT			315 342-3840	06	04	04	
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MAJOR
(SUBR 07)
F - FINAL
ANTHRACITE FILTER BACKWASH

NY0020109
PERMIT NUMBER

001 B
DISCHARGE NUMBER

MONITORING PERIOD
FROM YEAR 06 MO 03 DAY 01 TO YEAR 06 MO 03 DAY 31

*** NO DISCHARGE 1 1 ***
NOTE: Read Instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME ENTERGY NUCLEAR FITZPATRICK
ADDRESS ENTERGY NUCLEAR FITZPATRICK
PO BOX 110
LYCOMING NY 13093
FACILITY ENTERGY NUCLEAR FITZPATRICK
LOCATION LYCOMING NY 13093
ATTN: T A SULLIVAN

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL SUSPENDED 00530 2 0 0 EFFLUENT NET VALUE	SAMPLE MEASUREMENT	*****	*****		*****	2.2	4.9	(19)	0	WEEKLY	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	30 DAILY AV	50 DAILY MX	MG/L		WEEKLY	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

315 342-3840

DATE

06 04 04

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MAJOR
(SUBR 07)
F - FINAL
WASTE NEUTRALIZATION TANK DIS.

NY0020109
PERMIT NUMBER

001 C
DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	03	01		08	03	31

FROM

TO

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH		*****	*****		6.9	*****	7.0	(12)	0	ONCE/BATCH	GRAB
00400 > 0 0 INCREASE (NOT END OF	SAMPLE MEASUREMENT	*****	*****	****	6.0	*****	9.0			ONCE/BATCH	GRAB
SOLIDS, TOTAL	PERMIT REQUIREMENT	*****	*****	****	MINIMUM	*****	MAXIMUM	SU		ONCE/BATCH	GRAB
SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****	22.0	22.0	(19)	0	ONCE/BATCH	GRAB
00530 > 0 0 INCREASE (NOT END OF	PERMIT REQUIREMENT	*****	*****	****	*****	30	50			ONCE/BATCH	GRAB
	SAMPLE MEASUREMENT					DAILY AV	DAILY MX	MG/L			
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

315 342-3840

06 04 04

AREA CODE

NUMBER

YEAR

MO

DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **ENTERGY NUCLEAR FITZPATRICK**
 ADDRESS **ENTERGY NUCLEAR FITZPATRICK**
PO BOX 110
LYCOMING NY 13093
 FACILITY **ENTERGY NUCLEAR FITZPATRICK**
 LOCATION **LYCOMING NY 13093**
 ATTN: **T A SULLIVAN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109

PERMIT NUMBER

001 E

DISCHARGE NUMBER

MAJOR

(SUBR 07)

F - FINAL

LOW COND. WASTE SAMPLE TANK

MONITORING PERIOD

FROM YEAR MO DAY TO YEAR MO DAY
 06 03 01 TO 06 03 31

*** NO DISCHARGE X ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SPECIFIC CONDUCTANCE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(11)			
00095 > 0 0 INCREASE (NOT END OF PH	PERMIT REQUIREMENT	*****	*****	****	*****	*****	REPORT DAILY MX	UMHO/CM		HEASRD GRAB	WINMON
00400 > 0 0 INCREASE (NOT END OF PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)			
00400 > 0 0 INCREASE (NOT END OF PH	PERMIT REQUIREMENT	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/ GRAB	BATCH
00400 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****	*****			*****		(12)			
00400 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	4.0 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/ GRAB	BATCH
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****			(19)			
00530 > 0 0 INCREASE (NOT END OF PH	PERMIT REQUIREMENT	*****	*****	****	*****	30 DAILY AV	50 DAILY MX	MG/L		ONCE/ GRAB	BATCH
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
 SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

T.A. Sullivan
 SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE

315 342-3840

DATE

06 04 04

AREA CODE

NUMBER

YEAR

MO

DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

IF CONDUCTIVITY IS EQUAL TO OR LESS THAN 100 UMHOS/CM, THEN THE PH LIMIT IS (4.0 - 9.0). MONITORING OF CONDUCTIVITY IS REQUIRED ONLY WHEN STANDARD PH LIMIT IS EXCEEDED. ENTER 'NODI 9' IN PLACE OF MEASUREMENT WHEN PARAMETER IS NOT REQUIRED FOR ENTIRE MONITORING PERIOD

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **ENTERGY NUCLEAR FITZPATRICK**
 ADDRESS **ENTERGY NUCLEAR FITZPATRICK**
PO BOX 110
LYCOMING NY 13093
 FACILITY **ENTERGY NUCLEAR FITZPATRICK**
 LOCATION **LYCOMING NY 13093**
 ATTN: **T A SULLIVAN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

NY0020109
 PERMIT NUMBER

001 F
 DISCHARGE NUMBER

MAJOR
 (SUBR 07)
 F - FINAL
 BORATED WATER (SURVEIL. TEST.)

Form Approved
 OMB No. 2040-0004

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
06	03	01	06	03	31

FROM

TO

*** NO DISCHARGE 1 1 ***

NOTE: Read Instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE 00058 > 0 0 INCREASE (NOT END OF PERIOD)	SAMPLE MEASUREMENT	*****	1.5	(78)	*****	*****	*****		0	ONCE/MONTH	INSTAN
	PERMIT REQUIREMENT	*****	REPORT DAILY MX	GPM	*****	*****	*****	****		ONCE/MONTH	INSTAN
BORON, TOTAL (AS B) 01022 > 0 0 INCREASE (NOT END OF PERIOD)	SAMPLE MEASUREMENT	*****	*****		*****	*****	1200	(19)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
 SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

315 342-3840
 AREA CODE NUMBER

06 04 04
 YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ENTERGY NUCLEAR FITZPATRICK

ADDRESS ENTERGY NUCLEAR FITZPATRICK

PO BOX 110

LYCOMING

NY 13093

FACILITY ENTERGY NUCLEAR FITZPATRICK

LOCATION LYCOMING

NY 13093

ATTN: T A SULLIVAN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109

PERMIT NUMBER

001 H

DISCHARGE NUMBER

MAJOR

(SUBR 07)

F - FINAL

SERVICE WATER

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
06	03	01		06	03	31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH	SAMPLE MEASUREMENT	*****	*****		8.0	*****	8.1	(12)	0	DAILY	GRAB
00400 > 0 0 INCREASE (NOT END OF PERMIT REQUIREMENT)	PERMIT REQUIREMENT	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU		DAILY	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	51.7	52.0	(03)	*****	*****	*****		0	CONTINUOUS	CALCTD
50050 > 0 0 INCREASE (NOT END OF PERMIT REQUIREMENT)	PERMIT REQUIREMENT	REPORT DAILY AV	REPORT DAILY MX	MGD	*****	*****	*****	****		CONTINUOUS	LOG
CHLORINE, TOTAL RESIDUAL	SAMPLE MEASUREMENT	*****	*****		*****	*****	0.06	(19)	0	CLRNTN OCCURS	GRAB
50060 > 0 0 INCREASE (NOT END OF PERMIT REQUIREMENT)	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.2 DAILY MX	MG/L		CLRNTN OCCURS	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

315 342-3840

DATE

06 04 04

AREA
CODE

NUMBER

YEAR

MO

DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SEE FOOTNOTE F REGARDING CHLORINE AND PH

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)MAJOR
(SUBR 07)
F - FINAL
REVERSE OSMOSISNY0020109
PERMIT NUMBER001 I
DISCHARGE NUMBER

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	06	03	01		06	03	31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

FACILITY NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ENTERGY NUCLEAR FITZPATRICK
ADDRESS ENTERGY NUCLEAR FITZPATRICK
PO BOX 110
LYCOMING NY 13093
FACILITY ENTERGY NUCLEAR FITZPATRICK
LOCATION LYCOMING NY 13093
ATTN: T A SULLIVAN

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH	SAMPLE MEASUREMENT	*****	*****		8.0	*****	8.0	(12)	0	WEEKLY	GRAB
00400 > 0 0 INCREASE (NOT END OF PERMIT REQUIREMENT)	PERMIT REQUIREMENT	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

315 342-3840

AREA
CODE

NUMBER

DATE

06 04 04

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME **ENTERGY NUCLEAR FITZPATRICK**
ADDRESS **ENTERGY NUCLEAR FITZPATRICK**
PO BOX 110
LYCOMING NY 13093
FACILITY **ENTERGY NUCLEAR FITZPATRICK**
LOCATION **LYCOMING NY 13093**
ATTN: **T A SULLIVAN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109
PERMIT NUMBER

001 J
DISCHARGE NUMBER

MAJOR
(SUBR 07)
F - FINAL
EMERGENCY DIESEL N/C COOLING

MONITORING PERIOD								
YEAR			MO			DAY		
FROM	06	03	01	TO	06	03	31	

*** NO DISCHARGE 1 1 ***
NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH	SAMPLE MEASUREMENT	*****	*****		8.0	*****	8.1	(12)	0	DAILY	GRAB
00400 > 0 0 INCREASE (NOT END OF	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	9.0			ONCE/	GRAB
FLOW, IN CONDUIT OR	SAMPLE MEASUREMENT	0.13	0.13	(03)	*****	*****	*****		0	CONTIN-	CALCTD
THRU TREATMENT PLANT	PERMIT REQUIREMENT	REPORT	REPORT		*****	*****	*****	****		UOUS	PH LOG
50050 > 0 0 INCREASE (NOT END OF		DAILY AV	DAILY MX	MGD				****		UOUS	
CHLORINE, TOTAL	SAMPLE MEASUREMENT	*****	*****		*****	*****	0.06	(19)	0	CLRNTN	GRAB
RESIDUAL	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.2			OCURS	GRAB
50060 > 0 0 INCREASE (NOT END OF				****			DAILY MX	MG/L		OCURS	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER T.A. SULLIVAN SITE VICE PRESIDENT	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE 315, 342-3840	DATE 06 04 04		
TYPED OR PRINTED			AREA CODE 315	NUMBER 342-3840	YEAR 06	MO 04

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
PH AND CHLORINE ARE REPEATED VALUES OF THE REPRESENTATIVE GRAB AT 001H.
A and C Emergency Diesel Generators

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **ENTERGY NUCLEAR FITZPATRICK**
ADDRESS **ENTERGY NUCLEAR FITZPATRICK**
PO BOX 110
LYCOMING NY 13093
FACILITY **ENTERGY NUCLEAR FITZPATRICK**
LOCATION **LYCOMING NY 13093**
ATTN: **T A SULLIVAN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109
PERMIT NUMBER

001 K
DISCHARGE NUMBER

MAJOR
(SUBR 07)
F - FINAL
EMERGENCY DIESEL N/C COOLING

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	05	03	01		05	03	31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH	SAMPLE MEASUREMENT	*****	*****		8.0	*****	8.1	(12)	0	DAILY	GRAB
00400 > 0 0 INCREASE (NOT END OF FLOW, IN CONDUIT OR THRU TREATMENT PLANT)	PERMIT REQUIREMENT	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/MONTH	GRAB
50050 > 0 0 INCREASE (NOT END OF CHLORINE, TOTAL RESIDUAL)	SAMPLE MEASUREMENT	0.18	0.18	(03)	*****	*****	*****		0	CONTINUOUS	CALCTD
50060 > 0 0 INCREASE (NOT END OF CHLORINE, TOTAL RESIDUAL)	PERMIT REQUIREMENT	REPORT DAILY AV	REPORT DAILY MX	MGD	*****	*****	*****	****		CONTINUOUS	GRAB
	SAMPLE MEASUREMENT	*****	*****		*****	*****	0.06	(19)	0	CLRNTN OCCURS	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.2 DAILY MX	MG/L		CLRNTN OCCURS	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

315 342-3840

AREA CODE

NUMBER

DATE

06 04 04

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PH AND CHLORINE ARE REPEATED VALUES OF THE REPRESENTATIVE GRAB AT 001H.

B and D Emergency Diesel Generators

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ENTERGY NUCLEAR FITZPATRICK

ADDRESS ENTERGY NUCLEAR FITZPATRICK

PO BOX 110

LYCOMING

NY 13093

FACILITY ENTERGY NUCLEAR FITZPATRICK

LOCATION LYCOMING

NY 13093

ATTN: T A SULLIVAN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109

PERMIT NUMBER

001 M

DISCHARGE NUMBER

MAJOR

(SUBR 07)

F - FINAL

OUTFALL 001

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
06	03	01		06	03	31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TEMPERATURE, WATER DEG. FAHRENHEIT 00011 1 0 0	SAMPLE MEASUREMENT	*****	*****		*****	80.7	83.2	(15)	0	CONTINUOUS	RECORD
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT DAILY AV	112 DAILY MX	DEG. F		CONTINUOUS	RECORD
PH	SAMPLE MEASUREMENT	*****	*****		8.0	*****	8.1	(12)	0	DAILY	GRAB
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU		WEEKLY	GRAB
EFFLUENT GROSS VALUE				****							
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****	< 5.0	(19)	0	ONCE/MONTH	GRAB
00556 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE				****							
CLAMTROL CT-1, TOTAL WATER	SAMPLE MEASUREMENT	*****	*****		*****	*****	NODI9	(19)	0	WHEN DISCHG	GRAB
04251 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.2 DAILY MX	MG/L		WHEN DISCHG	GRAB
EFFLUENT GROSS VALUE				****							
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	511	542	(03)	*****	*****	*****		0	CONTINUOUS	CALCTD
50050 1 0 0	PERMIT REQUIREMENT	REPORT DAILY AV	REPORT DAILY MX	MGD	*****	*****	*****	****		CONTINUOUS	PLD
EFFLUENT GROSS VALUE											
CHLORINE, TOTAL RESIDUAL	SAMPLE MEASUREMENT	*****	*****		*****	*****	0.13	(19)	0	WHEN DISCHG	GRAB
50060 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.2 DAILY MX	MG/L		WHEN DISCHG	GRAB
EFFLUENT GROSS VALUE				****							
NET RATE OF ADDITION OF HEAT	SAMPLE MEASUREMENT	*****	*****		*****	5.73	5.73	(30)	0	DAILY	CALCTD
61575 2 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT DAILY AV	6.00 DAILY MX	BBTU/HOUR		DAILY	CALCTD
EFFLUENT NET VALUE				****							

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

315 342-3840

AREA CODE NUMBER

06 04 04

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

DISCHARGE/INTAKE TEMPERATURE DIFFERENCE & NET RATE OF ADDITION OF HEAT MAY EXCEED LIMIT BY 5% DUE TO THERMODYNAMIC FLUCTUATION IN THE PROCESS STEAM CYCLE. ENTER 'NODI 9' IN PLACE OF A MEASUREMENT WHEN A PARAMETER DOES NOT APPLY DURING THE ENTIRE MONITORING PERIOD.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **ENTERGY NUCLEAR FITZPATRICK**
ADDRESS **ENTERGY NUCLEAR FITZPATRICK**
PO BOX 110
LYCOMING NY 13093
FACILITY **ENTERGY NUCLEAR FITZPATRICK**
LOCATION **LYCOMING NY 13093**
ATTN: **T A SULLIVAN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109
PERMIT NUMBER
001 M
DISCHARGE NUMBER

MAJOR
(SUBR 07)
F - FINAL
OUTFALL 001

MONITORING PERIOD
FROM

YEAR	MO	DAY
06	03	01

 TO

YEAR	MO	DAY
06	03	31

*** NO DISCHARGE 1 1 ***

NOTE: Read Instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TEMP. DIFF. BETWEEN INTAKE AND DISCHARGE	SAMPLE MEASUREMENT	*****	*****		*****	27.5	27.9	(15)	0	CONTINUOUS	RECORD
61576 2 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT DAILY AV	32.4 DAILY MX	DEG. F		CONTINUOUS	RECORD
EFFLUENT NET VALUE	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

315 342-3840

AREA CODE

NUMBER

DATE

06

04

04

YEAR

MO

DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

DISCHARGE/INTAKE TEMPERATURE DIFFERENCE & NET RATE OF ADDITION OF HEAT MAY EXCEED LIMIT BY 5% DUE TO THERMODYNAMIC FLUCTUATION IN THE PROCESS STEAM CYCLE. ENTER 'NODI 9' IN PLACE OF A MEASUREMENT WHEN A PARAMETER DOES NOT APPLY DURING THE ENTIRE MONITORING PERIOD

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **ENTERGY NUCLEAR FITZPATRICK**
ADDRESS **ENTERGY NUCLEAR FITZPATRICK**
PO BOX 110
LYCOMING

FACILITY **ENTERGY NUCLEAR FITZPATRICK**
LOCATION **LYCOMING**
NY 13093

ATTN: **T A SULLIVAN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109
PERMIT NUMBER

001 G
DISCHARGE NUMBER

MAJOR
(SUBR 07)
F - FINAL
OUTFALL 001 QUARTERLY

MONITORING PERIOD								
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY	
	05	01	01		05	03	31	

*** NO DISCHARGE 1-1 ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BORON, TOTAL (AS B)	SAMPLE MEASUREMENT	*****	*****		*****	*****	< 0.2	(19)	0	THREE/	GRAB
01022 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	DAILY MX	MG/L		STRLY	GRAB
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

315 342-3840 06 04 04
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ENTERGY NUCLEAR FITZPATRICK

ADDRESS ENTERGY NUCLEAR FITZPATRICK

PO BOX 110

LYCOMING

NY 13093

FACILITY ENTERGY NUCLEAR FITZPATRICK

LOCATION LYCOMING

NY 13093

ATTN: T A SULLIVAN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109

PERMIT NUMBER

002 A

DISCHARGE NUMBER

MAJOR

(SUBR 07)

F - FINAL

OIL/WATER SEPARATOR

MONITORING PERIOD

FROM YEAR MO DAY TO YEAR MO DAY
06 03 01 TO 06 03 31*** NO DISCHARGE 1 X ***

NOTE: Read Instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU		TWICE/GRAB MONTH	
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****			(19)			
00530 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	30 DAILY AV	50 DAILY MX	MG/L		TWICE/GRAB MONTH	
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****			(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT DAILY AV	15 DAILY MX	MG/L		TWICE/GRAB MONTH	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE			
T.A. SULLIVAN SITE VICE PRESIDENT						315, 342-3840		06	04	04	
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

AN ADDITIONAL GRAB SAMPLE SHALL BE TAKEN DURING ANY DISCHARGE FROM THE FLY ASH HOPPER.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NY0020109

PERMIT NUMBER

002 G

DISCHARGE NUMBER

MAJOR
(SUBR 07)

F - FINAL

COMBINED STORMWATER

MONITORING PERIOD

FROM YEAR 06 MO 01 DAY 01 TO YEAR 06 MO 03 DAY 31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ENTERGY NUCLEAR FITZPATRICK

ADDRESS ENTERGY NUCLEAR FITZPATRICK

PO BOX 110

LYCOMING

NY 13093

FACILITY ENTERGY NUCLEAR FITZPATRICK

LOCATION LYCOMING

NY 13093

ATTN: T A SULLIVAN

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****	< 5.0	(19)	0	QTRLY	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	REPORT DAILY MX	MG/L		QTRLY	CALCTD
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	0.30	3.4	(03)	*****	*****	*****		0	QTRLY	CALCTD
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT DAILY AV	REPORT DAILY MX	MGD	*****	*****	*****	****		QTRLY	CALCTD
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
T.A. SULLIVAN SITE VICE PRESIDENT			315 342-3840		06	04	04
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MAJOR
(SUBR 07)
F - FINAL
SEDIMENT CONTAINMENT POND

NY0020109
PERMIT NUMBER

005 A
DISCHARGE NUMBER

MONITORING PERIOD
FROM YEAR 06 MO 03 DAY 01 TO YEAR 06 MO 03 DAY 31

*** NO DISCHARGE X ***

NOTE: Read instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME ENTERGY NUCLEAR FITZPATRICK
ADDRESS ENTERGY NUCLEAR FITZPATRICK
PO BOX 110
LYCOMING NY 13093
FACILITY ENTERGY NUCLEAR FITZPATRICK
LOCATION LYCOMING NY 13093
ATTN: T A SULLIVAN

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT	*****		(07)	*****	*****	*****				
00056 > 0 0 INCREASE (NOT END OF PERIOD)	PERMIT REQUIREMENT	*****	REPORT DAILY MX	GPD	*****	*****	*****	****		ONCE/ BATCH	CALCTD
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
00530 > 0 0 INCREASE (NOT END OF PERIOD)	PERMIT REQUIREMENT	*****	*****	****	*****	*****	50 DAILY MX	MG/L		ONCE/ BATCH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(25)			
00545 > 0 0 INCREASE (NOT END OF PERIOD)	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.3 DAILY MX	ML/L		ONCE/ BATCH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER T.A. SULLIVAN SITE VICE PRESIDENT TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
			315	342-3840	06	04	04
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)			AREA CODE	NUMBER	YEAR	MO	DAY

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)MAJOR
(SUBR 07)
F - FINAL
STORM RUNOFF & SEDIMENT POND

NY0020109

PERMIT NUMBER

005 G

DISCHARGE NUMBER

MONITORING PERIOD

FROM YEAR 06 MO 01 DAY 01 TO YEAR 06 MO 03 DAY 31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ENTERGY NUCLEAR FITZPATRICK

ADDRESS ENTERGY NUCLEAR FITZPATRICK

PO BOX 110

LYCOMING

NY 13093

FACILITY ENTERGY NUCLEAR FITZPATRICK

LOCATION LYCOMING

NY 13093

ATTN: T A SULLIVAN

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT	*****	1700000	(07)	*****	*****	*****		0	QTRLY	CALCTD
00056 1 0 0	PERMIT REQUIREMENT	*****	REPORT DAILY MX	CPD	*****	*****	*****	****		QTRLY	CALCTD
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****	<5.0	(19)	0	QTRLY	GRAB
OIL & GREASE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		QTRLY	GRAB
00056 1 0 0	SAMPLE MEASUREMENT										
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
SITE VICE PRESIDENT

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

315 342-3840

AREA
CODE

NUMBER

DATE

06 04 04

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **ENTERGY NUCLEAR FITZPATRICK**
 ADDRESS **ENTERGY NUCLEAR FITZPATRICK**
PO BOX 110
LYCOMING NY 13093
 FACILITY **ENTERGY NUCLEAR FITZPATRICK**
 LOCATION **LYCOMING NY 13093**
 ATTN: **T A SULLIVAN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

NY0020109
 PERMIT NUMBER

012 A
 DISCHARGE NUMBER


MAJOR
 (SUBR 07)
 F - FINAL
 SANITARY WASTES

Form Approved.
 OMB No. 2040-0004

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
06	03	01	TO	06	03	31

*** NO DISCHARGE 1 1 ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW RATE	SAMPLE MEASUREMENT	*****	14000	(07)	*****	*****	*****		0	DAILY	INSTAN	
00056 1 0 0	PERMIT REQUIREMENT	*****	60000		*****	*****	*****	****		ONCE/	INSTAN	
EFFLUENT GROSS VALUE			DAILY MX	GPD				****		MONTH		
BOD, 5-DAY	SAMPLE MEASUREMENT	*****	*****		*****	< 4	< 4	(19)	0	ONCE/	GRAB	
(20 DEG. C)	PERMIT REQUIREMENT	*****	*****	****	*****	30	45			MONTH	GRAB	
00310 1 0 0				****		30DA AVG	7 DA AVG	MG/L		ONCE/	GRAB	
EFFLUENT GROSS VALUE										MONTH		
PH	SAMPLE MEASUREMENT	*****	*****		7.1	*****	7.6	(12)	0	DAILY	GRAB	
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	****	6.0	*****	9.0			ONCE/	GRAB	
EFFLUENT GROSS VALUE				****	MINIMUM		MAXIMUM	SU		MONTH		
SOLIDS, TOTAL	SAMPLE MEASUREMENT	*****	*****		*****	5.5	5.5	(19)	0	ONCE/	GRAB	
SUSPENDED	PERMIT REQUIREMENT	*****	*****	****	*****	30	45			MONTH	GRAB	
00530 1 0 0				****		30DA AVG	7 DA AVG	MG/L		ONCE/	GRAB	
EFFLUENT GROSS VALUE										MONTH		
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****	< 0.1	(25)	0	DAILY	GRAB	
00545 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.1			ONCE/	GRAB	
EFFLUENT GROSS VALUE				****			DAILY MX	ML/L		MONTH		
CHLORINE, TOTAL	SAMPLE MEASUREMENT	*****	*****		*****	*****	1.0	(19)	0	DAILY	GRAB	
RESIDUAL	PERMIT REQUIREMENT	*****	*****	****	*****	*****	2.0			ONCE/	GRAB	
00060 1 0 0				****			MAXIMUM	MG/L		MONTH		
EFFLUENT GROSS VALUE												
COLIFORM, FECAL	SAMPLE MEASUREMENT	*****	*****		*****	< 10	< 10	(13)	0	ONCE/	GRAB	
GENERAL	PERMIT REQUIREMENT	*****	*****	****	*****	200	400			MONTH	GRAB	
04055 1 0 0				****		30DA GEO	7 DA GEO	100ML		ONCE/	GRAB	
EFFLUENT GROSS VALUE										MONTH		
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			TELEPHONE	DATE			
T.A. SULLIVAN								315 342-3840	06	04	04	
SITE VICE PRESIDENT								AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED												
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)												

MITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

ME ENTERGY NUCLEAR FITZPATRICK
 ADDRESS ENTERGY NUCLEAR FITZPATRICK
 PO BOX 110
 LYCOMING NY 13093
 FACILITY ENTERGY NUCLEAR FITZPATRICK
 LOCATION LYCOMING NY 13093
 TTN: T A SULLIVAN

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

NY0020109
 PERMIT NUMBER

026 A
 DISCHARGE NUMBER

MAJOR
 (SUBR 07)
 F - FINAL
 DIESEL GEN. OIL/WATER SEPARATE

Form Approved.
 OMB No. 2040-0004

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	03	01		08	03	31

*** NO DISCHARGE X ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
LOW RATE	SAMPLE MEASUREMENT			(07)	*****	*****	*****				
00056 1 0 0	PERMIT REQUIREMENT	REPORT DAILY AV	REPORT DAILY MX	GPD	*****	*****	*****	****		ONCE/ ESTIMA	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****			*****		(12)		DISCH	
00400 1 0 0	PERMIT REQUIREMENT	*****	*****	****	6.0 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/ GRAB	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****			(19)		BATCH	
SOLIDS, TOTAL	PERMIT REQUIREMENT	*****	*****	****	*****	30 DAILY AV	50 DAILY MX	MG/L		ONCE/ GRAB	
SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)		BATCH	
00530 1 0 0	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ GRAB	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****				BATCH	
OIL & GREASE	PERMIT REQUIREMENT	*****	*****	****	*****	*****					
00556 1 0 0	SAMPLE MEASUREMENT										
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE			
			315, 342-3840	06	04	04	
T.A. SULLIVAN SITE VICE PRESIDENT			AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED							
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)							