



GME GME TESTING

transmittal letter

To: Mr. Loren Hueter

630-829-9782
Fax: 630. 515. 1259
Tel: 630 829. 9829

Firm: Materials Licensing Section-NRC

From: Rami Anabtawi, RSO

Pages: 10

Re: Request for Amendment of License

Date: 7/28/06

Urgent For Approval For Your Use Please Reply As Requested

Comments:

Loren,

Please review the requested, attached information.

We are requesting an amendment to our license so that we can move into our facility starting on September 1, 2006. It is our understanding that no fee will be required for this process.

Thanks.

Sincerely,

Geotechnical and Materials Engineers, Inc. (dba GME Testing)

4

A
030-35029

◆ SITE EXPLORATION ◆ CONSTRUCTION AND LABORATORY MATERIALS TESTING ◆ SOILS & FOUNDATION ENGINEERING ◆ CONSULTING ◆

3913 MERCHANT ROAD, FORT WAYNE, IN 46818

(260) 497-8127 • Fax: (260) 497-0826 • E-Mail: info@gmetesting.com

CONFIDENTIALITY NOTICE: The materials in this fax transmittal are private and confidential and are the property of the sender. The information contained in the material is privileged and is intended only for the use of the individual(s) named above. If you are not the intended recipient, be advised that any unauthorized disclosure, copying, or distribution of the contents of this material is strictly prohibited. If you have received this fax transmittal in error, please immediately notify us by telephone to arrange for return of the forwarded documents to us. THANK YOU

Division of Geotechnical and Materials Engineers, Inc.

315613



GME

GME TESTING

3913 MERCHANT ROAD ■ PO BOX 8358 ■ FORT WAYNE, INDIANA 46898

TEL: (260) 497-8127 ■ 877-660-4GME ■ FAX: (260) 497-0826

July 28, 2006

ATTN: MR. LOREN HUETER

(630) 829-9829

MATERIALS LICENSING SECTION

US NUCLEAR REGULATORY COMMISSION, REGION III

801 WARRENVILLE ROAD

LISLE, IL 60532-4351

**Ref : APPLICATION FOR AMENDMENT OF LICENSE
LICENSE NO.: 13-32182-01**

Dear Mr. Hueter:

In compliance with your request, enclosed please find the following:

1. Leak test Certificates (Troxler & Pacific Nuclear Technology);
2. Copy of our Material License; and
3. A diagram showing the new storage location for the Nuclear Density meters. The new office is under construction at this time.

We are respectfully requesting an amendment to our license. We are moving out from our current office space located at **3913 Merchant Road in Fort Wayne, Indiana on September 1, 2006.**

Our new address will be **3517 Focus Drive-Fort Wayne, Indiana 46818 starting on September 1, 2006.** Our telephone and fax numbers will remain unchanged.

Since time of the essence, we would appreciate reviewing the above and notifying us with your decision at your earliest. For your convenience, you can fax any correspondents to 260. 497. 0826 or by email at rami@gmetesting.com.

Sincerely,
GME TESTING

Rami M. Anabtawi, P.E.
Principal Engineer/RSO

Attachments

**Pacific Nuclear Technology
2525 West 10th Street
Antioch, CA 94509
925-706-8300
925-706-8396 Fax**

REPORT OF LEAK TEST

**GEOTECHNICAL & MAT. ENGR, INC
RAMI ANABTAWI (DBA GME TESTING)
3913 MERCHANT RD
FT WAYNE IN 46818**

Model Number: 3430

Serial Number: T343 30091

Isotope:	Cs-137	8	mCi
	Am-241	40	mCi
			mCi

Date of Test: 5/12/2006


The sample identified above was submitted for leak test analysis.

Analysis Date: 5/23/2006 Analysis Number: K10931

Results: REMOVABLE
 CONTAMINATION: NIL microcurie

NOTE: The US Nuclear Regulatory Commission and the Agreement States require that the analysis of the wipe from a sealed source must be capable of detecting the presence of 0.005 microcurie (185 Bq) on the sample. The count on the wipe was below a Lower Limit of Detection of 0.0001 microcurie (3.7 Bq). The source is not considered leaking. This report should be retained for viewing by regulatory agencies.

Signed



Office of Radiation Safety
Calif. RM License No. 5634-07

**Pacific Nuclear Technology
2525 West 10th Street
Antioch, CA 94509
925-706-8300
925-706-8396 Fax**

REPORT OF LEAK TEST

**GEOTECHNICAL & MAT. ENGR. INC
RAMI ANABTAWI (DBA GME TESTING)
3913 MERCHANT RD
FT WAYNE IN 46818**

Model Number: 3430

Serial Number: T343 31463

Isotope: Cs-137 8 mCi
Am-241 40 mCi
mCi


Date of Test: 5/12/2006

The sample identified above was submitted for leak test analysis.

Analysis Date: 5/23/2006 Analysis Number: K10932

Results: REMOVABLE
CONTAMINATION: NIL microcurie

NOTE: The US Nuclear Regulatory Commission and the Agreement States require that the analysis of the wipe from a sealed source must be capable of detecting the presence of 0.005 microcurie (185 Bq) on the sample. The count on the wipe was below a Lower Limit of Detection of 0.0001 microcurie (3.7 Bq). The source is not considered leaking. This report should be retained for viewing by regulatory agencies.

Signed 
Office of Radiation Safety
Calif. RM License No. 5634-07



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
 Research Triangle Park, NC 27709
 Tel: (877) 876-9537 Fax: (919) 485-2250

License: NC 032-0182-1

LEAK TEST CERTIFICATE

DEVICE:

Model: 3440 Serial No: 19228

SEALED SOURCES:

SERIAL NO.	MEASURE DATE	NUCLIDE	ACTIVITY	
			(GBq)	(mCi)
50-8879	04/10/1990	CS-137	0.296	8
47-14697	06/11/1990	AM-241:BE	1.48	40

LEAK TEST ANALYSIS:

Sample collected on: 11/01/2005
 Sample analyzed on: 11/02/2005 at 8:27:00 AM
 Analyzed by: C. Ekwuribe

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.30E+01	2.02E+01
Background measurement (cpm)	0	25
Sample measurement (cpm)	0	29
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	4.3E-01	1.3E+00


This certifies that the above leak test results are:

Less than 185 Bq (0.005 uCi) Greater than 185 Bq (0.005 uCi)

If greater than 185 Bq (0.005 uCi):

Person Notified _____ Date _____

Phone _____ and/or Fax _____



Each drawing, plan, design, specification and contract is the property of Pranoer Group Inc. and shall not be used for any purpose without the expressed written consent of Pranoer Group Inc. The owner shall have the right to make copies of this document for information and reference purposes on their own only to the project.



GENERAL CONTRACTOR
ZUMBRUN CONSTRUCTION COMPANY, INC.
 ONE W. CLAYTON STREET
 ST. LOUIS, MISSOURI 63102
 PHONE 314.437.9900
 FAX 314.437.9901

A New Facility For:
 GME TESTING
 Lot 14 - Improvement Landmark's Park
 2417 Phares Drive
 Park West, Missouri

FIRST FLOOR PLAN
 SCALE: 1/8" = 1'-0"
 ALL PORTIONS NOT SHOWN ARE TO BE SHOWN AS SHOWN IN THE NOTES.
 REVISIONS BY: [Signature] DATE: 04/27/06

- SPECIFIC PLAN NOTES**
1. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE NOTED.
 2. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 3. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 4. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 5. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 6. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 7. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 8. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 9. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.
 10. FINISH FLOOR SHALL BE AS SHOWN IN THE NOTES.

MEZZANINE FLOOR PLAN
 SCALE: 1/8" = 1'-0"

DATE	PROJECT NO.
04/27/06	6642
SHEET TITLE	
FIRST FLOOR & MEZZANINE PLANS & NOTES.	
SHEET NO.	
A2-1	

OM :GME TESTING, INC-(GME)

FAX NO. 1260 497 8825

Oct. 27 2005 01:35PM P2

NRC FORM 370

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 4 PAGES
Amendment No. 03

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Geotechnical & Materials Engineers, Inc. 3913 Merchant Road 2. Fort Wayne, IN 46818</p>	<p>In accordance with the letter dated August 18, 2002</p> <p>3. License number 13-32182-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date May 31, 2009</p> <p>5. Decay No. 090-35029</p> <p>Reference []</p>
---	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium-137</p> <p>B. Americium-241</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed source (Amersham Model No. CDCW556 or Isotope Products Model No. HEG-0038)</p> <p>B. Sealed source (Amersham Model No. AMNV.897 or Isotope Products Model Nos. 3021 or 3027)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. No single source to exceed the maximum activity specified in the certificate of registration issued by NRC or an Agreement State</p> <p>B. No single source to exceed the maximum activity specified in the certificate of registration issued by NRC or an Agreement State</p>
---	---	---

9. Authorized use

A. and B. To be used in Troxler Model 3400 Series portable gauges for measuring physical properties of materials.

CONDITIONS

- 10. Licensed material may be used or stored at the licensee's facilities located at 3913 Merchant Road, Fort Wayne, Indiana, and may be used at temporary job sites of the licensee anywhere in the United States where the U. S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
- 11. A. The Radiation Safety Officer (RSO) for this license is Rami M. Anabtawi, P.E.

01 :GME TESTING, INC-(GME)

FRN NO. :260 497 0826

Oct. 27 2005 01:36PM P3

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 2 of 4 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET		License Number 13-32182-01
		Detector or Reference Number 030-35029
		Amendment No. 03

- B. Before assuming the duties and responsibilities as RSO for this license, future RSOs shall have successfully completed one of the training courses described in Criteria in Section 8.8 of NUREG-1556, Volume 1, dated May 1997.
- 12. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in application dated April 29, 1999 and facsimile dated May 11, 1999.
- 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U. S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(b)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U. S. Nuclear Regulatory Commission, Region III, 801 Warrenville Road, Lisle, IL 60532, ATTN: Director, Division of Nuclear Materials Safety. The report shall specify the source involved, the test results, and corrective action taken.
- E. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis; analysis of leak samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.

OM :GME TESTING, INC-(GME)

FRM NO. :260 497 0826

Oct. 27 2005 01:36PM P4

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 3 of 4 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET		License Number 13-32182-01
		Device or Reference Number 030-35029
		Amendment No. 03

15. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.
16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by NRC, to account for all sources and/or devices received and possessed under the license.
17. The licensee is authorized to transport licensed materials only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
18. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
19. Each portable gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.
20. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or other persons specifically licensed by the Commission or an Agreement State to perform such services.
- 21 A If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.
- B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U. S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.

OM : GME TESTING, INC-(GME)

FRM NO. : 260 497 0826

Oct. 27 2005 01:37PM P5

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 4 of 4 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET		License Number 13-32182-01
		DocId or Reference Number 030-35029
		Amendment No. 03

22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated April 29, 1999;
 - B. Facsimiles dated May 11, 1999 and December 15, 1999 (with letter dated December 15, 1999 (with attachments)); and
 - C. Letter dated August 16, 2002 (with attachments).



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date AUG 21 2002

By Loren J. Huster
 Loren J. Huster
 Materials Licensing Branch
 Region III

HP Officejet 4300 series 4315

Personal Printer/Fax/Copier/Scanner

Fax Log for
GME Testing
2604970826
Jul 28 2006 3:35p

Last Transaction

Date	Time	Type	Station ID	Duration	Pages	Result
Jul 28	03:30p	Fax Sent	16305151259	5:05	10	OK