

U.S. Fish & Wildlife Service

Connecticut River Coordinator's Office

Restoring Migratory Fish to the Connecticut River Basin

About Us

Recreational Fishing

Work With Us

Fisheries Management

Habitat Restoration

Fish Production

Invasive Species

Data

Education

Contacts

Links

Site Map

Home

Connecticut River Migratory Fish Counts, 1967-2005

Last updated December 16, 2005

Observed fish counts do not represent all returns.

Data are reported to the nearest individual for totals 0-999; to the nearest 100 for totals 1,000-9,999; to the nearest 1,000 for totals 10,000-99,999; and to the nearest 10,000 for totals greater than or equal to 100,000.



| Year | Atlantic Salmon (All facilities) | American Shad (River Estimate) | American Shad (Holyoke only) | Blueback Herring (Holyoke only) | Sea Lamprey (Holyoke only) | Gizzard Shad (Holyoke only) |
|------|---|---|---------------------------------------|--|-------------------------------------|--------------------------------------|
| 1967 | 0 | 750,000 | 19,000 | 356 | 46 | 0 |
| 1968 | 0 | 950,000 | 25,000 | (not counted) | (not counted) | 0 |
| 1969 | 0 | 1,110,000 | 45,000 | (not counted) | (not counted) | 0 |
| 1970 | 0 | 1,140,000 | 66,000 | 188 | (not counted) | 0 |
| 1971 | 0 | 1,130,000 | 53,000 | 302 | (not counted) | 0 |
| 1972 | 0 | 390,000 | 26,000 | 188 | (not counted) | 0 |
| 1973 | 0 | 350,000 | 25,000 | 302 | (not counted) | 0 |
| 1974 | 1 | 950,000 | 53,000 | 504 | (not counted) | 0 |
| 1975 | 3 | 850,000 | 110,000 | 1,600 | 23,000 | 0 |
| 1976 | 2 | 940,000 | 350,000 | 4,700 | 32,000 | 0 |
| 1977 | 7 | 360,000 | 200,000 | 33,000 | 52,000 | 0 |
| 1978 | 90 | 560,000 | 140,000 | 38,000 | 43,000 | 0 |
| 1979 | 58 | 560,000 | 260,000 | 40,000 | 31,000 | 0 |

| 1980 | 175 | 690,000 | 380,000 | 200,000 | 34,000 | 0 |
|------|-----|-----------|---------|---------|---------|--------|
| 1981 | 529 | 910,000 | 380,000 | 420,000 | 53,000 | 0 |
| 1982 | 90 | 940,000 | 290,000 | 590,000 | 26,000 | 0 |
| 1983 | 39 | 1,570,000 | 530,000 | 450,000 | 29,000 | 0 |
| 1984 | 92 | 1,230,000 | 500,000 | 480,000 | 22,000 | 0 |
| 1985 | 310 | 730,000 | 480,000 | 630,000 | 40,000 | 0 |
| 1986 | 318 | 750,000 | 350,000 | 520,000 | 20,000 | 27 |
| 1987 | 353 | 590,000 | 270,000 | 360,000 | 23,000 | 94 |
| 1988 | 95 | 650,000 | 290,000 | 340,000 | 16,000 | 95 |
| 1989 | 109 | 980,000 | 350,000 | 290,000 | 15,000 | 294 |
| 1990 | 263 | 820,000 | 360,000 | 390,000 | 22,000 | 927 |
| 1991 | 203 | 1,200,000 | 520,000 | 410,000 | 41,000 | 486 |
| 1992 | 490 | 1,630,000 | 720,000 | 310,000 | 28,000 | 1,100 |
| 1993 | 198 | 750,000 | 340,000 | 100,000 | 23,000 | 326 |
| 1994 | 326 | 330,000 | 170,000 | 32,000 | 30,000 | 165 |
| 1995 | 188 | 300,000 | 190,000 | 110,000 | 19,000 | 2,100 |
| 1996 | 260 | 670,000 | 280,000 | 55,000 | 45,000 | 1,100 |
| 1997 | 199 | 660,000 | 300,000 | 64,000 | 32,000 | 2,100 |
| 1998 | 300 | 640,000 | 320,000 | 12,000 | 100,000 | 1,000 |
| 1999 | 154 | 480,000 | 190,000 | 2,700 | 21,000 | 35,000 |
| 2000 | 77 | 428,000 | 225,000 | 11,000 | 21,000 | 38,000 |
| 2001 | 40 | 740,000 | 270,000 | 11,000 | 49,000 | 5,000 |
| 2002 | 44 | 687,000 | 370,000 | 1,900 | 73,000 | 3,000 |
| 2003 | 43 | 527,000 | 280,000 | 1,300 | 53,000 | 800 |
| 2004 | 69 | 351,000 | 192,000 | 151 | 59,000 | 279 |
| 2005 | 186 | N/A * | 116,511 | 534 | 28,134 | 126 |

*Shad River Return Estimates are not provided because physical changes made at the Holyoke fishlift in 2005 have altered the predictive model previously used to make this estimate. As a result, a reliable estimate can not be provided until further studies are undertaken to test the current efficiency of the fishway.

About Us | Recreational Fishing | Work With Us | Fisheries Management Habitat Restoration | Fish Production | Invasive Species Data | Education | Contacts | Links | Site Map | Home

U.S. Fish and Wildlife Service

This page was last updated on 12/15/2006 15:53:11