NRC FORM 374 U.S. NUCLEAR REGULATORY COMMISSION PAGE <u>1</u> OF <u>6</u> PAGES Amendment No. 22				
	MATERIALS L	ICENSE		
<b>MATERIALS LICENSE</b> Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified				
below. PC 0.3620			315869	
Licensee		In accordance w	th letter dated	
		November 20, 20 January 18, 2007	06, and facsimile dated ,	
1. The Curators of the University of Miss	souri	3. License number 2	4-00513-38 is amended	
		in its entirety to re	ad as follows:	
2. University of Missouri - St. Louis	RR	# Expiration date Ja	nuary 31, 2013	
1 University Boulevard (102 PTB)	EA.	5. Docket No. 030-3	2694	
St. Louis, MO 63121-4400	· · · · · · · · · · · · · · · · · · ·	Reference No.		
6. Byproduct, source, and/or special 7. nuclear material	Chemical and/or phy	vsical form 8.	Maximum amount that licensee may possess at any one time under this license	
A. Carbon-14	The second second		A. C30 millicuries	
B. Hydrogen-3 K	nonvol	aile	B. 35 millicuries	
C. lodine-125 🛏 🍌	e Charles		C. 20 millicuries	
D. Calcium-45	Ange	and a subscription	D10 millicuries	
E. Molybenum-99	And		E 10 millicuries	
F. Phosphorus-32	F. A.		P. 120 millicuries	
G. Phosphorus-33	G. Any	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	G. 20 millicuries	
H. Sulfur-35	H. Any	**	H. 80 millicuries	
I. Zinc-65	I. Any		I. 10 millicuries	
J. Am-241 wrapped with Beryllium for neutron source	J. Sealed sou Technology AMN.V997, Product La Model No. A Troxler Dra 102700)	rce (AEA / Model No. Isotope boratories AM1.NO2, wing Nol A-	J. 10 millicuries	
K. Cobalt-60	K. Sealed sour	ces	K. 20 microcuries total	
L. Iodine-129	L. Sealed sour	ce	L. 0.2 microcurie	
M. Polonium-210	M. Sealed sour	ces	M. 2 microcuries total	
N. Americium-241	N. Electroplate	d Needle (Rod)	N. 100 microcuries	

NRC F	ORM 3744	U.S. NUCLEAR REGULATORY COMMISSI	ON PAGE 2 of 6 PAGES		
		MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 24-00513-38 Docket or Reference Number 030-32694 Amendment No. 22		
9. Au	thorized	Use:			
	<ul> <li>A. through N. To be used for research and development as defined in 30.4 of 10 CFR Part 30, including metabolic labeling, use as tracers for isotope uptake studies by microorganisms (e.g., yeast cells), in vitro experiments, instrument calibration, student demonstrations, and soil moisture measurements in a Troxler Soil Moisture Gauge, Model No. 4302A, as described in the letters dated May 19, 1993, and January 14, 2004 (excluding all references to cobalt-57) and the applications dated August 1, 2002, and January 14, 2004 (excluding all references to cobalt-57.)</li> </ul>				
10.	Α.	Licensed material shall be used only at the licensed material shall be used on licensed material	censee's facilities focated at the University of id, St. Logis Missouri.		
	В.	B. Licensed material listed in the states K. In ICO M. manual used at temporary jobsites of the licensee anywhere in the States where the stat			
11.	The Radiation Safety Office this icercans store store and a server store at the server				
12.	A. Licensed material lister and a second prove is provided for used by, or under the supervision of, the following bidivided of the supervision of the following bidivided of the supervision of the superv				
		Jane A. Starling, Ph.D.	arbo 14, and hydrogen-3.		
		Teresa Thiel, Ph.D.	Carbon-14, hydrogen-3, phosphorus-32, sulfur-35, phosphorus-33, molybdenum-99.		
		Shirley T. Bissen, Ph.D. F	Phosphorus-32, and sulfur-35.		
		F. Keith Stine, Ph.D.	Americium-241.		
		Claude Fauquet, Ph.D. F	Phosphorus-32 and sulfur-35.		
		Elizabeth A. Kellogg, Ph.D. F	Phosphorus-32 and sulfur-35.		
		Wendy Olivas, Ph.D. F	Phosphorus-32 and sulfur-35.		
		Patricia Parker, Ph.D. F	Phosphorus-32.		
		Cynthia Dupureur, Ph.D. C	Carbon-14, hydrogen-3, phosphorus-32 and sulfur- 5.		

MATERIALS LICENSE SUPPLEMENTARY SHEET       License Number 24:00513:38         Marc Spingola, Ph.D.       Decade or Reference Number 030:32694         Marc Spingola, Ph.D.       Phosphorus-32, sulfur-35, Hydrogen-3, carbon-14, and iodine-125.         Colin Mac Diarmid, Ph.D.       Zinc-65, calcium-45, iodine-125, phosphorus-32, phosphorus-33, hydrogen-3, sulfur-35 and carbon- 14.         Xuemin (Sam) Wang, Ph.D.       Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.         Lisa Schechter, Ph.D.       EAR         R       E         Prosphorus-32 and sulfur-35.         B.       Licensed material light in Items 6, K - 6 M. shall only be used by, or under the supervision and in the physical prevince of individuals who have successfully completed the manufacturer's training program for otargue users, have been instructed fir the figensee's routine and emergence operating procedures and detector studyshal be besteaded the datage and/or contamination at intervals not to exceed@ months of a then other intervals of secoled by the certificate of registration, referred to in_10 CFR 2         B.       Notwithstanding Para shall be lested or lear and build or printing that a test has been made, a sealed source or detector will received from a theory person shall not be put into use until tested.         D.       Sealed sources need not be tak tested if: (i) they contain only hydrogen 3; dt         (ii) they contain only hydrogen 3; dt         (iii) the half-life of the isotope is 30 days or less; or         (iv) they are not designed to emit alpha particles,	NRC	FORM 374/	A	U.S. NUCLEAR REGULATORY C	OMMISSION	PAGE 3 of 6 PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET       December Reference Number 030-32694         Marc Spingola, Ph.D.       Phosphorus-32, sulfur-35, Hydrogen-3, carbon-14 and iodine-125.         Marc Diarmid, Ph.D.       Zinc-85, calcium-45, iodine-125, phosphorus-32, phosphorus-33, hydrogen-3, sulfur-35 and carbon- 14.         Xuemin (Sam) Wang, Ph.D.       Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.         Lisa Schechter, Ph.D.       F       R         E       Licensed material light in Items 6. K - 6.M. shall only be used by, or under the supervision and in the physical prevince of, individuals who have successfully completed the manufacturer's training program for other use users, have been instructed in the fosnese's routine and emergence operating procedures and there not subshalp be lested to that age and/or contamination at intervals not to exceed@ months of an and other instructed in the fosnese's routine and emergence operating procedures and detector study shalp be lested to that age and/or contamination at intervals not to exceed@ months of an and other instructed in the fosnese's routine and emergence operating procedures and detector study shalp be person shall be bested for least training or gram for other operation of the instructed in the fosnese's could be ontil alpha particles shall be lested for least shall be lested for least shalp for a previous person shall not be put into use until tested.         0.       Sealed sources need not be light tested if: (i) they contain only hydrogen 3; difference of aphramination at intervals shall be lested or least shalp to aphramination at intervals shall be lested or least whith the required best and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials;				······································		License Number 24_00513_38
SUPPLEMENTARY SHEET     DOUGLOGH       Marc Spingola, Ph.D.     Amendment No. 22       Marc Spingola, Ph.D.     Phosphorus-32, sulfur-35, Hydrogen-3, carbon-14 and iodine-125.       Colin Mac Diarmid, Ph.D.     Zinc-65, calcium-45, iodine-125, phosphorus-32, phosphorus-33, hydrogen-3, sulfur-35 and carbon- 14.       Xuemin (Sam) Wang, Ph.D.     Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.       Lisa Schechter, Ph.D.     F       R     F       Colin Mac Diarmid, Ph.D.     Calcium-45, sulfur-35.       B.     Licensed material light in Items 6.K - 6.M. shall only be used by, or under the supervision and in the physical probence of, individuals who have successfully completed the manufacturer's training program for gauge users, have been instructed to the Itomsee's routine and emergence operating proceeding onthis of a physical probence of a individuals who have successfully completed the manufacturer's training program for gauge users, have been designated withe Radiation Safety Officer.       13.     A.       Sealed sources and detector bulk shall be bestead to sace do the intervals not to exceed the onthis of a physical problem of the intervals of section of the intervals of the exceed 3 months.       C.     In the absence of a certificate for maximum period shall on be put into use until tested.       D.     Sealed sources need no belig at tested if: (i) they contain only hydrogen 3; of (ii) they contain only radioactive gases; or (iii) the half-life of the isotope is 30 days or less; or (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 versources of alpha			N	ATERIALS LICENSE		Docket or Reference Number
<ul> <li>Marc Spingola, Ph.D.</li> <li>Marc Spingola, Ph.D.</li> <li>Colin Mac Diarmid, Ph.D.</li> <li>Zinc-65, calcium-45, iodine-125, phosphorus-32, phosphorus-33, hydrogen-3, sulfur-35 and carbon-14.</li> <li>Xuemin (Sam) Wang, Ph.D.</li> <li>Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.</li> <li>Lisa Schechter, Ph.D.</li> <li>E. K. R. E. C. Statum et al. (Sample and sulfur-35).</li> <li>B. Licensed material isted in Items 6.K 6.M. shall only be used by, or under the supervision and in the physical protector of, individuals who have successfully completed the manufacturer's training program for game users, have been instructed in the flognset's routine and emergence operating proceedings and the physical proceeding on the supervision and bin to exceed 6 months of a new other unavaily its sectified by the certificate of registration, referred to in 10 CFR 2.2</li> <li>B. Notwithstanding Para and the bind to the correst of the supervision and the absence of a certificate from the transform period shall not be exceed 3 months.</li> <li>C. In the absence of a certificate from the process shall be tested for leave and the process of a certificate from the process shall be been instructed in the absence of a certificate from the process shall not be put into use until tested.</li> <li>D. Sealed sources need no behave tested if: <ul> <li>(i) they contain only radioactive gases; or</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the vontain only radioactive gases; or</li> <li>(iii) they contain only radioactive gase; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 parawer within the required leak test interval, they shall be tested to remove from storage for use or transferred to another person and have not been tested within the required leak test interval, they shold be tested before use or transferred to another person and have not been tested within the required leak test interval, they shall be teste</li></ul></li></ul>			S	UPPLEMENTARY SHEET		Amondmont No. 22
<ul> <li>Marc Spingola, Ph.D.</li> <li>Marc Spingola, Ph.D.</li> <li>Colin Mac Diarmid, Ph.D.</li> <li>Zinc-65, calcium-45, iodine-125, phosphorus-32, phosphorus-33, hydrogen-3, sulfur-35 and carbon-14.</li> <li>Xuemin (Sam) Wang, Ph.D.</li> <li>Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.</li> <li>Lisa Schechter, Ph.D.</li> <li>Licensed material liged in Items 6 K - 6.M. shall only be used by, or under the supervision and in the physical presence of, individuals who have successfully completed the manufacturer's training program for guoge users, have been instructent file floensee's routine and emergenc operating procedures and detector bulkshall be ested of the Radiation Safety Officer.</li> <li>A. Sealed sources and detector bulkshall be ested of the Radiation Safety Officer.</li> <li>B. Notwithstanding Parameter of a cartification of the intervals in specified by the certificate of registration, referred to in 10 CFR P2 and the transfer of person shall not be stated or lested or least the floense is not be exceed 3 months.</li> <li>C. In the absence of a certification for the material in the physical person and in the program for guoge users, have been instructed for the supervision and in the value of the registration of the person shall not be put into use until tested.</li> <li>D. Sealed sources need not be light tested if: <ul> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the contain only radioactive gases; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use on transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transferred to another person and have not been tested within the required</li></ul></li></ul>						
<ul> <li>Marc Spingola, Ph.D.</li> <li>Phosphorus-32, sulfur-35, Hydrogen-3, carbon-14 and iodine-125.</li> <li>Colin Mac Diarmid, Ph.D.</li> <li>Zinc-65, calcium-45, iodine-125, phosphorus-32, phosphorus-33, hydrogen-3, sulfur-35 and carbon-14.</li> <li>Xuemin (Sam) Wang, Ph.D.</li> <li>Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.</li> <li>Lisa Schechter, Ph.D.</li> <li>Calcium-45, sulfur-35, phosphorus-32, carbon-14.</li> <li>Schechter, Ph.D.</li> <li>Calcium-45, sulfur-35.</li> <li>Licensed material listed in items 6. K - 6.M. shall only be used by, or under the supervision and in the physical protence of, individuals who have successfully completed the manufacturer's training program for gauge users, have been instructer in Me fognsee's routine and emergenc operating procedures and detector subshalp be ested of the kage and/or contamination at intervals not to exceed 8 months or another other intervals is specified by the certificate of registration, referred to in 10 CFR 8.</li> <li>B. Notwithstanding Paration of the intervals is specified by the certificate of registration, referred to in 10 CFR 8.</li> <li>B. Notwithstanding Paration of the intervals is specified by the certificate of mediation shall be bested for least and/or anternination at intervals is specified by the certificate of sources or detector cell received from the particles of person shall not be put into use until tested.</li> <li>D. Sealed sources need not beigak tested if: <ul> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used.</li> <li>(v) they are not designed to emit alpha particles are instorage, and are not being used.</li> <li>(v) they are not been tested within the required leak test interval, they shall be tes</li></ul></li></ul>						
<ul> <li>Colin Mac Diarmid, Ph.D.</li> <li>Zinc-65, calcium-45, iodine-125, phosphorus-32, phosphorus-33, hydrogen-3, sulfur-35 and carbon-14.</li> <li>Xuemin (Sam) Wang, Ph.D.</li> <li>Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.</li> <li>Lisa Schechter, Ph.D.</li> <li>R R E Phosphorus-32 and sulfur-35.</li> <li>B. Licensed material light in items 6 K - 6 M. shall only be used by, or under the supervision and in the physical pre-tone of, individuals who have successfully completed the manufacturer's training program for reture users, have been instructed in the floensee's routine and emergenc operating procedures and there buildshalp be resteaded that allon 3 afety Officer.</li> <li>13. A. Sealed sources and detector buildshalp be resteaded that allon cortificate of registration, referred to in 10 CFR 2 and the other intervals of reacting that a test has been made, a sealed source or detector cell received from antimizer at intervals on both so a administor at previous shall not be exceed 3 months.</li> <li>C. In the absence of a certificate from antimizer at intervals in the base of a certificate of registration, referred to in 10 CFR 3 and 4 or a condition were previous shall not be put into use until tested.</li> <li>D. Sealed sources need not be task tested if: <ul> <li>(i) they contain only hydrogen 3; or</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the half-life of the isotope is 30 days or less; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transferr. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage</li></ul></li></ul>			Marc	Spingola, Ph.D.	Pho and	sphorus-32, sulfur-35, Hydrogen-3, carbon-14, iodine-125.
<ul> <li>Xuemin (Sam) Wang, Ph.D.</li> <li>Calcium-45, sulfur-35, phosphorus-32, carbon-14 and hydrogen-3.</li> <li>Lisa Schechter, Ph.D.</li> <li>R</li> <li>R</li> <li>R</li> <li>R</li> <li>R</li> <li>R</li> <li>R</li> <li>R</li> <li>Phosphorus-32 and sulfur-35.</li> <li>B.</li> <li>Licensed material listed in Items 6.K - 6.M. shall only be used by, or under the supervision and in the physical prevence of, individuals who have successfully completed the manufacturer's training program for gauge users, have been designated on the floansee's routine and emergence operating procedures and detector half shall be tested for the floansee's routine and emergence or to in 20 CFR v 2000</li> <li>B.</li> <li>Notwithstanding Parage of the constraint other intervals is specified by the certificate of registration, referred to in 20 CFR v 2000 other intervals a specified by the certificate of registration, referred to in 20 CFR v 2000 other intervals and intervals not to exceed 6 months of a the business of the intervals of the specified by the certificate of registration, referred to in 20 CFR v 2000 other intervals and the process designed to emit alpha particles shall be tested for least of the or provide the manufacture or indicating that a test has been made, a sealed source or detector cell received from the person shall not be put into use until tested.</li> <li>D.</li> <li>Sealed sources need not be task tested if:     <ul> <li>(i) they contain only radioactive gases; or</li> <li>(ii) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transferred to another person and have not been tested within the required leak and/or contamination.</li> <!--</th--><th></th><th></th><th>Colin</th><th>Mac Diarmid, Ph.D.</th><th>Zino pho 14.</th><th>-65, calcium-45, iodine-125, phosphorus-32, sphorus-33, hydrogen-3, sulfur-35 and carbon-</th></ul></li></ul>			Colin	Mac Diarmid, Ph.D.	Zino pho 14.	-65, calcium-45, iodine-125, phosphorus-32, sphorus-33, hydrogen-3, sulfur-35 and carbon-
<ul> <li>Lisa Schechter, Ph.D. E R K E Soborous-32 and sulfur-35.</li> <li>B. Licensed material listed in Items 6.K - 6.M. shall only be used by, or under the supervision and in the physical probence of, individuals who have successfully completed the manufacturer's training program for energe users, have been instructed in the Incensee's routine and emergence operating procedures and deterom sulful shall be rester if the Incensee's routine and emergence operating procedures and deterom sulful shall be rester if the Incensee's routine and emergence operating procedures and deterom sulful shall be rester if the Incensee's routine and emergence operating procedures and deterom sulful shall be rester if the Incensee's contamination at intervals not to exceed 6 months of an unit of the intervals if success designed to emit alpha particles shall be tested for learning the objective operating that a test has been made, a sealed source or detector cell received from the person shall not be put into use until tested.</li> <li>D. Sealed sources need not be track tested if: <ul> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 100 microcuries of beta and/or gamma emitting material or not more than 100 microcuries of proves; or its and they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested for a period of more than 10 wears without being tested for leakage and/or contaminating material or not more than 100 microcuries of alpha emitting materials; or</li> </ul></li></ul>			Xuerr	nin (Sam) Wang, Ph.D.	Calc and	cium-45, sulfur-35, phosphorus-32, carbon-14 hydrogen-3.
<ul> <li>B. Licensed material listed in Items 6.K - 6.M. shall only be used by, or under the supervision and in the physical prevence of, individuals who have successfully completed the manufacturer's training program for gauge users, have been instructed the file nearese's routine and emergenc operating procedures and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>13. A. Sealed sources and detector belowshall be resteaded to the Radiation Safety Officer.</li> <li>14. Notwithstanding Para to the transmitter intervals in the radiation of the registration, referred to in 10 CFR 22 to condition below to condition the registration of the end to be the state of the resteaded to the transmitter of the resteaded to the rest of the r</li></ul>			Lisa {	Schechter, Ph.D. EAK	KEG Pho	sphorus-32 and sulfur-35.
<ul> <li>13. A. Sealed sources and detector this shall be tested of thakage and/or contamination at intervals not to exceed 6 months of a prior other intervals of specified by the certificate of registration, referred to in 10 CFR 12 200</li> <li>B. Notwithstanding Parage of A other bondition, staled species designed to emit alpha particles shall be tested for least and to or intervine the specified by the exceed 3 months.</li> <li>C. In the absence of a certificate nom a state for intervine person shall not be put into use until tested.</li> <li>D. Sealed sources need not be trak tested if: <ul> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transferr. No sealed source or detector cell shall be tested or interview of the storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transferr. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul></li></ul>		В.	Licen: in the trainir opera	sed material listed in Items 6.K - physical presence of, individuals ng program for <b>gaug</b> e users, hav ating procedures <b>and win</b> have b	6.M. shall s who have re been ins been design	only be used by, or under the supervision and successfully completed the manufacturer's structed in the licensee's routine and emergency nated by the Radiation Safety Officer.
<ul> <li>B. Notwithstanding Paras, A second condition wealed, sprices designed to emit alpha particles shall be tested for lean and d/or contaminants at introvals not to exceed 3 months.</li> <li>C. In the absence of a certificate hom as the person shall not be put into use until tested.</li> <li>D. Sealed sources need not be track tested if: <ul> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the half-life of the isotope is 30 days or less; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul> </li> </ul>	13.	A.	Seale not to referr	ed sources and detector sells sha exceed 6 months of at sern oth red to in 10 CFR 22.210	IP be leste er interval	the Hakage and or contamination at intervals specified by the certificate of registration,
<ul> <li>C. In the absence of a certificate from a correction of increating that a test has been made, a sealed source or detector cell received from a correction person shall not be put into use until tested.</li> <li>D. Sealed sources need not be trak tested if: <ul> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the half-life of the isotope is 30 days or less; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul> </li> </ul>		В.	Notwi shall	ithstanding Para A et a b be tested for least and/or and	ondition) s tamination	ealed sporces designed to emit alpha particles at intervals not to exceed 3 months.
<ul> <li>D. Sealed sources need not be leak tested if:</li> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the half-life of the isotope is 30 days or less; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul>		C.	In the sourc	absence of a certificate from at a certificate from at a certificate from a certificate f	in the second se	rson shall not be put into use until tested.
<ul> <li>(i) they contain only hydrogen 3; of</li> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the half-life of the isotope is 30 days or less; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul>		D.	Seale	ed sources need not be laak teste	ed if:	$\mathbf{k}$
<ul> <li>(ii) they contain only radioactive gases; or</li> <li>(iii) the half-life of the isotope is 30 days or less; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul>			(i)	they contain only hydrogen 3;		•
<ul> <li>(iii) the half-life of the isotope is 30 days or less; or</li> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul>			(ii)	they contain only radioactive ga	ases; or	
<ul> <li>(iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more that 10 microcuries of alpha emitting materials; or</li> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul>			(iii)	the half-life of the isotope is 30	days or le	ess; or
<ul> <li>(v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li> </ul>			(iv)	they contain not more than 100 not more that 100	) microcuri f alpha em	es of beta and/or gamma emitting material or itting materials; or
			(v)	they are not designed to emit a However, when they are remov and have not been tested within before use or transfer. No sea more than 10 years without bei	alpha parti ved from si n the requ led source ing tested	cles, are in storage, and are not being used. torage for use or transferred to another person, ired leak test interval, they shall be tested or detector cell shall be stored for a period of for leakage and/or contamination.

NRC F	ORM 374/	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 4 of 6 PAGES	
		MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 24-00513-38 Docket or Reference Number 030-32694 Amendment No. 22	
	E	The leak test shall be capable of detecting the p of radioactive material on the test sample. If the (185 becquerels) or more of removable contami Nuclear Regulatory Commission in accordance be removed immediately from service and decor accordance with Commission regulations.	presence of 0.005 microcurie (185 becquerels) te test reveals the presence of 0.005 microcurie nation, a report shall be filed with the U.S. with 10 CFR 30.50 <b>(b)</b> (2), and the source shall ntaminated, repaired, or disposed of in	
	F.	The report shall specify the source involved, the Records of leak test results shall be kept in units inspection by the Commission	e test results, and corrective action taken. s of microcuries and shall be maintained for e disposed of following Commission inspection.	
	G.	Tests for leakage and/or contamination shall be specifically licensed by the Commission or an A	performed by the licensee or by other persons greement State to perform such services.	
14.	The lid device years manut invent	censee shall conduct a physical inventory every 6 es received and possessed under the license. Re from the date of each inventors, and shelt include facturer's name and model <b>curriser</b> , location of the ory.	months to account for all sources and/or constant inventories shall be maintained for 5 the quantities and kinds of byproduct material, by buices and/or devices, and the date of the	
15.	Α.	Detector cells contained with your role sind operating temperatures and more anism which specified by the manuference and approved by	only be used in conjunction with a properly prevent foil temperatures from exceeding that NRC	
	В.	When in use, detector certs containing and un vented to the outside.	nonde foil or a scandium tritide foil shall be	
16.	Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders or detector cells by the licensee			
17.	The lie 120 da	censee is authorized to hold radioactive material v ays for decay-in-storage before disposal in ordina	with a physical half-life of less than or equal to ry trash provided:	
	Α.	Before disposal as ordinary trash, byproduct surface with the appropriate survey meter se interposed shielding to determine that its rate background. All radiation labels shall be rer	t material shall be surveyed at the container et on its most sensitive scale and with no dioactivity cannot be distinguished from noved or obliterated.	
	В.	A record of each disposal permitted under the three years. The record must include the da byproduct material was placed in storage, the instrument used, the background dose rate, each waste container, and the name of the in	his License Condition shall be retained for te of disposal, the date on which the he radionuclides disposed, the survey the dose rate measured at the surface of individual who performed the disposal.	

**C.** Radioactive waste being held for decay shall not be stored for a period greater than 4 years.

NRC F	ORM 374A	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 5 of 6 PAGES
			License Number 24-00513-38
		MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 030-32694
			Amendment No. 22
18.	Radioacti <sup>,</sup> than 2 yea	ve waste other than that specified in Conditior ars.	17. shall not be stored for a period greater
19.	Radioactiv 18. shall t	ve waste currently possessed exceeding the s be disposed of within one year of the issuance	torage provisions of Condition Nos. 17.D., and of this license.
20.	This licen	se does not authorize commercial distribution	of licensed material.
21.	The licens	see shall not use licensed material in or on hunor on the ondition of this license. $EAREG$	man beings except as provided otherwise by $U_{1}$
22.	The licens	see shall not use licensed material in field app otherwise by specific condition of this license.	lications/where activity is released except as
23.	When per gauge una secure bu	forming tests at temporary job sites, the author attended. Upon completion of tests the device uilding to prevent unauthorized use, less, or the	orized user shall not leave the moisture/density strated locked in the licensee's vehicle or a
24.	Any clean performed Agreemer	ing, maintenance, or recail of the gauge s) th d only by the manufacture nt State to perform the service	a pource rod shall be fically licensed by the Commission or an S
25.	In addition licensed n decommis	n to the possession in the lice is naterial to quantities and the mainting lice ssioning financial assurance.	e share orther restrict the possession of contract of the possession of contract of the possession of
26.	Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when petramport. A minimum of two independent physical controls that form tangible barriers to secure portable gauges from unauthorized removal whenever the portable gauge is not under the control and constant surveillance of the licensee are required.		
27.	The licens 10 CFR P	see is authorized to transport licensed material art 71, "Packaging and Transportation of Radi	l only in accordance with the provisions of ioactive Material."

NRC FO	ORM 374/	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 6 of 6 PAGES	
		MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 24-00513-38 Docket or Reference Number 030-32694 Amendment No. 22	
28.	28. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.			
	А. В.	Applications dated February 28, 1992, August 1 2004 (excluding all references to cobalt-57); Letters dated July 20, 1992, January 15, 1997, August 14, 2001, December 5, 2001 (excluding all references to cobat 57), July 8, 2004, March of use for Dr. Wang research and his application	, 2002 (with attachments) and January 14, October 15, 1998, February 17, 2000, Item No. 3.), January 14, 2004 (excluding h 4, 2009 (limited to the authorized locations ion to use licensed material), May 9, 2005,	
	C.	June 16, 2005, Nevember 15, 2005, and April 2 Facsimiles dated May	7, 2006; and, p 3 (when the trachments) and April 14, 2004.	
		FOR THE U.S	S. NUCLEAR REGULATORY COMMISSION	
Date _	JAN	2 2 2007 By <u>Colleen Ca</u> Materials I Region III	arol Casey Licensing Branch	